

1 INTERNET-DRAFT — ~~There are 4 issues highlighted like this.~~
2 <draft-ietf-ipp-indp-method-021.txt>

Hugo Parra
Novell, Inc.
Tom Hastings
Xerox Corp.
July 146, 2000

8 Internet Printing Protocol (IPP):

9 **The 'indp' Notification Delivery Method and Protocol/1.0**

11 Copyright (C) The Internet Society (2000). All Rights Reserved.

12 Status of this Memo

13 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
14 [rfc2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas,
15 and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

16 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
17 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or
18 to cite them other than as "work in progress".

19 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

20 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

21 **Abstract**

22 The IPP notification extension document [ipp-ntfy] defines operations that a client can perform in order to
23 create *Subscription Objects* in a Printer and carry out other operations on them. The Subscription Object
24 specifies that when one of the specified *Events* occurs, the Printer sends an asynchronous *Event Notification*
25 to the specified *Notification Recipient* via the specified *Delivery Method* (i.e., protocol).

26 The notification extension document [ipp-ntfy] specifies that each *Delivery Method* is defined in another
27 document. This document is one such document, and it specifies the 'indp' Delivery Method and Protocol.
28 This Delivery Method is a simple protocol consisting of a single operation: the Send-Notifications
29 operation which uses the same encoding and transport as IPP. This document defines version '1.0' of the
30 protocol.

31 For this Delivery Method, when an Event occurs, the Printer immediately sends (pushes) an Event
32 Notification via the Send-Notifications operation to the Notification Recipient specified in the Subscription
33 Object. The Event Notification content consists of Machine Consumable attributes and a Human
34 Consumable "notify-text" attribute. The Notification Recipient returns a response to the Printer.

35 ~~The IPP Event Notification specification [ipp-ntfy] is an OPTIONAL extension to IPP/1.0, IPP/1.1, and~~
36 ~~future versions. [ipp-ntfy] requires the definition of one or more Delivery Methods in separate Delivery~~
37 ~~Method Documents for the Printer to dispatch Event Notifications to Notification Recipients. This Delivery~~
38 ~~Method Document defines the semantics and syntax of the 'indp' Notification Delivery Method. For this~~
39 ~~Delivery Method, an IPP Printer sends (pushes) an IPP Event Notifications request to the Notification~~
40 ~~Recipients using the Send Notifications operation defined in this document. The Notification Recipient~~
41 ~~returns a response to the Printer. The Send Notifications operation uses the same Encoding and Transport~~
42 ~~as IPP itself.~~

43 The full set of IPP documents includes:

- 44 Design Goals for an Internet Printing Protocol [RFC2567]
- 45 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]
- 46 Internet Printing Protocol/1.1: Model and Semantics [ipp-mod]
- 47 Internet Printing Protocol/1.1: Encoding and Transport [ipp-pro]
- 48 Internet Printing Protocol/1.1: Implementer's Guide [ipp-iig]
- 49 Mapping between LPD and IPP Protocols [RFC2569]
- 50 Internet Printing Protocol (IPP): IPP Event Notification Specification [ipp-ntfy]

51 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
52 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included
53 in a printing protocol for the Internet. It identifies requirements for three types of users: end users,
54 operators, and administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. A
55 few OPTIONAL operator operations have been added to IPP/1.1.

56 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
57 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of
58 IPP specification documents, and gives background and rationale for the IETF working group's major
59 decisions.

60 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with
61 abstract objects, their attributes, and their operations that are independent of encoding and transport. It
62 introduces a Printer and a Job object. The Job object optionally supports multiple documents per Job. It
63 also addresses security, internationalization, and directory issues.

64 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the abstract
65 operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines the
66 encoding rules for a new Internet MIME media type called "application/ipp". This document also defines
67 the rules for transporting a message body over HTTP whose Content-Type is "application/ipp". This
68 document defines a new scheme named 'ipp' for identifying IPP printers and jobs.

69 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to
70 implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of the
71 considerations that may assist them in the design of their client and/or IPP object implementations. For
72 example, a typical order of processing requests is given, including error checking. Motivation for some of
73 the specification decisions is also included.

74 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of gateways
75 between IPP and LPD (Line Printer Daemon) implementations.

76 The "Internet Printing Protocol (IPP): IPP Event Notification Specification" document defines the
77 semantics for Subscription Creation Operations and the requirements for other Delivery Method documents
78 to define a Delivery Method to carry an Event Notifications to a Notification Recipient.

79
80 **Table of Contents**

81 1 Introduction 6

82 2 Terminology 6

83 3 Model and Operation 7

84 General Information 7

85 5 Subscription object attributes 9

86 5.1 SUBSCRIPTION TEMPLATE ATTRIBUTE CONFORMANCE 10

87 5.2 ADDITIONAL INFORMATION ABOUT SUBSCRIPTION TEMPLATE ATTRIBUTES 10

88 5.2.1 *notify-recipient-uri (uri)* 10

89 5.3 SUBSCRIPTION DESCRIPTION ATTRIBUTE CONFORMANCE 10

90 6 Printer Description Attributes 10

91 6.1 PRINTER DESCRIPTION ATTRIBUTE CONFORMANCE 10

92 6.2 NEW VALUES FOR EXISTING PRINTER DESCRIPTION ATTRIBUTES 10

93 6.2.1 *notify-schemes-supported (1setOf uriScheme)* 11

94 6.2.2 *operations-supported (1setOf type2 enum)* 11

95 0x001D 11

96 7 Attributes Only in Event Notifications 11

97 8 Operations for Notification 11

98 8.1 SEND-NOTIFICATIONS OPERATION 11

99 8.1.1 *Send-Notifications Request* 12

100 8.1.2 *Send-Notifications Response* 15

101 9 Status Codes 16

102 9.1 ADDITIONAL STATUS CODES 16

103 9.1.1 *successful-ok-ignored-notifications (0x0004)* 17

104 9.2 STATUS CODES RETURNED IN EVENT NOTIFICATION ATTRIBUTES GROUPS 17

105 9.2.1 *client-error-not-found (0x0406)* 17

106 9.2.2 *successful-ok-but-cancel-subscription (0x0006)* 17

107 10 Encoding and Transport 17

108 10.1 ENCODING OF THE OPERATION LAYER 17

109 10.2 ENCODING OF TRANSPORT LAYER 18

110 11 Conformance Requirements 18

111 11.1 PRINTER CONFORMANCE REQUIREMENTS 18

112 11.2 NOTIFICATION RECIPIENT REQUIREMENTS 18

113 12 IANA Considerations 18

114 13 Internationalization Considerations 19

115 14 Security Considerations 19

116 14.1 SECURITY CONFORMANCE 19

117 15 References 19

118 16 Author's Addresses 20

119 17 Full Copyright Statement 20

120

121

Tables

122 Table 1 - Information about the Delivery Method 7

123 Table 2 – Operation-id assignments 11

124 Table 3 – Attributes in Event Notification Content 13

125 Table 4 – Additional Attributes in Event Notification Content for Job Events 14

126 Table 5 – Combinations of Events and Subscribed Events for “job-impressions-completed” 14

127 Table 6 – Additional Attributes in Event Notification Content for Printer Events 15

128

129 1 Introduction

130 The notification extension document [ipp-ntfy] defines operations that a client can perform in order to
131 create *Subscription Objects* in a Printer and carry out other operations on them. A Subscription Object
132 represents a Subscription abstraction. The Subscription Object specifies that when one of the specified
133 *Events* occurs, the Printer sends an asynchronous *Event Notification* to the specified *Notification Recipient*
134 via the specified *Delivery Method* (i.e., protocol).

135 The notification extension document [ipp-ntfy] specifies that each Delivery Method is defined in another
136 document. This document is one such document, and it specifies the 'indp' Delivery Method. This
137 Delivery Method is a simple protocol consisting of a single operation: the Send-Notifications operation
138 which uses the same encoding and transport as IPP. This document defines version '1.0' of the protocol.

139 For the 'indp' Delivery Method, an IPP Printer sends (pushes) a Send-Notifications operation request
140 containing one or more Event Notifications to a the Notification Recipient specified in the Subscription
141 Object. The Event Notification content consists of Machine Consumable attributes and a Human
142 Consumable "notify-text" attribute.

143 The Notification Recipient receives the Event Notification as a Send-Notifications operation, in the same
144 way as an IPP Printer receives IPP operations. The Notification Recipient returns a response to the Printer.
145 ~~The Send-Notifications operation uses the same Encoding and Transport as IPP itself.~~

146 2 Terminology

147 This section defines the following terms that are used throughout this document:

148 ~~This document uses t~~Terms such as "attributes", "keywords", and "support". These terms have special
149 meaning and are defined in the model terminology [ipp-mod] section 12.2.

150 Capitalized terms, such as MUST, MUST NOT, REQUIRED, SHOULD, SHOULD NOT, MAY,
151 NEED NOT, and OPTIONAL, have special meaning relating to conformance as specified in RFC
152 2119 [RFC2119]. These terms are defined in and [ipp-mod] section 12.1 ~~on conformance~~
153 ~~terminology, most of which is taken from RFC 2119 [RFC2119].~~ These terms refer to conformance
154 to this document, if this document is implemented.

155 ~~This document uses the e~~Capitalized terms, such as Notification Recipient, Event Notification, Printer,
156 etc., that are defined in [ipp-ntfy] with the same meanings and are not reproduced here.

157 ~~This section defines the following additional terms that are used throughout this document:~~

158 **Event Notification Attributes Group** – The attributes group in a request that contains Event
159 Notification Attributes in a request or response.

160 **3 Model and Operation**

161 See [ipp-ntfy] for the description of the Event Notification Model and Operation. This Delivery Method
 162 takes advantage of combining several Event Notifications into a single Compound Event Notification that
 163 is delivery by a single Send-Notification operation to a single Notification Recipient.

164 When creating each Subscription object, the client supplies the "notify-recipient" (uri) Subscription
 165 Template attribute. The "notify-recipient" attribute specifies both a single Notification Recipient that is to
 166 receive the Notifications when subsequent events occur and the method for notification delivery that the
 167 IPP Printer is to use. For the Notification Delivery Method defined in this document, the notification
 168 method is 'indp' and the rest of the URI is the address of the Notification Recipient to which the IPP Printer
 169 will send the Send-Notifications operation.

170 The 'indp' Notification Delivery Method defined in this document uses a client/server protocol paradigm.
 171 The "client" in this relationship is the Printer described in [ipp-ntfy] while the "server" is the Notification
 172 Recipient. The Printer invokes the Send-Notifications operation to communicate IPP Event Notification
 173 contents to the Notification Recipient. The Notification Recipient only conveys information to the Printer in
 174 the form of responses to the operations initiated by the Printer.

175 Printers that implement the 'indp' Notification Delivery Method will need to include an HTTP client stack
 176 while Notification Recipients that implement this Delivery Method will need to support an HTTP server
 177 stack. See section 10.2 for more details.

178 **4 Summary of the 'indp' Delivery Method** General Information

179 If a Printer supports this Delivery Method, Table 1 lists its characteristics.

180 ~~Column 1 of Table 1 lists the conformance requirements for Delivery Method Documents as specified in~~
 181 ~~[ipp-ntfy]. Column 2 indicates how this Delivery Method Document meets each requirement:~~

182 **Table 1 - Information about the Delivery Method** ~~Summary of the 'indp' Delivery Method~~

Document Method conformance requirement	'indp' realization
1. MUST define a <u>What is the</u> URL scheme name for the Delivery Method?	indp
2. MUST indicate whether the <u>Is the</u> Delivery Method is REQUIRED, <u>RECOMMENDED</u> , or OPTIONAL for an IPP Printer to support <u>if it supports Event Notification</u> ?	OPTIONAL <u>RECOMMENDED</u>
3. MUST define <u>What the</u> transport and delivery protocol <u>does the Printer use to</u>	<u>A Printer MUST support</u> a complete HTTP/1.1 stack [rfc2616]

Document Method conformance requirement	'indp' realization
deliver for the Event Notification content that a Printer MUST use, i.e., what is the entire network stack?;	
4. MUST indicate whether or not Can several Event Notifications can be combined into a Compound Event Notification?;	<u>A Printer implementation MAY combine several Event Notifications into a single Event Notifications request as separate Event Notification Attributes Groups</u> yes, see section 8.1.1
5. <u>Is the Delivery Method initiated by the Notification Recipient (pull), or by the Printer (push)?</u> MUST describe how the Delivery Method is initiated, i.e., is it initiated by the receiving user (pull), or is it initiated by the Printer (push).	<u>This Delivery Method is a push,</u> initiated by the Printer (push)
6. MUST indicate <u>Is the Event Notification content whether the Delivery Method is</u> Machine Consumable or Human Consumable?;	Machine Consumable with the "notify-text" attribute being Human Consumable
7. MUST define <u>What section in this document answers the following question? For a Machine Consumable Event Notification, what is the representation and encoding of values defined in section 9.1 of [ipp-ntfy] and the conformance requirements thereof? For a Human Consumable Event Notification, what is the representation and encoding of pieces of information defined in section 9.2 of [ipp-ntfy] and the conformance requirements thereof?</u> the representation and encoding that a Printer MUST use for each value or piece of information listed in [ipp-ntfy] section 9 (9.1 for Machine Consumable Event Notification and/or section 9.2 for Human Consumable Event Notification).	The representation and encoding is the same as IPP. See section 8.1.1
MUST specify for each attribute in [ipp-ntfy] section 9 whether a Printer MUST, SHOULD, MAY, MUST NOT, SHOULD NOT or NEED NOT send the attribute in an Event	See the Send Notifications Request defined in section 9.1.1

Document Method conformance requirement	'indp' realization
Notification content.	
MUST define what frequently occurring Events MUST be moderated, if any, and whether the moderation mechanism is configurable. Also whether Events are moderated by sending one per time unit or one per number of Events.	Frequently occurring Events NEED NOT be moderated because the Delivery Method is an efficient one and because the Printer can group multiple Event Notifications for the same Notification Recipient into a single Send Notifications operations.
8. MUST discuss <u>What are</u> the latency and reliability of the transport and delivery protocol? :-	Same as for IPP/1.0 or IPP/1.1 itself (see [ipp-mod]).
9. MUST discuss <u>What are</u> the security aspects of the transport and delivery protocol, e.g., how it is handled in firewalls? :-	See section 14
10. MUST identify <u>What are the</u> content length restrictions, if any ? :-	They are the same as for IPP/1.0 and IPP/1.1 itself (see [ipp-mod]).
11. MAY define <u>What are the</u> additional values or pieces of information that a Printer <u>sends in an Event Notification and the conformance requirements thereof?</u> MUST, SHOULD or MAY send in a Notification content.	A new Event Notifications attribute group (see section 10.1) and additional status codes for use in the response (see section 9)
12. MAY define <u>What are the</u> additional Subscription Template and/or Subscription Description attributes and the conformance requirements thereof? :-	None defined
13. MAY define <u>What are the</u> additional Printer Description attributes and the conformance requirements thereof? :-	None defined

183 The remaining sections of this document parallel the sections of [ipp-ntfy].

184 **5 Subscription object attributes**

185 This section defines the Subscription object conformance requirements for Printers.

186 5.1 Subscription Template Attribute Conformance

187 The 'indp' Delivery Method has the same conformance requirements for Subscription Template attributes as
188 defined in [ipp-ntfy]. The 'indp' Delivery Method does not define any addition Subscription Template
189 attributes.

190 5.2 Additional Information about Subscription Template Attributes

191 This section defines additional information about Subscription Template attributes defined in [ipp-ntfy].

192 5.2.1 notify-recipient-uri (uri)

193 This section describes the syntax of the value of this attribute for the 'indp' Delivery Method. The syntax
194 for values of this attribute for other Delivery Method is defined in other Delivery Method Documents.

195 In order to support the 'indp' Delivery Method and Protocol, the Printer MUST support the following
196 syntax:

197 The 'indp://' URI scheme. The remainder of the URI indicates the host and address of the Notification
198 Recipient that is to receive the Send-Notification operation.

199 5.3 Subscription Description Attribute Conformance

200 The 'indp' Delivery Method has the same conformance requirements for Subscription Description attributes
201 as defined in [ipp-ntfy]. The 'indp' Delivery Method does not define any addition Subscription Description
202 attributes.

203 6 Printer Description Attributes ~~s~~ Conformance

204 This section defines the Printer Description Attributes conformance requirements for Printers.

205 6.1 Printer Description Attribute Conformance

206 The 'indp' Delivery Method has the same conformance requirements for Printer Description attributes as
207 defined in [ipp-ntfy]. The 'indp' Delivery Method does not define any addition Printer Description
208 attributes.

209 ~~6.1~~6.2 New Values for Existing Printer Description Attributes

210 This section defines additional values for existing Printer Description attributes.

211 **6.1.46.2.1 notify-schemes-supported (1setOf uriScheme)**

212 The following “notify-schemes-supported” value is added in order to support the new Delivery Method
213 defined in this document:

214 'indp': - The IPP Notification Delivery Method defined in this document.

215 **6.1.26.2.2 operations-supported (1setOf type2 enum)**

216 Table 2 lists the “operation-id” value added in order to support the new operation defined in this document.
217 The operation-id is assigned in the same name space as other operations that a Printer supports. However, a
218 Printer MUST NOT include this value in its "operations-supported" attribute unless it can accept the Send-
219 Notifications request.

220 **Table 2 – Operation-id assignments**

Value	Operation Name
0x001D	Send-Notifications

221

222 **7 Attributes Only in Event Notifications**

223 No additional attributes are defined only for use in Event Notifications besides those defined in [ipp-ntfy].

224 **8 Operations for Notification**

225 This section defines the operation for Event Notification using the 'indp' Delivery Method.

226 There is only one operation defined: Send-Notifications. Section 6.2.2 assigns of the “operation-id” for the
227 Send-Notifications operation and the following section defined the operation.

228 **8.1 Send-Notifications operation**

229 This REQUIRED operation allows a Printer to send one or more Event Notifications to a Notification
230 Recipient using HTTP.

231 The Printer composes the information defined for an IPP Notification [ipp-ntfy] and sends it using the Sent-
232 Notifications operation to the Notification Recipient supplied in the Subscription object.

233 The Send-Notifications operations uses the operations model defined by IPP [rfc2566]. This includes, the
234 use of a URI as the identifier for the target of each operation, the inclusion of a version number, operation-
235 id, and request-id in each request, and the definition of attribute groups. The Send-Notifications operation
236 uses the Operation Attributes group, but currently has no need for the Unsupported Attributes, Printer

237 Object Attributes, and Job-Object Attributes groups. However, it uses a new attribute group, the Event
238 Notification Attributes group.

239

240 The Notification Recipient MUST accept the request in any state. There is no state defined for the
241 Notification Recipient for this Delivery Method.

242 Access Rights: Notification Recipient MAY enforce access rights. If the Printer receives a rejection with
243 these status codes: 'client-error-forbidden', 'client-error-not-authenticated', or 'client-error-not-authorized'
244 status code, the Printer SHOULD cancel the subscription. ~~To send Event Notifications to a Notification~~
245 Recipient, the authenticated user (see [IPP-MOD] section 8.3) performing this operation MUST be the
246 Printer that accepted a previous Subscription Creation operation (see [ipp-ntfy]). ~~Otherwise the~~
247 Notification Recipient MUST reject the operation and return: the 'client-error-forbidden', 'client-error-not-
248 authenticated', or 'client-error-not-authorized' status code as appropriate.

249 ~~ISSUE 01: Is this what the Access Rights section should say for a Send Notifications request?~~

250 8.1.1 Send-Notifications Request

251 Every operation request MUST contains the following parameters (see [ipp-mod] section 3.1.1):

- 252 - a "version-number" ~~ISSUE 02: What version number goes here? '1.0' – the version of the~~
253 ~~'indp' protocol is '1.0'.~~
- 254 - an "operation-id" - the value defined in Table 2
- 255 - a "request-id" - the contents of the Subscription object's "notify-sequence-number" after
256 incrementing for the first try (see [ipp-ntfy]).

257 The following groups of attributes MUST be part of the Send-Notifications Request:

258 Group 1: Operation Attributes

259 Natural Language and Character Set:

260 The "attributes-charset" and "attributes-natural-language" attributes as defined in [ipp-mod]
261 section 3.1.4.1.

262

263 Target:

264 A copy of the Subscription object's "notification-recipient-uri" (uri) attribute which is the
265 target of this operation as described in [ipp-mod] section 3.1.5, i.e., the URI of the 'indp'
266 Notification Recipient (see section 1.1).

267

268 ~~Requesting User Name:~~

269 ~~Unlike the other IPP operations, the "requesting-user-name" attribute SHOULD NOT be~~
270 ~~supplied by the client as described in [ipp-mod] section 8.3.~~

271 ~~ISSUE 03: Ok that "requesting-user-name" SHOULD NOT be send in Send-~~
272 ~~Notifications?~~

273 Group 2 to N: Event Notification Attributes

274 In each group 2 to N, each attribute is encoded using the IPP rules for encoding attributes [ipp-pro]
 275 and may be encoded in any order. Note: the Get-Jobs response in [ipp-mod] acts as a model for
 276 encoding multiple groups of attributes.
 277

278 Each Event Notification Group **MUST** contain all of attributes specified in [ipp-ntfy] section 9.1
 279 (“Content of Machine Consumable Event Notifications”) with exceptions denoted by asterisks in
 280 the tables below.
 281

282 The tables below are copies of the tables in [ipp-ntfy] section 9.1 (“Content of Machine Consumable
 283 Event Notifications”) except that each cell in the “Sends” column is a “**MUST**”.
 284

285 For an Event Notification for all Events, the Printer sends the following attributes.
 286

Table 3 – Attributes in Event Notification Content

Source Value	Sends	Source Object
notify-subscription-id (integer(1:MAX))	MUST	Subscription
notify-printer-uri (uri)	MUST	Subscription
notify-subscribed-event (type2 keyword)	MUST	Event Notification
printer-up-time (integer(MIN:MAX))	MUST	Printer
printer-current-time (dateTime) *	MUST	Printer
notify-sequence-number (integer (0:MAX))	MUST	Subscription
notify-charset (charset)	MUST	Subscription
notify-natural-language (naturalLanguage)	MUST	Subscription
notify-user-data (octetString(63)) **	MUST	Subscription
notify-text (text <u>(MAX)</u>)	MUST	Event Notification
attributes from the “notify-attributes” attribute ***	MUST	Printer
attributes from the “notify-attributes” attribute ***	MUST	Job
attributes from the “notify-attributes” attribute ***	MUST	Subscription

287
 288 ~~ISSUE 04: Ok that "notify-text" has been changed from MAY to MUST?~~
 289

290 * The Printer MUST send “printer-current-time” if and only if it supports the “printer-current-time”
 291 attribute on the Printer object.

292
 293 ** If the associated Subscription Object does not contain a “notify-user-data” attribute, the Printer
 294 MUST send an octet-string of length 0.

295
 296 *** If the “notify-attributes” attribute is present on the Subscription Object, the Printer MUST send
 297 all attributes specified by the “notify-attributes” attribute. Note: if the Printer doesn’t support the
 298 “notify-attributes” attribute, it is not present on the associated Subscription Object.

299
 300 For Event Notifications for Job Events, the Printer sends the following additional attributes shown
 301 in Table 4.

302 **Table 4 – Additional Attributes in Event Notification Content for Job Events**

Source Value	Sends	Source Object
job-id (integer(1:MAX))	MUST	Job
job-state (type1 enum)	MUST	Job
job-state-reasons (1setOf type2 keyword)	MUST	Job
job-impressions-completed (integer(0:MAX)) *	MUST	Job

303
 304 * The Printer MUST send the “job-impressions-completed” attribute in an Event Notification only
 305 for the combinations of Events and Subscribed Events shown in Table 5.
 306

307 **Table 5 – Combinations of Events and Subscribed Events for “job-impressions-completed”**

Job Event	Subscribed Job Event
‘job-progress’	‘job-progress’
‘job-completed’	‘job-completed’
‘job-completed’	‘job-state-changed’

308
 309 For Event Notification for Printer Events, the Printer sends the following additional attributes
 310 shown in Table 6.

311

Table 6 – Additional Attributes in Event Notification Content for Printer Events

Source Value	Sends	Source Object
printer-state (type1 enum)	MUST	Printer
printer-state-reasons (1setOf type2 keyword)	MUST	Printer
printer-is-accepting-jobs (boolean)	MUST	Printer

312

313

314 **8.1.2 Send-Notifications Response**

315 The Notification Recipient MUST return (to the client which is the Printer) the following sets of attributes
316 as part of a Send-Notifications response:

317 Every operation response contains the following REQUIRED parameters (see [ipp-mod] section 3.1.1):

- 318 - a "version-number"
- 319 - a "status-code"
- 320 - the "request-id" that was supplied in the corresponding request

321

322 Group 1: Operation Attributes

323 Status Message:

324 As defined in [ipp-mod].

325

326 The Notification Recipient can return any status codes defined in [ipp-mod] and section 9.1 that
327 applies to all of the Event Notification Attribute groups. The following is a description of the
328 important status codes:

329

330 **'successful-ok'**: the Notification Recipient received all of the Event Notification Attribute
331 Groups and was expecting each of them.

332 **'successful-ok-ignored-notifications'**: the Notification Recipient was able to consume some,
333 but not all of the Event Notification Attributes Groups sent. The Event Notification
334 Attributes Groups with a "notify-status-code" attribute are the ones that were ignored or are
335 to be canceled.

336 **'client-error-ignored-all-notifications'**: the Notification Recipient was unable to consume any
337 of the Event Notification Attributes Groups sent. The Event Notification Attributes Groups
338 with a "notify-status-code" attribute are the ones that were ignored or are to be canceled.

339

340 Natural Language and Character Set:
341 The "attributes-charset" and "attributes-natural-language" attributes as defined in [ipp-mod] section
342 3.1.4.1.
343

344 Group 2 to N: Notification Attributes

345 These groups MUST be returned if and only if the "status-code" parameter returned in Group 1 is
346 anything but the 'successful-ok' status code.

347 "notification-status-code" (type2 enum)

348 Indicates whether the Notification Recipient was able to consume the n-th Notification Report as
349 follows:

350
351 **'successful-ok'** - this Event Notification Attribute Group was consumed

352 **'client-error-not-found'** - this Event Notification Attribute Group was not able to be consumed.
353 The Printer MUST cancel the Subscription and MUST NOT attempt to send any further Event
354 Notifications from the associated Subscription object.

355 **'successful-ok-but-cancel-subscription'** - the Event Notification Attribute Group was consumed,
356 but the Notification Recipient wishes to cancel the Subscription object. The Printer MUST
357 cancel the Subscription and MUST NOT attempt to send any further Event Notifications from
358 the associated Subscription object.

359 ~~9.2 Notification Protocol URI Scheme~~

360 ~~The INDP Notification Delivery Method uses the 'indp://' URI scheme in the "notify-recipients" attribute in~~
361 ~~the Subscription object in order to indicate the notification Delivery Method defined in this document. The~~
362 ~~remainder of the URI indicates the host and address of the Notification Recipient that is to receive the~~
363 ~~Send Notification operation.~~

364 **9 Status Codes**

365 This section lists status codes whose meaning have been extended and/or defined for returning in Event
366 Notification Attribute Groups as the value of the "notification-status-code" operation attribute. The code
367 values are allocated in the same space as the status codes in [ipp-mod].

368 **9.1 Additional Status Codes**

369 The following status codes are defined as extensions for Notification and are returned as the value of the
370 "status-code" parameter in the Operation Attributes Group of a response (see [ipp-mod] section 3.1.6.1).
371 Operations in this document can also return the status codes defined in section 13 of [ipp-mod]. The
372 'successful-ok' status code is an example of such a status code.

373 **9.1.1 successful-ok-ignored-notifications (0x0004)**

374 The Notification Recipient was able to consume some, but not all, of the Event Notifications Attributes
375 Groups sent by the Printer in the Send-Notifications request. See section 8.1.2 for further details.

376 **9.2 Status Codes returned in Event Notification Attributes Groups**

377 This section contains values of the “notify-status-code” attribute that the Notification Recipient returns in a
378 Event Notification Attributes Group in a response when the corresponding Event Notification Attributes
379 Group in the request:

- 380 1. was not consumed OR
381 2. was consumed, but the Notification Recipient wants to cancel the corresponding Subscription object

382 The following sections are ordered in decreasing order of importance of the status-codes.

383 **9.2.1 client-error-not-found (0x0406)**

384 This status code is defined in [ipp-mod]. This document extends its meaning and allows it to be returned in
385 an Event Notification Attributes Group of a response.

386 The Notification Recipient was unable to consume this Event Notification Attributes Group because it was
387 not expected. See section 8.1.2 for further details.

388 **9.2.2 successful-ok-but-cancel-subscription (0x0006)**

389 The Notification Recipient was able to consume this Event Notification Attributes Group that the Printer
390 sent, but wants the corresponding Subscription object to be canceled none-the-less. See section 8.1.2 for
391 further details.

392 **10 Encoding and Transport**

393 This section defines the encoding and transport used by the 'indp' Delivery Method.

394 **10.1 Encoding of the Operation Layer**

395 The 'indp' Delivery Method uses the IPP operation layer encoding described in [ipp-pro] and the following
396 Event Notification Attributes Group tag allocated by [ipp-ntfy]:

Tag Value (Hex)	Meaning
0x07	“event-notification-attributes-tag”

397

398 **10.2 Encoding of Transport Layer**

399 The 'indp' Notification Delivery Method uses the IPP transport layer encoding described in [ipp-pro].

400 It is REQUIRED that an 'indp' Notification Recipient implementation support HTTP over the IANA
401 assigned Well Known Port assigned to the 'indp' Delivery Method as its default port by IANA (see section
402 12), though a Notification Recipient implementation MAY support HTTP over some other port as well.

403 **11 Conformance Requirements**

404 This section defines conformance requirements for Printers and Notification Recipients.

405 **11.1 Printer Conformance Requirements**

406 The 'indp' Delivery Method is RECOMMENDED for a Printer to support.

407 If the Printer supports the 'indp' Delivery Method, the Printer MUST:

- 408 1. meet the conformance requirements defined in [ipp-ntfy].
- 409 2. support the conformance requirements for Subscription object attributes defined in section 5, including
410 the syntax for the "notify-recipient-uri" Subscription Object attribute defined in section 5.2.1.
- 411 3. support the conformance requirements for Printer Description object attributes defined in section 6.
- 412 ~~3.4.~~ support the 'indp' protocol by sending Event Notifications using the Send-Notifications operation
413 defined in section 8.1.
- 414 5. support sending Event Notification via email with the content specified in section 8.1.1.

415 **11.2 Notification Recipient Requirements**

416 A Notification Recipient MUST accept Send-Notifications requests and return Send-Notifications
417 responses as defined in sections 8 and 9.

418 **12 IANA Considerations**

419 The 'indp://' URL scheme for the 'indp' Delivery Method and Protocol will be registered with IANA. IANA
420 will assign a default port to use with the 'indp' Delivery Method and Protocol.

421 13 Internationalization Considerations

422 When the client requests Human Consumable form by supplying the "notify-text-format" operation attribute
423 (see [ipp-ntfy]), the IPP Printer (or any Notification Service that the IPP Printer might be configured to use)
424 supplies and localizes the text value of the "human-readable-report" attribute in the Notification according
425 to the charset and natural language requested in the notification subscription.

426 14 Security Considerations

427 The IPP Model and Semantics document [ipp-mod] discusses high level security requirements (Client
428 Authentication, Server Authentication and Operation Privacy). Client Authentication is the mechanism by
429 which the client proves its identity to the server in a secure manner. Server Authentication is the mechanism
430 by which the server proves its identity to the client in a secure manner. Operation Privacy is defined as a
431 mechanism for protecting operations from eavesdropping.

432 The Notification Recipient can cancel unwanted Subscriptions created by other parties without having to be
433 the owner of the subscription by returning the 'successful-ok-but-cancel-subscription' status code in the
434 Send-Notifications response returned to the Printer.

435 14.1 Security Conformance

436 Printers (client) MAY support Digest Authentication [rfc2617]. If Digest Authentication is supported, then
437 MD5 and MD5-sess MUST be supported, but the Message Integrity feature NEED NOT be supported.

438 Notification Recipient (server) MAY support Digest Authentication [rfc2617]. If Digest Authentication is
439 supported, then MD5 and MD5-sess MUST be supported, but the Message Integrity feature NEED NOT be
440 supported.

441 Notification Recipients MAY support TLS for client authentication, server authentication and operation
442 privacy. If a Notification Recipient supports TLS, it MUST support the
443 TLS_DHE_DSS_WITH_3DES_EDE_CBC_SHA cipher suite as mandated by RFC 2246 [rfc2246]. All
444 other cipher suites are OPTIONAL. Notification recipients MAY support Basic Authentication (described
445 in HTTP/1.1 [rfc2616]) for client authentication if the channel is secure. TLS with the above mandated
446 cipher suite can provide such a secure channel.

447 15 References

448 [\[indp\]](#)
449 [Parra, H., T. Hastings, "Internet Printing Protocol \(IPP\): IPP Notification Delivery Protocol](#)
450 [\(INDP\)", <draft-ietf-indp-00.txt>, February 29, 2000.](#)
451

452 [ipp-mod]
453 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and
454 Semantics", <draft-ietf-ipp-model-v11-07.txt>, May 22, 2000.

- 455 [ipp-ntfy]
456 Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., "Internet Printing
457 Protocol/1.1: IPP Event Notification Specification", <draft-ietf-ipp-not-spec-043.txt>, ~~June 30~~July
458 13, 2000.
- 459 [ipp-pro]
460 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and
461 Transport", draft-ietf-ipp-protocol-v11-06.txt, May 30, 2000.
- 462 [rfc2026]
463 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.
- 464 [rfc2616]
465 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext
466 Transfer Protocol - HTTP/1.1", RFC 2616, June 1999.
- 467 [rfc2617]
468 J. Franks, P. Hallam-Baker, J. Hostetler, S. Lawrence, P. Leach, A. Luotonen, L. Stewart, "HTTP
469 Authentication: Basic and Digest Access Authentication", RFC 2617, June 1999.

470 **16 Author's Addresses**

471 Hugo Parra
472 Novell, Inc.
473 1800 South Novell Place
474 Provo, UT 84606
475
476 Phone: 801-861-3307
477 Fax: 801-861-2517
478 e-mail: hparra@novell.com
479

480 Tom Hastings
481 Xerox Corporation
482 737 Hawaii St. ESAE 231
483 El Segundo, CA 90245
484
485 Phone: 310-333-6413
486 Fax: 310-333-5514
487 e-mail: hastings@cp10.es.xerox.com
488

489 **17 Full Copyright Statement**

490 Copyright (C) The Internet Society (2000). All Rights Reserved.

491 This document and translations of it may be copied and furnished to others, and derivative works that
492 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and
493 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and
494 this paragraph are included on all such copies and derivative works. However, this document itself may not
495 be modified in any way, such as by removing the copyright notice or references to the Internet Society or
496 other Internet organizations, except as needed for the purpose of developing Internet standards in which
497 case the procedures for copyrights defined in the Internet Standards process must be followed, or as
498 required to translate it into languages other than English.

499 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its
500 successors or assigns.

501 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET
502 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,
503 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE
504 OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
505 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.