

1 INTERNET-DRAFT **5 ISSUES** are highlighted like this.
2 <draft-ietf-ipp-prog-00.txt.doc>

3
4 T. Hastings
5 Xerox Corporation
6 H. Lewis
7 IBM Printing Company
8 R. Bergman
9 Hitachi Koki Imaging Solutions
10 ~~September 13, 1999~~ February 2, 2000

11 **IPP/1.0 and IPP/1.1: Job Progress Attributes**

12 Copyright (C) The Internet Society (1999). All Rights Reserved.

13 Status of this Memo

14 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
15 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its
16 areas, and its working groups. Note that other groups may also distribute working documents as
17 Internet-Drafts.

18 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
19 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material
20 or to cite them other than as "work in progress".

21 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

22 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

23 **Abstract**

24 This document defines ~~five~~ four new Job Description attributes for monitoring job progress to be
25 registered ~~for use with~~ as extensions to IPP/1.0 [RFC2566] and IPP/1.1 [ipp-mod]. These attributes are
26 drawn from the PWG Job Monitoring MIB [[rfc2707](#)]~~jmp-mib~~. This document also defines a new
27 "sheet-collate" Job Template attribute to control sheet collation and to help with the interpretation of the
28 job progress attributes. These new attributes may also be used by themselves as useful job progress
29 monitoring attributes and/or may be passed in an IPP Notification (see [ipp-not]). The new Job
30 Description attributes are:

31 "job-collation-type" (type2 enum)

32 "sheet-completed-copy-number" (integer(~~-20~~:MAX))

33 "sheet-completed-document-number" (integer(~~-20~~:MAX))

34 ~~"impressions-interpreted"~~ (integer(~~-2~~:MAX))

35 "impressions-completed-current-copy" (integer(~~-20~~:MAX))

36 which in combination with the IPP/1.1 "job-impressions-completed" attribute in combination with the
37 new Job Template attribute: is:

38 "sheet-collate" (boolean)

are used for job progress monitoring

39 The full set of IPP documents includes:

40 [Design Goals for an Internet Printing Protocol \[RFC2567\]](#)

41 [Rationale for the Structure and Model and Protocol for the Internet Printing Protocol \[RFC2568\]](#)

42 [Internet Printing Protocol/1.1: Model and Semantics \[ipp-mod\]](#)

43 [Internet Printing Protocol/1.1: Encoding and Transport \[ipp-pro\]](#)

44 [Internet Printing Protocol/1.1: Implementer's Guide \[ipp-iig\]](#)

45 [Mapping between LPD and IPP Protocols \[RFC2569\]](#)

46 [Internet Printing Protocol/1.0 & 1.1: Event Notification Specification \[ipp-ntfy\]](#)

47 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
48 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be
49 included in a printing protocol for the Internet. It identifies requirements for three types of users: end
50 users, operators, and administrators. It calls out a subset of end user requirements that are satisfied in
51 IPP/1.0. A few OPTIONAL operator operations have been added to IPP/1.1.

52 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
53 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of
54 IPP specification documents, and gives background and rationale for the IETF working group's major
55 decisions.

56 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with
57 abstract objects, their attributes, and their operations that are independent of encoding and transport. It
58 introduces a Printer and a Job object. The Job object optionally supports multiple documents per Job. It
59 also addresses security, internationalization, and directory issues.

60 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the
61 abstract operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines
62 the encoding rules for a new Internet MIME media type called "application/ipp". This document also
63 defines the rules for transporting over HTTP a message body whose Content-Type is "application/ipp".
64 This document defines a new scheme named 'ipp' for identifying IPP printers and jobs.

65 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to
66 implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of
67 the considerations that may assist them in the design of their client and/or IPP object implementations.
68 For example, a typical order of processing requests is given, including error checking. Motivation for
69 some of the specification decisions is also included.

70 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of
71 gateways between IPP and LPD (Line Printer Daemon) implementations.

72 The "Event Notification Specification" document defines OPTIONAL operations that allow a client to
73 subscribe to printing related events. Subscriptions include "Per-Job subscriptions" and "Per-Printer
74 subscriptions". Subscriptions are modeled as Subscription objects. Four other operations are defined
75 for subscription objects: get attributes, get subscriptions, renew a subscription, and cancel a
76 subscription.

77

78

TABLE OF CONTENTS

79 1 New Job Template attribute.....4

80 1.1 "sheet-collate" (boolean)4

81 2 IPP Job Description attributes for monitoring Job Progress.....5

82 2.1 "job-collation-type" (type2 enum).....9

83 2.2 "sheet-completed-copy-number" (integer(0:MAX))10

84 2.3 "sheet-completed-document-number" (integer(0:MAX))10

85 2.4 "impressions-completed-current-copy" (integer(0:MAX))11

86 3 Conformance Requirements11

87 4 IANA Considerations11

88 5 Internationalization Considerations11

89 6 Security Considerations11

90 7 References.....11

91 8 Change History12

92 8.1 Changes made to the September 13, 1999 version to make the February 2, 2000 version12

93 8.2 Changes made to the May 19, 1999 version to make the September 13, 1999 version12

94 8.3 Changes made to the April 16, 1999 version to make the May 19, 1999 version13

95 9 Full Copyright Statement.....13

96

97 **1 New Job Template attribute**

98 **1.1 "sheet-collate" (boolean)**

99	+=====+		
100	Job Attribute	Printer: Default Value	Printer: Supported
101		Attribute	Values Attribute
102	+=====+		
103	sheet-collate	sheet-collate-default	sheet-collate-
104	(boolean)	(boolean)	supported (1setOf
105			boolean)
106	+-----+		

107

108 This attribute specifies whether or not the media sheets of each copy of each printed document in a job
 109 are to be in sequence, when multiple copies of the document are specified by the 'copies' attribute. When
 110 "sheet-collate" is 'true', each copy of each document is printed with the print-stream sheets in sequence.
 111 When 'sheet-collate' is 'false', each print-stream sheet is printed a number of times equal to the value of
 112 the 'copies' attribute in succession. For example, suppose a document which produces two media sheets
 113 as output, and "copies" is equal to '6', in this case six copies of the first media sheet are printed followed
 114 by six copies of the second media sheet.

115 Whether the effect of sheet collation is achieved by placing copies of a document in multiple output bins
 116 or in the same output bin with implementation defined document separation is implementation
 117 dependent. Also whether it is achieved by making multiple passes over the job or by using an output
 118 sorter is implementation dependent.

119 Note: IPP/1.0 [RFC2566] and IPP/1.1 [ipp-mod] is silent on whether or not sheets within documents are
 120 collated. The "sheet-collate-supported" attribute permits a Printer object to indicate whether or not it
 121 collates sheets with each document and whether it allows the client to control sheet collation. An
 122 implementation is able to indicate that it supports uncollated sheets, collated sheets, or both, using 'false',
 123 'true', or both 'false' and 'true' values, respectively.

124 **ISSUE 01 - Should we change the name from "sheet-collate" to "sheet-uncollate", since the absence of**
 125 **the attribute (and non-support of this attribute) is more likely to indicate collated sheets and so should be**
 126 **the 'false' value of the attribute, rather than the 'true' value?**

127 **ISSUE 02 - Should we change the "sheet-collate" data type from 'boolean' to 'type2 keyword' so that it**
 128 **could take on more values? This would also help with the name, say, "sheet-collation (type2 keyword)**
 129 **with values: 'uncollated' and 'collated'. The "sheet-collation-supported" (1setOf type2 keyword) would**
 130 **be more usual, than the unusual '1setOf boolean' also. In the future, we could define two collated**
 131 **values: 'multi-pass-collation' and 'output-bin-collation' to indicate which form is requested and/or**
 132 **supported, since some Printers MAY want to support both.**

133 **ISSUE 03 - If we change the attribute syntax to 'type2 keyword' should we have several values for the**
 134 **collated case now, i.e., define: 'multi-pass-collation' and 'output-bin-collation', instead of just 'collated'?**

135 This attribute is affected by "multiple-document-handling." The "multiple-document-handling" attribute
 136 describes the collation of documents, and the "sheet-collate" attribute describes the semantics of
 137 collating individual pages within a document. To better explain the interaction between these two
 138 attributes the term "set" is introduced. A "set" is a logical boundary between the delivered media sheets
 139 of a printed job. For-example, in the case of a ten page single document with collated pages and a
 140 request for ten copies, each of the ten printed copies of the document constitutes a "set." In the above
 141 example if the pages were uncollated, then ten copies of each of the individual pages within the
 142 document would represent each "set".

143 The following table describes the interaction of "sheet-collate" with multiple document handling.

<u>"sheet-collate"</u>	<u>"multiple-document-handling"</u>	<u>Semantics</u>
<u>'true'</u>	<u>'single-document'</u>	<u>Each copy of the concatenated documents, with their pages in sequence, represents a "set."</u>
<u>'true'</u>	<u>'single-document-new-sheet'</u>	<u>Each copy of the concatenated documents, with their pages in sequence, represents a "set."</u>
<u>'true'</u>	<u>'separate-documents-collated-copies'</u>	<u>Each copy of each separate document, with its pages in sequence, represents a "set."</u>
<u>'true'</u>	<u>'separate-documents-uncollated-copies'</u>	<u>Each copy of each separate document, with its pages in sequence, represents a "set."</u>
<u>'false'</u>	<u>'single-document'</u>	<u>Each media sheet of the document is printed a number of times equal to the "copies" attribute; which constitutes a "set."</u>
<u>'false'</u>	<u>'single-document-new-sheet'</u>	<u>Each media sheet of the concatenated documents is printed a number of times equal to the "copies" attribute; which constitutes a "set."</u>
<u>'false'</u>	<u>'separate-documents-collated-copies'</u>	<u>This is a degenerate case, and the printer object MUST reject the job and return the status, "client-error-conflicting-attributes."</u>
<u>'false'</u>	<u>'separate-documents-uncollated-copies'</u>	<u>This is a degenerate case, and the printer object MUST reject the job and return the status "client-error-conflicting-attributes."</u>

144 From the above table it is obvious that the implicit value of the "sheet-collate" attribute in a printer that
 145 does not support the "sheet-collate" attribute, is 'true.' The semantics of "multiple-document-handling"
 146 are otherwise nonsensical in the case of separate documents.

147 **2 IPP Job Description attributes for monitoring Job Progress**

148 The following IPP Job Description attributes are proposed to be added to IPP through the type2
 149 registration procedures. They are useful for monitoring the progress of a job. They are also used at
 150 attributes in the notification content in a notification report [ipp-not].

151 There are a number of Job Description attributes for monitoring the progress of a job. These objects and
 152 attributes count the number of K octets, impressions, sheets, and pages requested or completed. For
 153 impressions and sheets, "completed" means stacked, unless the implementation is unable to detect when
 154 each sheet is stacked, in which case stacked is approximated when processing of each sheet completes.

155 There are objects and attributes for the overall job and for the current copy of the document currently
156 being stacked. For the latter, the rate at which the various objects and attributes count depends on the
157 sheet and document collation of the job.

158 Consider the following four Job Description attributes that are used to monitor the progress of a job's
159 impressions:

- 160 1. "job-impressions-completed" - counts the total number of impressions stacked for the job
161 [\(see \[ipp-mod\] section 4.3.18.2\)](#)
- 162 2. "impressions-completed-current-copy" - counts the number of impressions stacked for the
163 current document copy
- 164 3. "sheet-completed-copy-number" - identifies the number of the copy for the current document
165 being stacked where the first copy is 1.
- 166 4. "sheet-completed-document-number" - identifies the current document within the job that is
167 being stacked where the first document in a job is 1. NOTE: this attribute SHOULD NOT be
168 implemented for implementations that only support one document per job.

169 For each of the three types of job collation, a job with three copies of two documents (1, 2), where each
170 document consists of 3 impressions, the four variables have the following values as each sheet is stacked
171 for one-sided printing:

172 **"job-collation-type" = 'uncollated-sheets(3)'**

173

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	1	2	1
3	1	3	1
4	2	1	1
5	2	2	1
6	2	3	1
7	3	1	1
8	3	2	1
9	3	3	1
10	1	1	2
11	1	2	2
12	1	3	2
13	2	1	2
14	2	2	2
15	2	3	2
16	3	1	2
17	3	2	2
18	3	3	2

174

175 **"job-collation-type" = 'collated-documents(4)'**

176

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	1	2
5	2	1	2
6	3	1	2
7	1	2	1
8	2	2	1
9	3	2	1
10	1	2	2
11	2	2	2
12	3	2	2
13	1	3	1
14	2	3	1
15	3	3	1
16	1	3	2
17	2	3	2
18	3	3	2

177

178 **"job-collation-type" = 'uncollated-documents(5)'**

179

"job-impressions-completed"	"impressions-completed-current-copy"	"sheet-completed-copy-number"	"sheet-completed-document-number"
0	0	0	0
1	1	1	1
2	2	1	1
3	3	1	1
4	1	2	1
5	2	2	1
6	3	2	1
7	1	3	1
8	2	3	1
9	3	3	1
10	1	1	2
11	2	1	2
12	3	1	2
13	1	2	2
14	2	2	2
15	3	2	2
16	1	3	2
17	2	3	2
18	3	3	2

180

181 **2.1 "job-collation-type" (type2 enum)**

182 **ISSUE 04 - Or should the attribute syntax by 'type2 keyword' to go with "multiple-document-**
 183 **handling(type2 keyword)", instead of the Job MIB enum syntax?**

184 Job Collation includes sheet collation and document collation. Sheet collation is defined to be the
 185 ordering of sheets within a document copy. Document collation is defined to be ordering of document
 186 copies within a multi-document job. The value of the "job-collation-type" is affected by the value of the
 187 "sheet-collate" Job Template attribute (see section 1.1), if supplied and supported.

188 The Standard enum values are:

189

190 '1' 'other': not one of the defined values

191

192 '2' 'unknown': the collation type is unknown

193 **ISSUE 05 - Or should we use the IPP out-of-band 'unknown' value (see [ipp-mod] section 4.1)**
 194 **instead of this unknown(2) enum Job Monitoring MIB value, i.e., "job-collation-type" (type2**
 195 **keyword) instead of "job-collation-type" (type2 enum)?**

196

197 '3' 'uncollated-sheets': No collation of the sheets within each document copy, i.e., each sheet
 198 of a document that is to produce multiple copies is replicated before the next sheet

199 in the document is processed and stacked. If the device has an output bin collator,
200 the 'uncollated-sheets(3)' value may actually produce collated sheets as far as the
201 user is concerned (in the output bins). However, when the job collation is the
202 'uncollated-sheets(3)' value, job progress is indistinguishable to a monitoring
203 application between a device that has an output bin collator and one that does not.
204

205 '4' 'collated-documents': Collation of the sheets within each document copy is performed
206 within the printing device by making multiple passes over either the source or an
207 intermediate representation of the document. In addition, when there are multiple
208 documents per job, the i'th copy of each document is stacked before the j'th copy
209 of each document, i.e., the documents are collated within each job copy. For
210 example, if a job is submitted with documents, A and B, the job is made available
211 to the end user as: A, B, A, B, The 'collated-documents(4)' value corresponds
212 to the IPP [ipp-model] 'separate-documents-collated-copies' keyword value of the
213 "multiple-document-handling" attribute.
214

215 If the job's "copies" attribute is '1' (or not supplied), then the "job-collation-type"
216 attribute is defined to be '4'.

217
218 '5' 'uncollated-documents': Collation of the sheets within each document copy is performed
219 within the printing device by making multiple passes over either the source or an
220 intermediate representation of the document. In addition, when there are multiple
221 documents per job, all copies of the first document in the job are stacked before
222 the any copied of the next document in the job, i.e., the documents are uncollated
223 within the job. For example, if a job is submitted with documents, A and B, the
224 job is mad available to the end user as: A, A, ..., B, B, The 'uncollated-
225 documents(5)' value corresponds to the IPP [ipp-model] 'separate-documents-
226 uncollated-copies' keyword value of the "multiple-document-handling" attribute.

227 **2.2 "sheet-completed-copy-number" (integer(0-2:MAX))**

228 The number of the copy being stacked for the current document. This number starts at 0, is set to 1
229 when the first sheet of the first copy for each document is being stacked and is equal to n where n is the
230 nth sheet stacked in the current document copy. See section 2. If the value is unknown, the Printer
231 MUST return the 'unknown' out-of-band value (see [ipp-mod] section 4.1), rather than the -2 value used
232 in some MIBs [rfc2707].

233 ~~ISSUE 3: Should we change the lower limit to 0 and use the IPP out-of-band values: 'unknown' for -2?~~

234 **2.3 "sheet-completed-document-number" (integer(0-2:MAX))**

235 The ordinal number of the document in the job that is currently being stacked. This number starts at 0,
236 increments to 1 when the first sheet of the first document in the job is being stacked, and is equal to n
237 where n is the nth document in the job, starting with 1. See section 2. If the value is unknown, the
238 Printer MUST return the 'unknown' out-of-band value (see [ipp-mod] section 4.1), rather than the -2
239 value used in some MIBs [rfc2707].

240 Implementations that only support one document jobs SHOULD NOT implement this attribute.

241 ~~ISSUE 4: Should we change the lower limit to 0 and use the IPP out-of-bound values: 'unknown'~~
242 ~~instead of '-2'?~~

243 **2.4 "impressions-interpreted" (integer(-2:MAX))**

244 ~~The number of impressions interpreted for the job so far.~~

245 ~~ISSUE 5: Should we change the lower limit to 0 and use the IPP out-of-bound values: 'unknown'~~
246 ~~instead of '-2'?~~

247 **2.52.4 "impressions-completed-current-copy" (integer(0-2:MAX))**

248 The number of impressions completed by the device for the current copy of the current document so far.
249 For printing, the impressions completed includes interpreting, marking, and stacking the output. For
250 other types of job services, the number of impressions completed includes the number of impressions
251 processed. See section 2. If the value is unknown, the Printer MUST return the 'unknown' out-of-band
252 value (see [ipp-mod] section 4.1), rather than the -2 value used in some MIBs [rfc2707].

253 This value SHALL be reset to 0 for each document in the job and for each document copy.

254 ~~ISSUE 6: Should we change the lower limit to 0 and use the IPP out-of-bound values: 'unknown'~~
255 ~~instead of '-2'?~~

256 **3 Conformance Requirements**

257 This section summarizes the Conformance Requirements detailed in the definitions in this document. In
258 general each of the attributes defined in this document are OPTIONAL for a Printer to support, so that
259 Printer implementers MAY implement any combination of attributes.

260 **4 IANA Considerations**

261 IANA will be called on to register the attributes defined in this document, using the procedures outlined
262 in [ipp-mod].

263 **5 Internationalization Considerations**

264 The IPP extensions defined in this document require the same internationalization considerations as any
265 of the Job Template and Job Descriptions attributes defined in IPP/1.1 [ipp-mod].

266 **6 Security Considerations**

267 The IPP extensions defined in this document require the same security considerations as any of the Job
268 Template attributes and Job Descriptions attributes defined in IPP/1.1 [ipp-mod].

269 **7 References**

270 [ipp-mod]

271 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.1:
272 Model and Semantics", <draft-ietf-ipp-model-v11-04.txt>, work in progress, June 23, 1999.

273 [ipp-not]

274 Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., " IPP Event
275 Notification Specification", <draft-ietf-ipp-not-spec-02.txt>, work in progress, September 10,
276 1999.

277 ~~[jmp-mib]~~

278 ~~—— Bergman, R., Hastings, T., Isaacson, S., Lewis, H. "PWG Job Monitoring MIB - V1", <draft-ietf-~~
279 ~~printmib-job-monitor-08.txt>, work in progress, Feb 19, 1999.~~

280 [rfc2566]

281 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.0:
282 Model and Semantics", RFC 2566, April 1999.

283 ~~[rfc2707]~~

284 ~~—— Bergman, R., Hastings, T., Isaacson, S., Lewis, H. "PWG Job Monitoring MIB - V1", RFC 2707,~~
285 ~~November, 1999.~~

286 8 Change History

287 8.1 Changes made to the September 13, 1999 version to make the February 2, 2000 288 version

289 The following changes were made to the September 13, 1999 version to make the February 2, 2000
290 version:

- 291 1. Deleted the "impressions-interpreted" (integer(-2:MAX)) in favor of using the IPP "job-impressions-
292 completed" attribute that is already defined in IPP/1.1.
- 293 2. Changed the lower bound for the "sheet-completed-copy-number" (integer(0:MAX)), "sheet-
294 completed-document-number" (integer(0:MAX)), and "impressions-completed-current-copy"
295 (integer(0:MAX)) from -2 to 0, and use the 'unknown' out-of-band value to indicate unknown.
- 296 3. Added the explicit interactions of "sheet-collate" with "multiple-document-handling."

297 8.2 Changes made to the May 19, 1999 version to make the September 13, 1999 298 version

299 The following changes were made to the May 19, 1999 version to make the September 13, 1999 version:

- 300 1. Changed it from a PWG to an IETF specification so that it can be cited from the IETF Notification
301 documents.
- 302 2. Removed the reference to the long Notification spec from 1998, since it isn't going to be an IETF
303 document.
- 304 3. Removed the notification content section, since the Notification specification now includes the 'job-
305 progress' event and the associated notification content.

306 **8.3 Changes made to the April 16, 1999 version to make the May 19, 1999 version**

307 The following changes were made to the April 16, 1999 version to make the May 19, 1999 version:

- 308 1. Added the "sheet-collate" Job Template attribute.
309 2. Added the 'job-progress-event' report content type.

310 **9 Full Copyright Statement**

311 Copyright (C) The Internet Society (2000). All Rights Reserved.

312 This document and translations of it may be copied and furnished to others, and derivative works that
313 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published
314 and distributed, in whole or in part, without restriction of any kind, provided that the above copyright
315 notice and this paragraph are included on all such copies and derivative works. However, this document
316 itself may not be modified in any way, such as by removing the copyright notice or references to the
317 Internet Society or other Internet organizations, except as needed for the purpose of developing Internet
318 standards in which case the procedures for copyrights defined in the Internet Standards process must be
319 followed, or as required to translate it into languages other than English.

320 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or
321 its successors or assigns.

322 This document and the information contained herein is provided on an "AS IS" basis and THE
323 INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL
324 WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY
325 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY
326 RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A
327 PARTICULAR PURPOSE.

328