

1 INTERNET-DRAFT
2 <draft-ietf-ipp-not-spec-05.txt>
3 Category: standards track
4

R. Herriot (editor)
Xerox Corporation
T. Hastings
Xerox Corporation
R. deBry
Utah Valley State College
S. Isaacson
Novell, Inc.
J. Martin
Underscore
M. Shepherd
Xerox Corporation
R. Bergman
Hitachi Koki Imaging Solutions
August 30, 2000

16 Internet Printing Protocol (IPP):
17 **IPP Event Notification Specification**

18 Copyright (C) The Internet Society (2000). All Rights Reserved.

19 Status of this Memo

20 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of [RFC2026].
21 Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working
22 groups. Note that other groups may also distribute working documents as Internet-Drafts.

23 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
24 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite
25 them other than as “work in progress”.

26 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

27 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

28 **Abstract**

29 This document describes an extension to the IPP/1.0, IPP/1.1, and future versions. This extension allows a client to
30 subscribe to printing related Events. Subscriptions are modeled as *Subscription Objects*. The Subscription
31 Object specifies that when one of the specified *Event* occurs, the Printer sends an asynchronous *Event*
32 *Notification* to the specified *Notification Recipient* via the specified *Delivery Method* (i.e., protocol). A client
33 associates Subscription Objects with a particular Job by performing the Create-Job-Subscriptions operation or by
34 submitting a Job with subscription information. A client associates Subscription Objects with the Printer by
35 performing a Create-Printer-Subscriptions operation. Four other operations are defined for Subscription Objects:
36 Get-Subscriptions-Attributes, Get-Subscriptions, Renew-Subscription, and Cancel-Subscription.
37

37

38 The basic set of IPP documents includes:

39 Design Goals for an Internet Printing Protocol [RFC2567]

40 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]

41 Internet Printing Protocol/1.1: Model and Semantics [IPP-MOD]

42 Internet Printing Protocol/1.1: Encoding and Transport [IPP-PRO]

43 Internet Printing Protocol/1.1: Implementer's Guide [IPP-IIG]

44 Mapping between LPD and IPP Protocols [RFC2569]

45 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
46 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included in a
47 printing protocol for the Internet. It identifies requirements for three types of users: end users, Operators, and
48 Administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. Operator and
49 Administrator requirements are out of scope for version 1.0. A few OPTIONAL Operator operations have been
50 added to IPP/1.1.

51 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document describes
52 IPP from a high level view, defines a roadmap for the various documents that form the suite of IPP specifications,
53 and gives background and rationale for the IETF working group's major decisions.

54 The "Internet Printing Protocol/1.1: Model and Semantics", describes a simplified model with abstract objects,
55 their attributes, and their operations that are independent of encoding and transport. It introduces a Printer object
56 and a Job object. The Job object optionally supports multiple documents per Job. It also addresses security,
57 internationalization, and directory issues.

58 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the abstract
59 operations and attributes defined in the model document onto HTTP/1.1. It defines the encoding rules for a new
60 Internet MIME media type called "application/ipp". This document also defines the rules for transporting over
61 HTTP a message body whose Content-Type is "application/ipp". This document defines a new scheme named
62 'ipp' for identifying IPP printers and jobs. Finally, this document defines interoperability rules for supporting
63 IPP/1.0 clients.

64 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to implementers of
65 IPP clients and IPP objects. It is intended to help them understand IPP/1.0 and some of the considerations that
66 may assist them in the design of their client and/or IPP object implementations. For example, a typical order of
67 processing requests is given, including error checking. Motivation for some of the specification decisions is also
68 included.

69 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of gateways
70 between IPP and LPD (Line Printer Daemon) implementations.

71

71

Table of Contents

| | | | |
|-----|-------|---|----|
| 72 | 1 | Introduction..... | 7 |
| 73 | 1.1 | Notification Overview | 7 |
| 74 | 2 | Models for Notification..... | 9 |
| 75 | 2.1 | Model for Notification (Simple Case)..... | 9 |
| 76 | 2.2 | Model for Notification with Cascading Printers..... | 10 |
| 77 | 2.3 | Distributed Model for Notification..... | 10 |
| 78 | 2.4 | Extended Notification Recipient..... | 10 |
| 79 | 3 | Terminology..... | 10 |
| 80 | 3.1 | Conformance Terminology | 11 |
| 81 | 3.2 | Other Terminology..... | 11 |
| 82 | 4 | Object Relationships..... | 13 |
| 83 | 4.1 | Printer and Per-Printer Subscription Objects | 13 |
| 84 | 4.2 | Printer, Job and Per-Job Subscription Objects | 13 |
| 85 | 5 | Subscription Object..... | 13 |
| 86 | 5.1 | Rules for Support of Subscription Template Attributes | 14 |
| 87 | 5.2 | Rules for Processing Subscription Template Attributes | 15 |
| 88 | 5.3 | Subscription Template Attributes..... | 18 |
| 89 | 5.3.1 | notify-recipient-uri (uri) | 18 |
| 90 | 5.3.2 | notify-events (1setOf type2 keyword) | 19 |
| 91 | 5.3.3 | notify-attributes (1setOf type2 keyword)..... | 23 |
| 92 | 5.3.4 | notify-user-data (octetString(63))..... | 24 |
| 93 | 5.3.5 | notify-charset (charset)..... | 25 |
| 94 | 5.3.6 | notify-natural-language (naturalLanguage)..... | 25 |
| 95 | 5.3.7 | notify-lease-duration (integer(0:67108863))..... | 26 |
| 96 | 5.3.8 | notify-time-interval (integer(0:MAX)) | 26 |
| 97 | 5.4 | Subscription Description Attributes..... | 27 |
| 98 | 5.4.1 | notify-subscription-id (integer (1:MAX))..... | 28 |
| 99 | 5.4.2 | notify-sequence-number (integer (0:MAX))..... | 28 |
| 100 | 5.4.3 | notify-lease-expiration-time (integer(0:MAX)) | 29 |
| 101 | 5.4.4 | notify-printer-up-time (integer(1:MAX))..... | 29 |
| 102 | 5.4.5 | notify-printer-uri (uri) | 30 |
| 103 | 5.4.6 | notify-job-id (integer(1:MAX))..... | 30 |
| 104 | 5.4.7 | notify-subscriber-user-name (name(MAX))..... | 30 |
| 105 | 6 | Printer Description Attributes Related to Notification..... | 31 |
| 106 | 6.1 | printer-state-change-time (integer(1:MAX))..... | 31 |
| 107 | 6.2 | printer-state-change-date-time (dateTime)..... | 31 |

| | | | |
|-----|--------|--|----|
| 108 | 7 | New Values for Existing Printer Description Attributes..... | 31 |
| 109 | 7.1 | operations-supported (1setOf type2 enum)..... | 32 |
| 110 | 8 | Attributes Only in Event Notifications | 32 |
| 111 | 8.1 | notify-subscribed-event (type2 keyword) | 32 |
| 112 | 8.2 | notify-text (text(MAX))..... | 32 |
| 113 | 9 | Event Notification Content | 33 |
| 114 | 9.1 | Content of Machine Consumable Event Notifications | 34 |
| 115 | 9.1.1 | Event Notification Content Common to All Events | 35 |
| 116 | 9.1.2 | Additional Event Notification Content for Job Events | 35 |
| 117 | 9.1.3 | Additional Event Notification Content for Printer Events..... | 36 |
| 118 | 9.2 | Content of Human Consumable Event Notification..... | 36 |
| 119 | 9.2.1 | Event Notification Content Common to All Events | 37 |
| 120 | 9.2.2 | Additional Event Notification Content for Job Events | 38 |
| 121 | 9.2.3 | Additional Event Notification Content for Printer Events..... | 39 |
| 122 | 10 | Delivery Methods | 39 |
| 123 | 11 | Operations for Notification..... | 41 |
| 124 | 11.1 | Subscription Creation Operations..... | 41 |
| 125 | 11.1.1 | Create-Job-Subscriptions Operation..... | 42 |
| 126 | 11.1.2 | Create-Printer-Subscriptions operation..... | 44 |
| 127 | 11.1.3 | Job Creation Operation – Extensions for Notification..... | 44 |
| 128 | 11.2 | Other Operations | 46 |
| 129 | 11.2.1 | Validate-Job Operation - Extensions for Notification..... | 46 |
| 130 | 11.2.2 | Get-Printer-Attributes - Extensions for Notification..... | 47 |
| 131 | 11.2.3 | Get-Subscription-Attributes operation..... | 47 |
| 132 | 11.2.4 | Get-Subscriptions operation..... | 49 |
| 133 | 11.2.5 | Renew-Subscription operation | 52 |
| 134 | 11.2.6 | Cancel-Subscription operation | 54 |
| 135 | 12 | Conformance Requirements | 55 |
| 136 | 13 | IANA Considerations | 56 |
| 137 | 13.1 | Format and Requirements for IPP Delivery Method Registration Proposals | 57 |
| 138 | 14 | Internationalization Considerations | 57 |
| 139 | 15 | Security Considerations..... | 58 |
| 140 | 16 | Status Codes | 58 |
| 141 | 16.1 | successful-ok-ignored-subscriptions (0x0003)..... | 58 |
| 142 | 16.2 | client-error-ignored-all-subscriptions (0x0414)..... | 59 |

| | | | |
|-----|------|---|----|
| 143 | 17 | Status Codes in Subscription Attributes Groups..... | 59 |
| 144 | 17.1 | client-error-uri-scheme-not-supported (0x040C)..... | 59 |
| 145 | 17.2 | client-error-too-many-subscriptions (0x0415) | 59 |
| 146 | 17.3 | successful-ok-too-many-events (0x0005)..... | 59 |
| 147 | 17.4 | successful-ok-ignored-or-substituted-attributes (0x0001) | 60 |
| 148 | 18 | Encodings of Additional Attribute Tags..... | 60 |
| 149 | 19 | References..... | 60 |
| 150 | 20 | Author's Addresses..... | 61 |
| 151 | A. | Appendix - Model for Notification with Cascading Printers..... | 63 |
| 152 | B. | Appendix - Distributed Model for Notification..... | 64 |
| 153 | C. | Appendix - Extended Notification Recipient | 65 |
| 154 | D. | Appendix - Details about Conformance Terminology | 66 |
| 155 | E. | Appendix - Object Model for Notification..... | 67 |
| 156 | E.1 | Appendix - Object relationships..... | 67 |
| 157 | E.2 | Printer Object and Per-Printer Subscription Objects..... | 68 |
| 158 | E.3 | Job Object and Per-Job Subscription Objects..... | 68 |
| 159 | F. | Appendix - Per-Job versus Per-Printer Subscription Objects..... | 68 |
| 160 | G. | Appendix: Full Copyright Statement | 69 |

161

162

Tables

| | | |
|-----|--|----|
| 163 | Table 1 – Subscription Template Attributes | 18 |
| 164 | Table 2 – Subscription Description Attributes | 28 |
| 165 | Table 3 – Printer Description Attributes Associated with Notification | 31 |
| 166 | Table 4 – Operation-id assignments..... | 32 |
| 167 | Table 5 – Attributes in Event Notification Content..... | 35 |
| 168 | Table 6 – Additional Event Notification Content for Job Events..... | 36 |
| 169 | Table 7 – Combinations of Events and Subscribed Events for “job-impressions-completed” | 36 |
| 170 | Table 8 – Additional Event Notification Content for Printer Events | 36 |
| 171 | Table 9 – Printer Name in Event Notification Content | 37 |
| 172 | Table 10 – Event Name in Event Notification Content..... | 38 |
| 173 | Table 11 – Event Time in Event Notification Content | 38 |
| 174 | Table 12 – Job Name in Event Notification Content..... | 38 |
| 175 | Table 13 – Job State in Event Notification Content | 39 |
| 176 | Table 14 – Printer State in Event Notification Content..... | 39 |

177 Table 15 – Information about the Delivery Method.....40

178 Table 16 – Conformance Requirements for Operations.....56

179 **Figures**

180 Figure 1 – Model for Notification.....9

181 Figure 2 – Model for Notification with Cascading Printers.....64

182 Figure 3 – Opaque Use of a Notification Service Transparent to the Client.....65

183 Figure 4 – Use of an Extended Notification Recipient transparent to the Printer66

184 Figure 5 – Object Model for Notification.....67

185

186

186 **1 Introduction**

187 This IPP notification specification is an extension to IPP/1.0 [RFC2568, RFC2569] and IPP/1.1 [ipp-mod, ipp-
188 pro]. This document in combination with the following documents is intended to meet the notification requirements
189 described in [ipp-not-req]:

190 Internet Printing Protocol (IPP): “Job Progress Attributes” [ipp-prog]
191 One or more Delivery Method Documents registered with IANA (see section 13).
192

193 Note: this document does not define any Delivery Methods, but it does define the rules for conformance for
194 Delivery Method Documents.

195 Refer to the Table of Contents for the layout of this document.

196 **1.1 Notification Overview**

197 This document defines operations that a client can perform in order to create *Subscription Objects* in a Printer and
198 carry out other operations on them. A Subscription Object represents a Subscription abstraction. The Subscription
199 Object specifies that when one of the specified *Events* occurs, the Printer sends an asynchronous *Event*
200 *Notification* to the specified *Notification Recipient* via the specified *Delivery Method* (i.e., protocol).

201 When a client (called a *Subscribing Client*) performs an operation that creates a Subscription Object, the
202 operation contains one or more *Subscription Template Attributes Groups*. Each such group holds information
203 used by the Printer to initialize a newly created Subscription Object. The Printer creates one Subscription Object
204 for each Subscription Template Attributes Group in the operation. This group is like the Job Template Attributes
205 group defined in [ipp-mod]. The following is an example of the information included in a Subscription Template
206 Attributes Group (see section 5 for details on the Subscription Object attributes):

- 207 1. The names of Subscribed Events that are of interest to the Notification Recipient.
- 208 2. The address (URL) of one Notification Recipient.
- 209 3. The Delivery Method (i.e., the protocol) which the Printer uses to send the Event Notification.
- 210 4. Some opaque data that the Printer sends to the Notification Recipient in the Event Notification. The
211 Notification Recipient might use this opaque data as a forwarding address for the Event Notification.
- 212 5. The charset to use in text fields within an Event Notification
- 213 6. The natural language to use in the text fields of the Event Notification
- 214 7. The requested lease time in seconds for the Subscription Object

215 An operation that creates a Subscription Object is called a *Subscription Creation Operation*. These operations
216 include the following operations (see section 11.1 for further details):

- 217 • **Job Creation operation:** When a client performs such an operation (Print-Job, Print-URI, and Create-
218 Job), a client can include zero or more Subscription Template Attributes Groups in the request. The
219 Printer creates one Subscription Object for each Subscription Template Attributes Group in the request,
220 and the Printer associates each such Subscription Object with the newly created Job. This document
221 extends these operations' definitions in [ipp-mod] by adding Subscription Template Attributes Groups in
222 the request and Subscription Attributes Groups in the response.
- 223 • **Create-Job-Subscriptions operation:** A client can include one or more Subscription Template Attributes
224 Groups in the request. The Printer creates one Subscription Object for each Subscription Template
225 Attributes Group and associates each with the job that is the target of this operation.
- 226 • **Create-Printer-Subscriptions operation:** A client can include one or more Subscription Template
227 Attributes Groups in the request. The Printer creates one Subscription Object for each Subscription
228 Template Attributes Group and associates each with the Printer that is the target of this operation.

229 For each of the above operations:

- 230 • the Printer associates a Subscription Object with the Printer or a specific Job. When a Subscription Object
231 is associated with a Job Object, it is called a *Per-Job Subscription Object*. When a Subscription Object
232 is associated with a Printer Object, it is called a *Per-Printer Subscription Object*.
- 233 • the response contains one Subscription Attributes Group for each Subscription Template Attributes Group
234 in the request and in the same order. When the Printer successfully creates a Subscription Object, its
235 corresponding Subscription Attributes Group contains the "notify-subscription-id" attribute. This attribute
236 uniquely identifies the Subscription Object and is analogous to a "job-id" for a Job object. Some
237 operations described below use the "notify-subscription-id" to identify the target Subscription Object.

238 This document defines the following additional operations (see section 11.2 for further details):

- 239 • **Validate-Job operation:** When a client performs this operation, a client can include zero or more
240 Subscription Template Attributes Groups in the request. The Printer determines if it could create one
241 Subscription Object for each Subscription Template Attributes Group in the request. This document
242 extends this operation's definition in [ipp-mod] by adding Subscription Template Attributes Groups in the
243 request and Subscription Attributes Groups in the response.
- 244 • **Get-Subscription-Attributes operation:** This operation allows a client to obtain the specified attributes
245 of a target Subscription Object.
- 246 • **Get-Subscriptions operation:** This operation allows a client to obtain the specified attributes of all
247 Subscription Objects associated with the Printer or a specified Job.
- 248 • **Renew-Subscription operation:** This operation renews the lease on the target Per-Printer Subscription
249 Object before it expires. A newly created Per-Printer Subscription Object receives an initial lease. It is the
250 duty of the client to use this operation frequently enough to preserve a Per-Printer Subscription Object.

251 The Printer deletes a Per-Printer Subscription Object when its lease expires. A Per-Job Subscription
 252 Object last exactly as long as its associated Job Object and thus doesn't have a lease.

- 253 • **Cancel-Subscription operation:** This operation cancels the lease on the specified Per-Printer
 254 Subscription Object and thereby deletes the Subscription Object.

255 When an Event occurs, the Printer finds all Subscription Objects listening for the Event (see section 9 for details on
 256 finding such Subscription Objects). For each such Subscription Object, the Printer:


- 257 a) generates an Event Notification with information specified in section 9, AND
- 258 b) either:
 - 259 i) delivers the Event Notification using the Delivery Method and target address identified in the
 260 Subscription Object's "notify-recipient-uri" attribute if the Delivery Method is a "push", OR
 - 261 ii) saves Event Notification for a time period defined by the Delivery Method if the Delivery Method is a
 262 "pull", i.e., the Notification Recipient is expected to fetch the Event Notifications.

263 2 Models for Notification

264 2.1 Model for Notification (Simple Case)

265 As part of a Subscription Creation Operation, an IPP Printer (i.e., located in an output device or a server) creates
 266 one or more Subscription Objects. In a Subscription Creation Operation, the client specifies the Notification
 267 Recipient to which the Printer is to deliver Event Notifications. A Notification Recipient can be the Subscribing
 268 Client or a third party.

269 Figure 1 shows the Notification model for a simple Client-Printer relationship.



281 **Figure 1 – Model for Notification**

282 **2.2 Model for Notification with Cascading Printers**

283 With this model, there is an intervening Print server between the human user and the Printer in the output device. If
284 the Printer in the output device generates an Event, the system can be configured to send Event Notification either

- 285 • directly to the Notification Recipient specified by the Subscribing Client or
- 286 • via the Print Server to the Notification Recipient specified by the Subscribing Client.

287 See Appendix A for more details.

288 **2.3 Distributed Model for Notification**

289 The preceding sections (2.1 and 2.2) assume that the Notification software resides in the same device or Server
290 box as the rest of the Printer software. In many implementations, the assumption is correct. However, the
291 Notification model also permits a distributed implementation.

292 For example, the software that supports both Subscription Creation Operations and sending of Event Notifications
293 could be on hardware that is separate from the output device. To make this work, there must be a symbiotic
294 relationship between the output device software and the remote Notification software. Without the remote
295 Notification software, the output device software is not a complete Printer.

296 The term “Printer” in this document includes the software on the output device or server box as well as Notification
297 software that is local to or remote from the output device.

298 Appendix B describes this example in detail.

299 **2.4 Extended Notification Recipient**

300 The model allows for an extended Notification Recipient that is itself a Notification service that forwards each
301 Event Notification to another recipient. The client contacts this Notification Recipient to arrange for forwarding by
302 means outside the scope of this document. The Printer need not be aware that the Notification Recipient forwards
303 Event Notifications.

304 Appendix C describes this example in detail.

305 **3 Terminology**

306 This section defines terminology used throughout this document. Other terminology is defined in [ipp-mod].

307 3.1 Conformance Terminology

308 Capitalized terms, such as **MUST, MUST NOT, REQUIRED, SHOULD, SHOULD NOT, MAY,**
309 **NEED NOT**, and **OPTIONAL**, have special meaning relating to conformance to this specification. These
310 terms are defined in [ipp-mod section 13.1 on conformance terminology, most of which is taken from RFC
311 2119 [RFC2119]. See Appendix D for complete details.

312 Note: a feature that is **OPTIONAL** in this document becomes **REQUIRED** if the Printer implements a Delivery
313 Method that **REQUIRES** the feature

314 **READ-ONLY** - an adjective used in an attribute definition to indicate that an IPP Printer **MUST NOT** allow
315 the attribute's value to be modified with the Set-Job-Attributes or Set-Printer-Attributes operations (see
316 [ipp-set]). Note: there is no Set-Subscription operation so this term is not used for Subscription object
317 attributes.

318 3.2 Other Terminology

319 **Administrator** - A human user who establishes policy for and configures the print system.

320 **Operator** - A human user who carries out the policy established by the Administrator and controls the day to
321 day running of the print system.

322 **IPP Client (or client)** - The software component (PDA, desktop, or server) that performs an IPP operation
323 directed at an IPP Printer (located in a server or output device).

324 **Job Creation operation** - One of the operations that creates a Job object: Print-Job, Print-URI and Create-
325 Job. The Validate-Job operation is not a Job Creation operation because no Job object is created.
326 Therefore, when a statement also applies to the Validate-Job operation, it is mentioned explicitly.

327 **Event** - some occurrence (either expected or unexpected) within the printing system of a change of state,
328 condition, or configuration of a Job or Printer object. An Event occurs only at one instant in time and does
329 not span the time the physical Event takes place. For example, jam-occurred and jam-cleared are two
330 distinct, instantaneous Events, even though the jam may last for a while.

331 **Job Event** – an Event caused by some change in a particular job on the Printer, e.g., job-completed.

332 **Printer Event** – an Event caused by some change in the Printer that is not specific to a job, e.g., printer-state-
333 changed.

334 **Subscribed Event** – an Event that the Subscribing Client expresses interest in by making it a value of the
335 “notify-events” attribute on a Subscription Object.

336 **Subscribed Job Event** – a Subscribed Event that is a Job Event.

337 **Subscribed Printer Event** – a Subscribed Event that is a Printer Event.

- 338 **Event Notification** - the information about an Event that the Printer sends when an Event occurs.
- 339 **Notification Recipient** - the entity to which the Printer sends an Event Notification.
- 340 **Delivery Method** - the mechanism by which the Printer delivers the Event Notification, e.g., via email or via
341 SNMP.
- 342 **Delivery Method Document** - a document, separate from this document, that defines a Delivery Method.
- 343 **Compound Event Notification** - two or more Event Notifications that a Printer sends together as a single
344 entity. The Delivery Method Document specifies whether the Delivery Method supports Compound Event
345 Notifications.
- 346 **Subscription Object** - An object containing a set of attributes that indicate: the Notification Recipient, the
347 Delivery Method, the Subscribed Events that cause the Printer to send an Event Notification, and the
348 information to send in an Event Notification.
- 349 **Per-Job Subscription Object** - A Subscription Object that is associated with a single Job. The Create-Job-
350 Subscriptions operation and Job Creation operations create such an object.
- 351 **Per-Printer Subscription Object** - A Subscription Object that is associated with the Printer as a whole. The
352 Create-Printer-Subscriptions operation creates such an object.
- 353 **Subscribing Client** - The client that creates the Subscription Object.
- 354 **Subscription Creation Operation** - An operation that creates a Subscription Object: Job Creation
355 operations, Create-Job-Subscriptions operation, and Create-Printer-Subscriptions operation. In the
356 context of a Job Creation operation, a Subscription Creation Operation is the part of the Job Creation
357 operation that creates a Subscription object.
- 358 **Subscription Creation Request** – The request portion of a Subscription Creation Operation.
- 359 **Subscription Template Attributes** – Subscription Object attributes that a client can supply in a Subscription
360 Creation Operation and associated Printer Object attributes that specify supported and default values for
361 the Subscription Object attributes.
- 362 **Subscription Description Attributes** – Subscription Object attributes that a Printer supplies during a
363 Subscription Creation Operation.
- 364 **Subscription Template Attributes Group** – The attributes group in a request that contains Subscription
365 Object attributes that are Subscription Template Attributes.
- 366 **Subscription Attributes Group** – The attributes group in a response that contains Subscription Object
367 attributes.

368 **Human Consumable Event Notification** – localized text for human consumption only. There is no
369 standardized format and thus programs should not try to parse this text.

370 **Machine Consumable Event Notification** - bytes for program consumption. The bytes are formatted
371 according to the Delivery Method document.

372 **Printer** – the software that supports an output device or print server (see IPP/1.1 [ipp-mod] which uses the
373 terms Printer and Printer object interchangeably). This document extends the IPP/1.1 Printer definition to
374 include the software that implements Subscription Creation Operations and the sending of Event
375 Notifications, even if the software for such a Printer would be distributed across a network (see section
376 2.3).

377 **Notification** – when not in the phrases ‘Event Notification’ and ‘Notification Recipient’ — the concepts of this
378 specification, i.e., Events, Subscription Objects, and Event Notifications.

379 **4 Object Relationships**

380 This section defines the object relationships between the Printer, Job, and Subscription Objects. It does not define
381 the implementation. For an illustration of these relationships, see Appendix E.

382 **4.1 Printer and Per-Printer Subscription Objects**

- 383 1. A Printer object can be associated with zero or more Per-Printer Subscription Objects.
- 384 2. Each Per-Printer Subscription Object is associated with exactly one Printer object.

385 **4.2 Printer, Job and Per-Job Subscription Objects**

- 386 1. A Printer object is associated with zero or more Job objects.
- 387 2. Each Job object is associated with exactly one Printer object.
- 388 3. A Job object is associated with zero or more Per-Job Subscription Objects.
- 389 4. Each Per-Job Subscription Object is associated with exactly one Job object.

390 **5 Subscription Object**

391 A Subscribing Client creates a Subscription Object with a Subscription Creation Operation in order to indicate its
392 interest in certain Events. See section 11 for a description of these operations. When an Event occurs, the
393 Subscription Object specifies to the Printer where to send Event Notifications, how to send them and what to put
394 in them. See section 9 for details on the contents of an Event Notification.

395 Using the IPP Job Template attributes as a model (see [ipp-mod] section 4.2), the attributes of a Subscription
396 Object are divided into two categories: Subscription Template Attributes and Subscription Description Attributes.

397 Subscription Template attributes are, in turn, like the Job Template attributes, divided into

- 398 1. Subscription Object attributes that a client can supply in a Subscription Creation Request and
- 399 2. their associated Printer Object attributes that specify supported and default values for the Subscription
400 Object attributes

401 The remainder of this section specifies general rules for Subscription Template Attributes and describes each
402 attribute in a Subscription Object.

403 **5.1 Rules for Support of Subscription Template Attributes**

404 Subscription Template Attributes are fundamental to the Notification model described in this specification. The
405 client supplies these attributes in Subscription Creation Operations and the Printer uses these attributes to populate
406 a newly created Subscription Object.

407 Subscription Objects attributes that are Subscription Template Attributes conform to the following rules:

- 408 1. Each attribute's name starts with the prefix string "notify-" and this document calls such attributes "notify-
409 xxx".
- 410 2. For each "notify-xxx" Subscription Object attribute defined in column 1 of Table 1 in section 5.3, Table 1
411 specifies corresponding Printer attributes: "notify-xxx-default", "notify-xxx-supported", "yyy-supported"
412 and "notify-max-xxx-supported" defined in column 2 of Table 1. Note "xxx" stands for the same string in
413 each case and "yyy" stands for some other string.
- 414 3. If a Printer supports "notify-xxx" in column 1 of Table 1, then the Printer MUST support all associated
415 attributes specified in column 2 of Table 1. For example, Table 1 shows that if the Printer supports "notify-
416 events", it MUST support "notify-events-default", "notify-events-supported" and "notify-max-events-
417 supported".
- 418 4. If a Printer does not support "notify-xxx" in column 1 of Table 1, then the Printer MUST NOT support any
419 associated "notify-yyy" attributes specified in column 2 of Table 1. For example, Table 1 shows that if the
420 Printer doesn't support "notify-events", it MUST NOT support "notify-events-default", "notify-events-
421 supported" and "notify-max-events-supported". Note this rule does not apply to attributes whose names
422 do not start with the string "notify-" and are thus defined in another object and used by other attributes.
- 423 5. Most "notify-xxx" attributes have a corresponding "yyy-supported" attribute that specifies the supported
424 values for "notify-xxx". Column 2 of Table 1 specifies the name of each "yyy-supported" attribute. The
425 naming rules of IPP/1.1 (see [ipp-mod]) are used when "yyy-supported" is "notify-xxx-supported".

426 6. Some “notify-xxx” attributes have a corresponding “notify-xxx-default” attribute that specifies the value for
427 “notify-xxx” if the client does not supply it. Column 2 of Table 1 specifies the name of each “notify-xxx-
428 default” attribute. The naming rules of IPP/1.1 (see [ipp-mod]) are used.

429 If a client wishes to present an end user with a list of supported values from which to choose, the client SHOULD
430 query the Printer for its supported value attributes. The client SHOULD also query the default value attributes. If
431 the client then limits selectable values to only those values that are supported, the client can guarantee that the
432 values supplied by the client in the create request all fall within the set of supported values at the Printer. When
433 querying the Printer, the client MAY enumerate each attribute by name in the Get-Printer-Attributes Request, or
434 the client MAY just supply the ‘subscription-template’ group name in order to get the complete set of supported
435 attributes (both supported and default attributes).

436 5.2 Rules for Processing Subscription Template Attributes

437 This section defines a detailed set of rules that a Printer follows when it processes Subscription Template Attributes
438 in a Subscription Creation Request. These rules for are similar to the rules for processing Operation attributes in
439 [ipp-mod]. That is, the Printer may or may not support an attribute and a client may or may not supply the attribute.
440 Some combinations of these cases are OK. Others return warnings or errors, and perhaps a list of unsupported
441 attributes.

442 A Printer MUST implement the following behavior for processing Subscription Template Attributes in a
443 Subscription Creation Request:

- 444 1. If a client supplies a “notify-xxx” attribute from column 1 of Table 1 and the Printer supports it and its
445 value, the Printer MUST populate the attribute on the created Subscription Object.
- 446 2. If a client supplies a “notify-xxx” attribute from column 1 of Table 1 and the Printer doesn’t support it or its
447 value, the Printer MUST NOT populate the attribute on the created Subscription Object with it. The
448 Printer MUST do one of the following:
 - 449 a) If the value of the “notify-xxx” attribute is unsupported, the Printer MUST return the attribute with its
450 value in the Subscription Attributes Group of the response.
 - 451 b) If “notify-xxx” is an unsupported attribute, the Printer MUST return the attribute in the Subscription
452 Attributes Group of the response with the ‘unsupported’ out-of-band value.

453 Note: The rules of this step are the same as for Unsupported Attributes [ipp-mod] section 3.1.7. except
454 that the unsupported attributes are returned in the Subscription Attributes Group rather than the
455 Unsupported Attributes Group because Subscription Creation Operations can create more than one
456 Subscription Object).

- 457 3. If a client is REQUIRED to supply a “notify-xxx” attribute from column 1 of Table 1 and the Printer
458 doesn’t support the supplied value, the Printer MUST NOT create a Subscription Object. The rules for
459 Unsupported Attributes in step #2 still apply.

- 460 4. If a client does not supply a “notify-xxx” attribute from column 1 of Table 1 and the attribute is
461 REQUIRED for the client to supply, the Printer MUST reject the Subscription Creation Operation
462 (including Job Creation operations) without creating a Subscription Object, and MUST return in the
463 response:
- 464 c) the status code ‘client-error-bad-request’ AND
465 d) no Subscription Attribute Groups.
- 466 5. If a client does not supply a “notify-xxx” attribute from column 1 of Table 1 that is OPTIONAL for the
467 client to supply, and column 2 of Table 1 either:
- 468 a) specifies a “notify-xxx-default” attribute, the Printer MUST behave as if the client had supplied the
469 “notify-xxx-default” attribute (see step #1) and populate the Subscription object with the value of the
470 “notify-xxx-default” attribute as part of the Subscription Creation operation (unlike Job Template
471 attributes where the Printer does not populate the Job object with defaults - see [ipp-mod]) OR
- 472 b) does not specify a “notify-xxx-default” attribute, the Printer MUST populate the “notify-xxx” attribute
473 on the Subscription Object according to the definition of the “notify-xxx” attribute in a section 5.3. For
474 some attributes, the “notify-xxx” is populated with the value of some other attribute, and for others, the
475 “notify-xxx” is NOT populated on the Subscription object at all.
- 476 6. A Printer MUST create a Subscription Object for each Subscription Template Attributes group in a
477 request unless the Printer:
- 478 a) encounters some attributes in a Subscription Template Attributes Group that require the Printer not to
479 create the Subscription Object OR
- 480 b) would create a Per-Job Subscription Object when it doesn’t have space for another Per-Job
481 Subscription Object OR
- 482 c) would create a Per-Printer Subscription Object when it doesn’t have space for another Per-Printer
483 Subscription Object.
- 484 7. A response MUST contain one Subscription Attributes Group for each Subscription Template Attributes
485 Group in the request (and in the same order) whether the Printer creates a Subscription Object from the
486 Subscription Template Attributes Group or not. However, the attributes in each Subscription Attributes
487 Group can be in any order.
- 488 8. The Printer MUST populate each Subscription Attributes Group of the response such that each contains:
- 489 a) the “notify-subscription-id” attribute (see section 5.4.1), if and only if the Printer creates a Subscription
490 Object.

- 491 b) the “notify-lease-duration” attribute (see section 5.3.7), if and only if the Printer creates a Per-Printer
492 Subscription Object. The value of this attribute is the value of the Subscription Object’s “notify-lease-
493 duration” attribute. This value MAY be different from the client-supplied value (see section 5.3.7). If a
494 client supplies this attribute in the creation of a Per-Job Subscription Object, it MUST appear in this
495 group with the out-of-band value ‘unsupported’ to indicate that the Printer doesn’t support it in this
496 context.
- 497 c) all of the unsupported Subscription Template Attributes from step #2. Note, they are not returned in
498 the Unsupported Attributes Group in order to separate the unsupported attributes for each
499 Subscription Object.
- 500 d) the “notify-status-code” attribute if the Printer does not create the Subscription Object or if there are
501 unsupported attributes from step #2. The possible values of the “notify-status-code” attribute are
502 shown below (see section 17 for more details). The Printer returns the first value in the list below that
503 describes the status.
- 504 ‘client-error-uri-scheme-not-supported’: the Subscription Object was not created because the
505 scheme of the “notify-recipient-uri” attribute is not supported. See section 17.1 for more details
506 about this status code. See step #3 in this section for the case that causes this error, and the
507 resulting step #6a) that causes the Printer not to create the Subscription Object.
- 508 ‘client-error-too-many-subscriptions’: the Subscription Object was not created because the
509 Printer has no space for additional Subscription Objects. The client SHOULD try again later.
510 See section 17.2 for more details about this status code. See steps #6b) and #6c) in this
511 section for the cases that causes this error.
- 512 ‘successful-ok-too-many-events’: the Subscription Object was created without the “notify-
513 events” values included in this Subscription Attributes Group because the “notify-events”
514 attribute contains too many values. See section 17.3 for more details about this status code.
515 See step #2 in this section and section 5.3.2 for the cases that cause this status code.
- 516 ‘successful-ok-ignored-or-substituted-attributes’: the Subscription Object was created but some
517 supplied Subscription Template Attributes are unsupported. These unsupported attributes are
518 also in the Subscription Attributes Group. See section 17.4 for more details about this status
519 code. See step #2 in this section for the cases that cause this status code.
- 520 9. The Printer MUST validate all Subscription Template Attributes and MUST return all unsupported
521 attributes and values in the corresponding Subscription Attributes Group of the response (see step #2)
522 unless it determines that it could not create additional Subscription Objects because of condition #6b) or
523 condition #6c). Then, the Printer NEED NOT validate these additional Subscription Template Attributes
524 and the client MUST NOT expect to find unsupported attributes from step #2 in such additional
525 Subscription Attribute Groups.

526 **5.3 Subscription Template Attributes**

527 This section contains the Subscription Template Attributes defined for the Subscription and Printer objects.

528 Table 1 below shows the Subscription Template Attributes and has two columns:

- 529 • **Attribute in Subscription Object:** the name and attribute syntax of each Subscription Object Attribute
530 that is a Subscription Template Attribute
- 531 • **Default and Supported Printer Attributes:** the default attribute and supported Printer attributes that are
532 associated with the attribute in column 1.

533 A Printer **MUST** support all attributes in Table 1 below except for “notify-attributes” (and “notify-attributes-
534 supported”). A client **MUST** supply “notify-recipient-uri” and **MAY** omit any of the rest of the attributes in column
535 1 of Table 1 in a Subscription Creation Request.

536 **Table 1 – Subscription Template Attributes**

| Attribute in Subscription Object | Default and Supported Printer Attributes |
|--|--|
| notify-recipient-uri (uri) | notify-schemes-supported (1setOf uriScheme) |
| notify-events (1setOf type2 keyword) | notify-events-default (1setOf type2 keyword) notify-events-supported (1setOf type2 keyword) notify-max-events-supported (integer(2:MAX)) |
| notify-attributes (1setOf type2 keyword) | notify-attributes-supported (1setOf type2 keyword) |
| notify-user-data (octetString(63)) | |
| notify-charset (charset) | charset-supported (1setOf charset) |
| notify-natural-languages (naturalLanguage) | generated-natural-language-supported (1setOf naturalLanguage) |
| notify-lease-duration (integer(0:MAX)) | notify-lease-duration-default (integer(0:67108863)) notify-lease-duration-supported (1setOf (integer(0: 67108863) rangeOfInteger(0:67108863))) |
| notify-time-interval (integer(0:MAX)) | |

537 **5.3.1 notify-recipient-uri (uri)**

538 This attribute’s value is a URL, which is a special case of a URI. Its value consists of a scheme and an address.
539 The address specifies the Notification Recipient and the scheme specifies the Delivery Method for each Event
540 Notification associated with this Subscription Object.

541 A Printer **MUST** support this attribute.

542 A client **MUST** supply this attribute in Subscription Creation Operation. Thus there is no need for a default
543 attribute.

544 The “notify-schemes-supported (1setOf uriScheme)” attribute MUST specify the schemes supported for this
545 attribute.

546 If the client supplies an unsupported scheme in the value of this attribute, then the Printer MUST not create the
547 Subscription Object and MUST return the “notify-status-code” attribute with the ‘client-error-uri-scheme-not-
548 supported’ value in the Subscription Attributes Group in the response.

549 The Printer MUST treat the address part of this attribute as opaque.

550 **5.3.2 notify-events (1setOf type2 keyword)**

551 This attribute contains a set of Subscribed Events. When an Event occurs and it “matches” a value of this attribute,
552 the Printer sends an Event Notification using information in the Subscription Object. The details of “matching” are
553 described subsection 5.3.2.2.

554 A Printer MUST support this attribute.

555 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this attribute
556 in Subscription Creation Operation, the Printer MUST populate this attribute on the Subscription Object with its
557 “notify-events-default” attribute value.

558 Each value of this attribute on a Subscription Object MUST be one of the values of the “notify-events-supported
559 (1setOf type2 keyword)” attribute.

560 The number of values of this attribute MUST NOT exceed the value of the “notify-max-events-supported”
561 attribute. A Printer MUST support at least 2 values per Subscription Object. If the number of values supplied by a
562 client in a Subscription Creation Operation exceeds the value of this attribute, the Printer MUST treat extra values
563 as unsupported values and MUST use the value of ‘successful-ok-too-many-events’ for the “notify-status-code”
564 attribute in the Subscription Attributes Group of the response.

565 **5.3.2.1 Standard Values for Subscribed Events**

566 Each value of this attribute is a keyword and it specifies a Subscribed Event that represents certain changes. Some
567 keywords represent a subset of changes of another keyword, e.g., ‘job-completed’ is an Event value which is a
568 sub-value of ‘job-state-change’. See section 5.3.2.2 for the case where this attribute contains both a value and a
569 sub-value.

570 The values in this section are divided into three categories: No Events, Job Events and Printer Events.

571 A Printer MUST support the Events indicated as “REQUIRED” and MAY support the Events indicated as
572 “OPTIONAL”.

573 **5.3.2.1.1 No Events**

574 The standard and only keyword value for No Events is:

575 **'none'**: REQUIRED - no Event Notifications for any Events. As the sole value of "notify-events-supported",
576 this value means that the Printer does not support the sending of Event Notifications. As the sole value of
577 "notify-events-default", this value means that a client MUST specify the "notify-events" attribute in order
578 for a Subscription Creation Operation to succeed. If the Printer receives this value as the sole value of a
579 Subscription Creation Operation, it does not create a Subscription Object. If a Printer receives this value
580 with other values of a Subscription Creation Operation, the Printer MUST treat this value as an
581 unsupported value.

582 **5.3.2.1.2 Subscribed Printer Events**

583 The standard keyword values for Subscribed Printer Events are:

584 **'printer-state-changed'**: REQUIRED - the Printer changed state from any state to any other state.
585 Specifically, the value of the Printer's "printer-state", "printer-state-reasons" or "printer-is-accepting-jobs"
586 attributes changed.

587
588 This Subscribed Event value has the following sub-values: 'printer-restarted' and 'printer-shutdown'. A
589 client can listen for any of these sub-values if it doesn't want to listen to all printer-state changes:

590 **'printer-restarted'**: OPTIONAL - when the printer is powered up .

591 **'printer-shutdown'**: OPTIONAL - when the device is being powered down .

592 **'printer-stopped'**: REQUIRED - when the printer stops printing, i.e. the value of the "printer-state"
593 Printer attribute becomes 'stopped'.

594 **'printer-config-changed'**: OPTIONAL - when the configuration of a Printer has changed, i.e., the value of
595 the "printer-message-from-operator" or any "configuration" Printer attribute has changed. A
596 "configuration" Printer attribute is an attribute which can change value because of some human interaction
597 either direct or indirect, and which is not covered by one of the other Events in this section. Examples of
598 "configuration" Printer attributes are any of the Job Template attributes, such as "xxx-supported", "xxx-
599 ready" and "xxx-default". Often, such a change is the result of a client performing a Set-Printer-Attributes
600 operation (see [ipp-set]) on the Printer. The client has to perform a Get-Printer-Attributes to find out the
601 new values of these changed attributes. This Event is useful for GUI clients and drivers to update the
602 available printer capabilities to the user.

603
604 This Event value has the following sub-values: 'printer-media-changed' and 'printer-finishings-changed'. A
605 client can listen for any of these sub-values if it doesn't want to listen to all printer-configuration changes:

606 **'printer-media-changed'**: OPTIONAL - when the media loaded on a printer has been changed, i.e., the
607 "media-ready" attribute has changed. This Event includes two cases: an input tray that goes empty and
608 an input tray that receives additional media of the same type or of a different type. The client must
609 check the "media-ready" Printer attribute (see [ipp-mod] section 4.2.11) separately to find out what
610 changed.

611 **‘printer-finishings-changed’**: OPTIONAL - when the finisher on a printer has been changed, i.e., the
612 “finishings-ready” attribute has changed. This Event includes two cases: a finisher that goes empty and a
613 finisher that is refilled (even if it is not full). The client must check the “finishings-ready” Printer attribute
614 separately to find out what changed.

615 **‘printer-queue-order-changed’**: OPTIONAL - the order of jobs in the Printer’s queue has changed, so that
616 an application that is monitoring the queue can perform a Get-Jobs operation to determine the new order.
617 This Event does not include when a job enters the queue (the ‘job-created’ Event covers that) and does
618 not include when a job leaves the queue (the ‘job-completed’ Event covers that).

619

620 5.3.2.1.3 Subscribed Job Events

621 The standard keyword values for Subscribed Job Events are:

622 **‘job-state-changed’**: REQUIRED - the job has changed from any state to any other state. Specifically, the
623 Printer sends this Event whenever the value of the “job-state” attribute or “job-state-reasons” attribute
624 changes. When a Job is removed from the Job History (see [ipp-mod] 4.3.7.1), no Event is generated.
625

626 This Event value has the following sub-values: ‘job-created’, ‘job-completed’ and ‘job-stopped’. A client
627 can listen for any of these sub-values if it doesn’t want to listen to all ‘job-state changes’.

628 **‘job-created’**: REQUIRED - the Printer has accepted a Job Creation operation and the job’s “time-at-
629 creation” attribute value is set (see [ipp-mod] section 4.3.14.1). The Printer puts the job in the
630 ‘pending’, ‘pending-held’ or ‘processing’ states..

631 **‘job-completed’**: REQUIRED - the job has reached one of the completed states, i.e., the value of the
632 job’s “job-state” attribute has changed to: ‘completed’, ‘aborted’, or ‘canceled’. The Job’s “time-at-
633 completed” and “date-time-at-completed” (if supported) attributes are set (see [ipp-mod] section
634 4.3.14).. The Printer also sends this Event when a Job is removed with the Purge-Job operation. In this
635 case, the Event Notification MUST report the ‘job-state’ as ‘canceled’.

636 **‘job-stopped’**: OPTIONAL - when the job stops printing, i.e. the value of the “job-state” Job attribute
637 becomes ‘processing-stopped’.

638 **‘job-config-changed’**: OPTIONAL - when the configuration of a job has changed, i.e., the value of the
639 “job-message-from-operator” or any of the “configuration” Job attributes have changed. A “configuration”
640 Job attribute is an attribute that can change value because of some human interaction either direct or
641 indirect. Examples of “configuration” Job attributes are any of the job template attributes and the “job-
642 name” attribute. Often, such a change is the result of the user or the Operator performing a Set-Job-
643 Attributes operation (see [ipp-set]) on the Job object. The client performs a Get-Job-Attributes to find out
644 the new values of the changed attributes. This Event is useful for GUI clients and drivers to update the job
645 information to the user.

646 '**job-progress**': OPTIONAL – when the Printer has completed Printing a sheet. See the separate [ipp-prog]
647 specification for additional attributes that a Printer MAY send in an Event Notification caused by this
648 Event. The “notify-time-interval” attribute affects this Event by causing the Printer NOT to send an Event
649 Notification every time a ‘job-progress’ Events occurs. See section 5.3.8 for full details.

650 **5.3.2.2 Rules for Matching of Subscribed Events**

651 When an Event occurs, the Printer MUST find each Subscription object whose “notify-events” attribute “matches”
652 the Event. The rules for “matching” of Subscribed Events are described separately for Printer Events and for Job
653 Events. This section also describes some special cases.

654 **5.3.2.2.1 Rules for Matching of Printer Events**

655 Suppose that the Printer causes Printer Event E to occur. For each Per-Job or Per-Printer Subscription S in the
656 Printer, if E equals a value of this attribute in S or E is a sub-value of a value of this attribute in S, the Printer MUST
657 generate an Event Notification.

658 Consider the example. There are three Subscription Objects each with the Subscribed Printer Event ‘printer-
659 state-changed’. Subscription Object A is a Per-Printer Subscription Object. Subscription Object B is a Per-
660 Job Subscription Object for Job 1, and Subscription Object C is a Per-Job Subscription Object for Job 2.
661 When the Printer enters the ‘stopped’ state, the Printer sends an Event Notification to the Notification
662 Recipients of Subscription Objects A, B, and C because this is a Printer Event. Note if Job 1 has already
663 completed, the Printer would not send an Event Notification for its Subscription Object.

664 **5.3.2.2.2 Rules for Matching of Job Events**

665 Suppose that Job J causes Job Event E to occur.

- 666 1. For each Per-Printer Subscription S in the Printer, if E equals a value of this attribute in S or E is a sub-
667 value of a value of this attribute in S, the Printer MUST generate an Event Notification.
- 668 2. For each Per-Job Subscription S associated with Job J, if E equals a value of this attribute in S or E is a
669 sub-value of a value of this attribute in S, the Printer MUST generate an Event Notification.
- 670 3. For each Per-Job Subscription S that is NOT associated Job J, if E equals a value of this attribute in S or
671 E is a sub-value of a value of this attribute in, the Printer MUST NOT generate an Event Notification from
672 S.

673 Consider the example: There are three Subscription Objects listening for the Job Event ‘job-completed’.
674 Subscription Object A is a Per-Printer Subscription Object. Subscription Object B is a Per-Job Subscription
675 Object for Job 1, and Subscription Object C is a Per-Job Subscription Object for Job 2. In addition, Per-
676 Printer Subscription Object D is listening for the Job Event ‘job-state-changed’. When Job 1 completes, the
677 Printer sends an Event Notification to the Notification Recipient of Subscription Object A (because it is Per-
678 Printer) and Subscription Object B because it is a Per-Job Subscription Object associated with the Job
679 generating the Event. The Printer also sends an Event Notification to the Notification Recipient of Subscription
680 Object D because ‘job-completed’ is a sub-value of ‘job-state-changed’ – the value that Subscription Object

681 D is listening for. The Printer does not send an Event Notification to the Notification Recipients of Subscription
682 Object C because it is a Per-Job Subscription Object associated with some Job other than the Job generating
683 the Event.

684 **5.3.2.2.3 Special Cases for Matching Rules**

685 This section contains rule for special cases.

686 If an Event matches Subscribed Events in two different Subscription Objects and the Printer would send two
687 identical Event Notifications (except for the “notify-subscription-id” attribute) to the same Notification Recipient
688 using the same Delivery Method, the Printer **MUST** send both Event Notifications. That is, the Printer **MUST**
689 **NOT** try to consolidate seemingly identical Event Notifications that occur in separate Subscription objects.
690 Incidentally, the Printer **MUST NOT** reject Subscription Creation Operations that would create this scenario.

691 If an Event matches two values of this “notify-events” attribute in a single Subscription object (e.g., a value and its
692 sub-value), a Printer **MAY** send one Event Notification for each matched value in the Subscription Object or it
693 **MAY** send only one Event Notification per Subscription Object. The rules in sections 5.3.2.2.1 and 5.3.2.2.2 are
694 purposefully ambiguous about the number of Event Notification sent when Event E matches two or more values in a
695 Subscription Object.

696 Consider the example: There are two Per-Printer Subscription Objects when a Job completes. Subscription
697 Object A has the Subscribed Job Event ‘job-state-changed’. Subscription Object B has the Subscribed Job
698 Events ‘job-state-changed’ and ‘job-completed’. The Printer sends an Event Notification to the Notification
699 Recipient of Subscription Object A with the value of ‘job-state-changed’ for the “notify-subscribing-event”
700 attribute. The Printer sends either one or two Event Notifications to the Notification Recipient of Subscription
701 Object B, depending on implementation. If it sends two Event Notifications, one has the value of ‘job-state-
702 changed’ for the “notify-subscribing-event” attribute, and the other has the value of ‘job-completed’ for the
703 “notify-subscribing-event” attribute. If it sends one Event Notification, it has the value of either ‘job-state-
704 changed’ or ‘job-completed’ for the “notify-subscribing-event” attribute, depending on implementation. The
705 algorithm for choosing such a value is implementation dependent.

706 **5.3.3 notify-attributes (1setOf type2 keyword)**

707 This attribute contains a set of attribute names. When a Printer sends a Machine Consumable Event Notification, it
708 includes a fixed set of attributes (see section 9.1). If this attribute is present and the Event Notification is Machine
709 Consumable, the Printer also includes the attributes specified by this attribute.

710 A Printer **MAY** support this attribute.

711 A client **MAY** supply this attribute in a Subscription Creation Operation. If the client does not supply this attribute
712 in Subscription Creation Operation or the Printer does not support this attribute, the Subscription Object **MUST**
713 **NOT** contain the “notify-attributes” attribute. There is no “notify-attributes-default” attribute.

714 Each keyword value of this attribute on a Subscription Object **MUST** be a value of the “notify-attributes-
715 supported (1setOf type2 keyword)” attribute. The “notify-attributes-supported” **MAY** contain any Printer

716 attribute, Job attribute or Subscription Object attribute that the Printer supports in an Event Notification. It MUST
717 NOT contain any of the attributes in Section 9.1 that a Printer automatically puts in an Event Notification; it would
718 be redundant. If a client supplies an attribute in Section 9.1, the Printer MUST treat it as an unsupported attribute
719 value of the “notify-attributes” attribute.

720 The following rules apply to each keyword value N of the “notify-attributes” attribute: If the value N names:

721 a) a Subscription attribute, the Printer MUST use the attribute N in the Subscription Object that is being used
722 to generate the Event Notification.

723 b) a Job attribute and the Printer is generating an Event Notification from a Per-Job Subscription Object S,
724 the Printer MUST use the attribute N in the Job object associated with S.

725 c) a Job attribute and the Printer is generating an Event Notification from a Per-Printer Subscription Object
726 and the Event is:

727 • a Job Event, the Printer MUST use the attribute N in the Job object that caused the Event.

728 • a Printer Event, the Printer MUST use the attribute N in the active Job.

729 If a Printer supports this attribute and a Subscription Object contains this attribute and the Delivery Method
730 generates a Machine Consumable Event Notification, the Printer MUST include in each Event Notification:

731 a) the attributes specified in section 9.1 and

732 b) each attribute named by this attribute.

733 The Printer MUST NOT use this attribute to generate a Human Consumable Event Notification.

734 **5.3.4 notify-user-data (octetString(63))**

735 This attribute contains opaque data that some Delivery Methods include in each Machine Consumable Event
736 Notification. The opaque data might contain, for example:

737 • the identity of the Subscriber

738 • a path or index to some Subscriber information

739 • a key that identifies to the Notification Recipient the ultimate recipient of the Event Notification

740 • the id for a Notification Recipient that had previously registered with an Instant Messaging Service

741 A Printer MUST support this attribute.

742 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this attribute
743 in Subscription Creation Operation, the Subscription Object MUST NOT contain the “notify-user-data” attribute.
744 There is no “notify-user-data-default” attribute.

745 There is no “user-data-supported” attribute. Rather, any octetString whose length does not exceed 63 octets is a
746 supported value. If the length exceeds 63 octets, the Printer MUST treat it as an unsupported value.

747 **5.3.5 notify-charset (charset)**

748 This attribute specifies the charset to be used in the Event Notification content sent to the Notification Recipient,
749 whether the Event Notification content is Machine Consumable or Human Consumable.

750 A Printer MUST support this attribute.

751 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this attribute
752 in Subscription Creation Operation or supplies an unsupported value, the Printer MUST populate this attribute in
753 the Subscription Object with the value of the “attributes-charset” operation attribute, which is a REQUIRED
754 attribute in all IPP requests (see [ipp-mod]). If the value of the “attributes-charset” attribute is unsupported, the
755 Printer MUST populate this attribute in the Subscription Object with the value of the Printer’s “charset-configured”
756 attribute. There is no “notify-charset-default” attribute.

757 The value of this attribute on a Subscription Object MUST be a value of the “charset-supported (1setOf charset)”
758 attribute.

759 **5.3.6 notify-natural-language (naturalLanguage)**

760 This attribute specifies the natural language to be used in any human consumable text in the Event Notification
761 content sent to the Notification Recipient, whether the Event Notification content is Machine Consumable or
762 Human Consumable.

763 A Printer MUST support this attribute.

764 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this attribute
765 in Subscription Creation Operation or supplies an unsupported value, the Printer MUST populate this attribute in
766 the Subscription Object with the value of the “attributes-natural-language” operation attribute, which is a
767 REQUIRED attribute in all IPP requests (see [ipp-mod]). If the value of the “attributes-natural-language” attribute
768 is unsupported, the Printer MUST populate this attribute in the Subscription Object with the value of the Printer’s
769 “natural-language-configured” attribute. There is no “notify-natural-language-default” attribute.

770 The value of this attribute on a Subscription Object MUST be a value of the “generated-natural-language-
771 supported (1setOf type2 naturalLanguage)” attribute.

772 **5.3.7 notify-lease-duration (integer(0:67108863))**

773 This attribute specifies the duration of the lease (in seconds) associated with the Per-Printer Subscription Object at
774 the time the Subscription Object was created or the lease was renewed. The duration of the lease is infinite if the
775 value is 0, i.e., the lease never expires.

776 This attribute is not present on a Per-Job Subscription Object because the Subscription Object lasts exactly as
777 long as the associated Job object. See section 5.4.3 on “notify-lease-expiration-time (integer(0:MAX))” for more
778 details.

779 A Printer **MUST** support this attribute.

780 For a Subscription Object Creation operation of a Per-Job Subscription Object, the client **MUST NOT** supply
781 this attribute. If the client does supply this attribute, the Printer **MUST** treat it as an unsupported attribute.

782 For a Subscription Creation Operation of a Per-Printer Subscription Object or a Renew-Subscription operation, a
783 client **MAY** supply this attribute. If the client does not supply this attribute, the Printer **MUST** populate this attribute
784 with its “notify-lease-duration-default” (0:67108863) attribute value. If the client supplies this attribute with an
785 unsupported value, the Printer **MUST** populate this attribute with a supported value, and this value **SHOULD** be
786 as close as possible to the value requested by the client. Note: this rule implies that a Printer doesn’t assign the
787 value of 0 (infinite) unless the client requests it.

788 After the Printer has populated this attribute with a supported value, the value represents the “granted duration” of
789 the lease in seconds and the Printer sets the value of the Subscription Object’s “notify-lease-expiration-time”
790 attribute as specified in section 5.4.3.

791 The value of this attribute on a Subscription Object **MUST** be a value of the “notify-lease-duration-supported”
792 (1setOf (integer(0:67108863) | rangeOfInteger(0:67108863))) attribute.

793 A Printer **MAY** require authentication in order to return the value of 0 (the lease never expires) as one of the values
794 of “notify-lease-duration-supported”, and to allow 0 as a value of the “notify-lease-duration” attribute.

795 Note: The maximum value 67,108,863 is 2 raised to the 26 power minus 1 and is about 2 years in seconds. The
796 value is considerably less than MAX so that there is virtually no chance of an overflow when it is added to “printer-
797 up-time” to produce “notify-lease-expiration-time”.

798 **5.3.8 notify-time-interval (integer(0:MAX))**

799 The ‘job-progress’ Event occurs each time that a Printer completes a sheet. Some Notification Recipients do not
800 want to receive an Event Notification every time this Event occurs. This attribute allows a Subscribing Client to
801 request how often it wants to receive Event Notifications for ‘job-progress’ Events. The value of this attribute
802 **MAY** be any nonnegative integer (0,MAX) indicating the minimum number of seconds between ‘job-progress’
803 Event Notifications.

804 The Printer **MUST** support this attribute if and only if the Printer supports the ‘job-progress’ Event.

805 A client MAY supply this attribute in a Subscription Creation Operation. If the client does not supply this attribute,
806 the Printer MUST not populate this attribute on the Subscription Object. There is no “notify-time-interval-default”
807 attribute.

808 There is no “notify-time-interval-supported” attribute.

809 If the ‘job-progress’ Event occurs and a Subscription Object contains the ‘job-progress’ Event as a value of the
810 ‘notify-events’ attribute, there are two cases to consider:

811 1. This attribute is not present on the Subscription Object or has the value of 0. The Printer MUST generate
812 and send an Event Notification (as is the case with other Events).

813 2. This attribute is present with a nonzero value of N:

814 a) If the Printer has not sent an Event Notification for the ‘job-progress’ Event for the associated
815 Subscription Object within the past N seconds, the Printer MUST send an Event Notification for the
816 Event that just occurred. Note when the Printer completes the first page of a Job, this rule implies that
817 the Printer sends an Event Notification for a Per-Job Subscription Objects.

818 b) Otherwise, the Printer MUST NOT generate or send an Event Notification for the associated
819 Subscription Object. The Printer MUST NOT increase the value of the “notify-sequence-number”
820 Subscription Object attribute (i.e., the sequence of values of the “notify-sequence-number” attribute
821 counts the Event Notifications that the Printer sent and not the Events that do not cause an Event
822 Notification to be sent).

823 It is RECOMMENDED that a Subscribing Client use this attribute when it subscribes to the ‘job-progress’ Event,
824 and that the value be sufficiently large to limit the frequency with which the Printer sends Event Notifications
825 requests.

826 This attribute MUST NOT effect any Events other than ‘job-progress’.

827 **5.4 Subscription Description Attributes**

828 Subscription Description Attributes are those attributes that a Printer adds to a Subscription Object at the time of
829 its creation.

830 A Printer MUST support all attributes in this Table 2.

831 A client MUST NOT supply the attributes in Table 2 in a Subscription Template Attributes Group of a
832 Subscription Creation Operation. If the client supplies them, the Printer MUST NOT set them and MUST treat
833 them as unsupported attributes. There are no corresponding default or supported attributes.

Table 2 – Subscription Description Attributes

| |
|---|
| Subscription Object attributes: |
| notify-subscription-id (integer(1:MAX)) |
| notify-sequence-number (integer(0:MAX)) |
| notify-lease-expiration-time (integer(0:MAX)) |
| notify-printer-up-time (integer(1:MAX)) |
| notify-printer-uri (uri) |
| notify-job-id (integer(1:MAX)) |
| notify-subscriber-user-name (name(MAX)) |

835 **5.4.1 notify-subscription-id (integer (1:MAX))**

836 This attribute identifies a Subscription Object instance with a number that is unique within the context of the Printer.
837 The Printer generates this value at the time it creates the Subscription Object.

838 A Printer **MUST** support this attribute.

839 The Printer **SHOULD NOT** assign the value of this attribute sequentially as it creates Subscription Objects.
840 Sequential assignment makes it easy for rogue clients to guess the value of this attribute on other Subscription
841 Objects.

842 The Printer **SHOULD** avoid re-using recent values of this attribute during continuous operation of the Printer as
843 well as across power cycles. Then a Subscribing Client is unlikely to find that a stale reference accesses a new
844 Subscription Object.

845 The 0 value is not permitted in order to allow for compatibility with “job-id” and with SNMP index values, which
846 also cannot be 0.

847 **5.4.2 notify-sequence-number (integer (0:MAX))**

848 The value of this attribute indicates the number of times that the Printer has generated and attempted to send an
849 Event Notification. When an Event Notification contains this attribute, the Notification Recipient can determine
850 whether it missed some Event Notifications (i.e., numbers skipped) or received duplicates (i.e., same number
851 twice).

852 A Printer **MUST** support this attribute.

853 When the Printer creates a Subscription Object, it **MUST** set the value of this attribute to 0. This value indicates
854 that the Printer has not sent any Event Notifications for this Subscription Object.

855 Each time the Printer sends a newly generated Event Notification, it **MUST** increase the value of this attribute by 1.
856 For some Delivery Methods, the Printer **MUST** include this attribute in each Event Notification, and the value
857 **MUST** be the value after it is increased by 1. That is, the value of this attribute in the first Event Notification after

858 Subscription object creation MUST be 1, the second MUST be 2, etc. If a Delivery Method is defined such that
859 the Notification Recipient returns a response, the Printer can re-try sending an Event Notification a certain number
860 of times with the same sequence number when the Notification Recipient fails to return a response.

861 If a Subscription Object lasts long enough to reach the value of MAX, its next value MUST be 0, i.e., it wraps.

862 **5.4.3 notify-lease-expiration-time (integer(0:MAX))**

863 This attribute specifies the time in the future when the lease on the Per-Printer Subscription Object will expire, i.e.
864 the “printer-up-time” value at which the lease will expire. If the value is 0, the lease never expires.

865 A Printer MUST support this attribute.

866 When the Printer creates a Per-Job Subscription Object, this attribute MUST NOT be present – the Subscription
867 Object lasts exactly as long as the associated Job object.

868 When the Printer creates a Per-Printer Subscription Object, it populates this attribute with a value that is the sum of
869 the values of the Printer’s “printer-up-time” attribute and the Subscription Object’s “notify-lease-duration” attribute
870 with the following exception. If the value of the Subscription Object’s “notify-lease-duration” attribute is 0 (i.e., no
871 expiration time), then the value of this attribute MUST be set to 0 (i.e., no expiration time).

872 When the Printer powers up, it MUST set the value of this attribute in each persistent Subscription Object using the
873 algorithm in the previous paragraph.

874 When the “printer-up-time” equals the value of this attribute, the Printer MUST delete the Subscription Object. A
875 client can extend a lease of a Per-Printer Subscription Object with the Renew-Subscription operation (see section
876 11.2.5).

877 Note: In order to compute the number of seconds remaining in a lease for a Per-Printer Subscription Object, a
878 client can subtract the Subscription’s “notify-printer-up-time” attribute (see section 5.4.4) from the Subscription’s
879 “notify-lease-expiration-time” attribute.

880 **5.4.4 notify-printer-up-time (integer(1:MAX))**

881 This attribute is an alias for the Printer’s “printer-up-time” attribute “ (see [ipp-mod] section 4.4.29).

882 A Printer MUST support this attribute.

883 When the Printer creates a Per-Job Subscription Object, this attribute MUST NOT be present. When the Printer
884 creates a Per-Printer Subscription Object, this attribute MUST be present.

885 Note: this attribute exists in a Per-Printer Subscription Object so that a client using the Get-Subscription-Attributes
886 or Get-Subscription operations can convert the Per-Printer Subscription’s “notify-lease-expiration-time” attribute
887 to wall clock time with one request. If the value of the “notify-lease-expiration-time” attribute is not 0 (i.e., no

888 expiration time), then the difference between the “notify-lease-expiration-time” attribute and the “notify-printer-up-
889 time” is the remaining number of seconds on the lease from the current time.

890 **5.4.5 notify-printer-uri (uri)**

891 This attribute identifies the Printer object that created this Subscription Object.

892 A Printer MUST support this attribute.

893 During a Subscription Creation Operation, the Printer MUST populate this attribute with the value of the “printer-
894 uri” operation attribute in the request. From the Printer URI, the client can, for example, determine what security
895 scheme was used.

896 **5.4.6 notify-job-id (integer(1:MAX))**

897 This attribute specifies whether the containing Subscription Object is a Per-Job or Per-Printer Subscription Object,
898 and for Per-Job Subscription Objects, it specifies the associated Job.

899 A Printer MUST support this attribute.

900 If this attribute is not present, the Subscription Object MUST be a Per-Printer Subscription. If this attribute is
901 present, the Subscription Object MUST be a Per-Job Subscription Object and this attribute MUST identify the
902 Job with which the Subscription Object is associated.

903 Note: This attribute could be useful to a Notification Recipient that receives an Event Notification generated from a
904 Per-Job Subscription Object and caused by a Printer Event. The Event Notification gives access to the Printer and
905 the Subscription Object. The Event Notification gives access to the associated Job only via this attribute.!

906 **5.4.7 notify-subscriber-user-name (name(MAX))**

907 This attribute contains the name of the user who performed the Subscription Creation Operation.

908 A Printer MUST support this attribute.

909 The Printer sets this attribute to the most authenticated printable name that it can obtain from the authentication
910 service over which the Subscription Creation Operation was received. The Printer uses the same mechanism for
911 determining the value of this attribute as it does for a Job’s “job-originating-user-name” (see [ipp-mod] section
912 4.3.6).

913 Note: To help with authentication, a Subscription Object may have additional private attributes about the user,
914 e.g., a credential of a principal. Such private attributes are implementation-dependent and not defined in this
915 document.

916 **6 Printer Description Attributes Related to Notification**

917 This section defines the Printer Description attributes that are related to Notification. Table 3 lists the Printer
 918 Description attributes, indicates the Printer support required for conformance, and whether or not the attribute is
 919 READ-ONLY (see section 3.1):

920 **Table 3 – Printer Description Attributes Associated with Notification**

| Printer object attributes: | REQUIRED | READ-ONLY |
|--|-----------------|------------------|
| printer-state-change-time (integer(1:MAX)) | No | Yes |
| printer-state-change-date-time (dateTime) | No | Yes |

921 **6.1 printer-state-change-time (integer(1:MAX))**

922 This attribute records the most recent time at which the ‘printer-state-changed’ Printer Event occurred whether or
 923 not any Subscription objects were listening for this event. This attribute helps a client or operator to determine how
 924 long the Printer has been in its current state.

925 A Printer MAY support this attribute and if so, the attribute MUST be READ-ONLY.

926 On power-up, the Printer MUST set the value of this attribute to be the value of its “printer-up-time” attribute, so
 927 that it always has a value. Whenever the ‘printer-state-changed’ Printer Event occurs, the Printer MUST set this
 928 attribute to the value of the Printer’s “printer-up-time” attribute.

929 **6.2 printer-state-change-date-time (dateTime)**

930 This attribute records the most recent time at which the ‘printer-state-changed’ Printer Event occurred whether or
 931 not there were any Subscription Objects listening for this event. This attribute helps a client or operator to
 932 determine how long the Printer has been in its current state.

933 A Printer MAY support this attribute and if so, the attribute MUST be READ-ONLY.

934 On power-up, the Printer MUST set the value of this attribute to be the value of its “printer-current-time” attribute,
 935 so that it always has a value (see [ipp-mod] section 4.4.30 on “printer-current-time”). Whenever the ‘printer-state-
 936 changed’ Printer Event occurs, the Printer MUST set this attribute to the value of the Printer’s “printer-current-
 937 time” attribute.

938 **7 New Values for Existing Printer Description Attributes**

939 This section contains those attributes for which additional values are added.

940 **7.1 operations-supported (1setOf type2 enum)**

941 The following “operation-id” values are added in order to support the new operations defined in this document:

942 **Table 4 – Operation-id assignments**

| Value | Operation Name |
|--------|------------------------------|
| 0x0016 | Create-Printer-Subscriptions |
| 0x0017 | Create-Job-Subscriptions |
| 0x0018 | Get-Subscription-Attributes |
| 0x0019 | Get-Subscriptions |
| 0x001A | Renew-Subscription |
| 0x001B | Cancel-Subscription |

943 **8 Attributes Only in Event Notifications**

944 This section contains those attributes that exist only in Event Notifications and do not exist in any objects.

945 **8.1 notify-subscribed-event (type2 keyword)**

946 This attribute indicates the Subscribed Event that caused the Printer to send this Event Notification. This attribute
947 exists only in Event Notifications.

948 This attribute **MUST** contain one of the values of the “notify-events” attribute in the Subscription Object, i.e., one
949 of the Subscribed Event values. Its value is the Subscribed Event that “matches” the Event that caused the Printer
950 to send this Event Notification. This Subscribed Event value may be identical to the Event or the Event may be a
951 sub-value of the Subscribed Event. For example, the ‘job-completed’ Event (which is a sub-event of the ‘job-
952 state-changed’ event) would cause the Printer to send an Event Notification for either the ‘job-completed’ or ‘job-
953 state-changed’ Subscribed Events and to send the ‘job-completed’ or ‘job-state-changed’ value for this attribute,
954 respectively,. See section 5.3.2.2 for the “matching” rules of Subscribed Events and for additional examples.

955 The Delivery Method Document specifies whether the Printer includes the value of this attribute in an Event
956 Notification.

957 **8.2 notify-text (text(MAX))**

958 This attribute contains a Human Consumable text message (see section 9.2). This message describes the Event and
959 is encoded as plain text, i.e., ‘text/plain’ with the charset specified by Subscription Object’s “notify-charset”
960 attribute.

961 The Delivery Method Document specifies whether the Printer includes this attribute in an Event Notification.

962 **9 Event Notification Content**

963 This section defines the Event Notification content that the Printer sends when an Event occurs.

964 When an Event occurs, the Printer **MUST** find each Subscription object whose “notify-events” attribute “matches”
965 the Event. See section 5.3.2.2 for details on “matching”. For each matched Subscription Object, the Printer **MUST**
966 create an Event Notification with the content and format that the Delivery Method Document specifies. The content
967 contains the value of attributes specified by the Delivery Method Document. The Printer obtains the values
968 immediately after the Event occurs. For example, if the “printer-state” attribute changes from ‘idle’ to ‘processing’,
969 the Event ‘printer-state-changed’ occurs and the Printer puts various attributes into the Event Notification, including
970 “printer-up-time” and “printer-state” with the values that they have immediately after the Event occurs, i.e., the
971 value of “printer-state” is ‘processing’.

972 If two different Events occur simultaneously, or nearly so (e.g., “printer-up-time” has the same value for both), the
973 Printer **MUST** create a separate Event Notification for each Event, even if the associated Subscription Object is
974 the same for both Events. However, the Printer **MAY** combine these distinct Event Notifications into a single
975 Compound Event Notification if the Delivery Method supports Compound Event Notifications. For example,
976 suppose that two nearly-simultaneously Events represent two successive ‘printer-state-changed’ Events, one from
977 ‘idle’ to ‘processing’ and another from ‘processing’ to ‘stopped’. These two Events have the same name but are
978 different instances of the Event. Then the Printer **MUST** create a separate Event Notification for each Event and
979 **SHOULD** accurately report the “printer-state” of the first Event as ‘processing’ and the second Event as
980 ‘stopped’.

981 If a Subscription Object contains more than one Subscribed Event, and several Events occur in quick succession
982 each matching a different Subscribed Event in the Subscription Object, the Printer **MUST NOT** generate a single
983 Event Notification from several of these Events, but **MAY** combine distinct Event Notifications into a single
984 Compound Event Notification if the Delivery Method supports Compound Event Notifications.

985 After the Printer has created the Event Notification, the Printer delivers it via either a:

986 Push Delivery Method: The Printer sends the Event Notification shortly after an Event occurs. For some
987 Push Delivery Methods, the Notification Recipient **MUST** send a response; for others it **MUST NOT** send
988 a response.

989 Pull Delivery Method: The Printer saves Event Notifications for some event-lease time and expects the
990 Notification Recipient to request Event Notifications. The Printer returns the Event Notifications in a
991 response to such a request.

992 If an error that meets the following conditions occurs, the Printer **MUST** cancel the Subscription Object.

- 993 a) the error occurs during the sending of an Event Notification generated from Subscription Object S **AND**
994 b) the error would continue to occur every time the Printer sends an Event Notification generated from
995 Subscription Object S in the future.

996 From example, if the address of the “notify-recipient-uri” of Subscription Object A references a non-existent target
997 and the Printer determines that this fact, it **MUST** delete Subscription Object A.

998 The next two sections describe the values that a Printer sends in the content of Machine Consumable and Human
999 Consumable Event Notifications, respectively.

1000 The tables in the sub-sections of this section contain the following columns:

1001 a) **Source Value:** the name of the attribute that supplies the value for the Event Notification. Asterisks in
1002 this field refer to a note below the table.

1003 b) **Sends:** if the Printer supports the value (column 1) on the Source Object (column 3) the Delivery
1004 Method **MUST** specify:

1005 **MUST:** that the Printer **MUST** send the value.

1006 **SHOULD:** either that the Printer **MUST** send the value or that the value is incompatible with the
1007 Delivery Method.

1008 **MAY:** that the Printer **MUST**, **SHOULD**, **MAY**, **MUST NOT**, **SHOULD NOT**, or **NEED NOT**
1009 send the value. The Delivery Method specifies the level of conformance for the Printer.

1010 c) **Source Object:** the object from which the source value comes. If the object is “Event Notification”,
1011 the Printer fabricates the value when it sends the Event Notification. See section 8.

1012 **9.1 Content of Machine Consumable Event Notifications**

1013 This section defines the attributes that a Delivery Method **MUST** mention in a Delivery Method Document when
1014 specifying the Machine Consumable Event Notification’s contents.

1015 This document does not define the order of attributes in Event Notifications. However, Delivery Method
1016 Documents **MAY** define the order of some or all of the attributes.

1017 A Delivery Method Document **MUST** specify additional attributes (if any) that a Printer implementation sends in a
1018 Machine Consumable Event Notification.

1019 Notification Recipients **MUST** be able to accept Event Notifications containing attributes they do not recognize.
1020 What a Notification Recipient does with an unrecognized attribute is implementation-dependent. Notification
1021 Recipients **MAY** attempt to display unrecognized attributes anyway or **MAY** ignore them.

1022 The next three sections define the attributes in Event Notification Contents that are:

1023 a) for all Events

1024 b) for Job Events only

1025 c) for Printer Events only

1026 9.1.1 Event Notification Content Common to All Events

1027 This section lists the attributes that a Delivery Method Document MUST specify for all Events.

1028 Table 5 lists potential values in each Event Notification.

1029 **Table 5 – Attributes in Event Notification Content**

| Source Value | Sends | Source Object |
|---|--------|--------------------|
| notify-subscription-id (integer(1:MAX)) | MUST | Subscription |
| notify-printer-uri (uri) | MUST | Subscription |
| notify-subscribed-event (type2 keyword) | MUST | Event Notification |
| printer-up-time (integer(MIN:MAX)) | MUST | Printer |
| printer-current-time (dateTime) * | MUST | Printer |
| notify-sequence-number (integer (0:MAX)) | SHOULD | Subscription |
| notify-charset (charset) | SHOULD | Subscription |
| notify-natural-language (naturalLanguage) | SHOULD | Subscription |
| notify-user-data (octetString(63)) ** | SHOULD | Subscription |
| notify-text (text) | SHOULD | Event Notification |
| attributes from the “notify-attributes” attribute *** | MAY | Printer |
| attributes from the “notify-attributes” attribute *** | MAY | Job |
| attributes from the “notify-attributes” attribute *** | MAY | Subscription |

1030 *A Printer MUST send this value only if and only if it supports the Printer’s “printer-current-time” attribute.

1031 ** If the Subscription Object does not contain a “notify-user-data” attribute and the Delivery Method document
 1032 REQUIRES the Printer to send the “notify-user-data” source value in the Event Notification, the Printer MUST
 1033 send an octet-string of length 0.

1034 *** The last three rows represent additional attributes that a client MAY request via the “notify-attributes”
 1035 attribute. A Printer MAY support the “notify-attributes” attribute. The Delivery Method MUST say that the Printer
 1036 MUST, SHOULD, MAY, MUST NOT, SHOULD NOT, or NEED NOT support the “notify-attributes”
 1037 attribute and specific values of this attribute. The Delivery Method MAY say that support for the “notify-attributes”
 1038 is conditioned on support of the attribute by the Printer or it MAY say that Printer MUST support the “notify-
 1039 attributes” attribute if the Printer supports the Delivery Method.

1040 9.1.2 Additional Event Notification Content for Job Events

1041 This section lists the additional attributes that a Delivery Method Document MUST specify for Job Events. See
 1042 Table 6.

1043

Table 6 – Additional Event Notification Content for Job Events

| Source Value | Sends | Source Object |
|--|-------|---------------|
| job-id (integer(1:MAX)) | MUST | Job |
| job-state (type1 enum) | MUST | Job |
| job-state-reasons (1setOf type2 keyword) | MUST | Job |
| job-impressions-completed (integer(0:MAX)) * | MUST | Job |

1044

* The Printer MUST send the “job-impressions-completed” attribute in an Event Notification only for the combinations of Events and Subscribed Events shown in Table 7.

1045

1046

Table 7 – Combinations of Events and Subscribed Events for “job-impressions-completed”

| Job Event | Subscribed Job Event |
|-----------------|----------------------|
| ‘job-progress’ | ‘job-progress’ |
| ‘job-completed’ | ‘job-completed’ |
| ‘job-completed’ | ‘job-state-changed’ |

1047

1048

9.1.3 Additional Event Notification Content for Printer Events

1049

This section lists the additional attributes that a Delivery Method Document MUST specify for Printer Events. See Table 8.

1050

1051

Table 8 – Additional Event Notification Content for Printer Events

| Source Value | Sends | Source Object |
|--|-------|---------------|
| printer-state (type1 enum) | MUST | Printer |
| printer-state-reasons (1setOf type2 keyword) | MUST | Printer |
| printer-is-accepting-jobs (boolean) | MUST | Printer |

1052

9.2 Content of Human Consumable Event Notification

1053

This section defines the information that a Delivery Method MUST mention in a Delivery Method Document when specifying the Human Consumable Event Notifications contents or the value of the “notify-text” attribute.

1054

1055

Such a Delivery Method MUST specify the following information and a Printer SHOULD send it:

1056

a) the Printer name (see Table 9)

1057

b) the time of the Event (see Table 11)

1058

c) for Printer Events only:

1059

i) the Event (see Table 10) and/or Printer state information (see Table 14)

- 1060 d) for Job Events only:
 1061 i) the job identity (see Table 12)
 1062 ii) the Event (see Table 10) and/or Job state information (see Table 13)

1063 The subsections of this section specify the attributes that a Printer MUST use to obtain this information.

1064 A Delivery Method Document MUST specify additional information (if any) that a Printer implementation sends in
 1065 a Human Consumable Event Notification or in the “notify-text” attribute.

1066 A client MUST NOT request additional attributes via the “notify-attributes” attribute because this attribute works
 1067 only for Machine Consumable Event Notifications.

1068 Notification Recipients MUST NOT expect to be able to parse the Human Consumable Event Notification
 1069 contents or the value of the “notify-text” attribute.

1070 The next three sections define the attributes in Event Notification Contents that are:

- 1071 a) for all Events
 1072 b) for Job Events only
 1073 c) for Printer Events only

1074 **9.2.1 Event Notification Content Common to All Events**

1075 This section lists the source of the information that a Delivery Method MUST specify for all Events.

1076 There is a separate table for each piece of information. Each row in the table represents a source value for the
 1077 information and the values are listed in order of preference, with the first one being the preferred one. An
 1078 implementation SHOULD use the source value from the earliest row in each table. It MAY use the source value
 1079 from another row instead, or it MAY combine the source values from several rows. An implementation is free to
 1080 determine the best way to present this information.

1081 In all tables of this section, all rows contain a “MAY” in order to state that the Delivery Method specifies the
 1082 conformance.

1083 Table 9 lists the source of the information for the Printer Name. The “printer-name” is more user-friendly unless the
 1084 Notification Recipient is in a place where the Printer name is not meaningful. For example, an implementation could
 1085 have the intelligence to send the value of the “printer-name” attribute to a Notification Recipient that can access the
 1086 Printer via value of the “printer-name” attribute and otherwise send the value of the “notify-printer-uri” attribute.

1087 **Table 9 – Printer Name in Event Notification Content**

| Source Value | Sends | Source Object |
|--------------------------|-------|---------------|
| printer-name (name(127)) | MAY | Printer |

| Source Value | Sends | Source Object |
|--------------------------|-------|---------------|
| notify-printer-uri (uri) | MAY | Subscription |

1088

1089 Table 10 lists the source of the information for the Event name. A Printer MAY combine this information with state
1090 information described for Jobs in Table 13 or for Printers in Table 14.

1091

Table 10 – Event Name in Event Notification Content

| Source Value | Sends | Source Object |
|---|-------|---------------|
| notify-subscribed-event (type2 keyword) | MAY | Subscription |

1092

1093 Table 11 lists the source of the information for the time that the Event occurred. A Printer can send this value only if
1094 it supports the Printer's "printer-current-time" attribute. If a Printer does not support the
1095 "printer-current-time" attribute, it MUST NOT send the "printer-up-time" value instead, since it is not an allowed
1096 option for human consumable information.

1097

Table 11 – Event Time in Event Notification Content

| Source Value | Sends | Source Object |
|---------------------------------|-------|---------------|
| printer-current-time (dateTime) | MAY | Printer |

1098

1099 9.2.2 Additional Event Notification Content for Job Events

1100 This section lists the source of the additional information that a Delivery Method MUST specify for Job Events.

1101 Table 12 lists the source of the information for the job name. The "job-name" is likely more meaningful to a user
1102 than "job-id".

1103

Table 12 – Job Name in Event Notification Content

| Source Value | Sends | Source Object |
|-------------------------|-------|---------------|
| job-name (name(MAX)) | MAY | Job |
| job-id (integer(1:MAX)) | MAY | Job |

1104

1105 Table 13 lists the source of the information for the job state. If a Printer supports the "job-state-message" and
1106 "job-detailed-state-message" attributes, it SHOULD use those attributes for the job state information, otherwise, it

1107 should fabricate such information from the “job-state” and “job-state-reasons”. For some Events, a Printer MAY
 1108 combine this information with Event information.

1109 **Table 13 – Job State in Event Notification Content**

| Source Value | Sends | Source Object |
|---|-------|---------------|
| job-state-message (text(MAX)) | MAY | Job |
| job-detailed-status-messages (1setOf text(MAX)) | MAY | Job |
| job-state (type1 enum) | MAY | Job |
| job-state-reasons (1setOf type2 keyword) | MAY | Job |

1110 9.2.3 Additional Event Notification Content for Printer Events

1111 This section lists the source of the additional information that a Delivery Method MUST specify for Printer Events.

1112 Table 14 lists the source of the information for the printer state. If a Printer supports the “printer-state-message”, it
 1113 SHOULD use that attribute for the job state information, otherwise it SHOULD fabricate such information from
 1114 the “printer-state” and “printer-state-reasons”. For some Events, a Printer MAY combine this information with
 1115 Event information.

1116 **Table 14 – Printer State in Event Notification Content**

| Source Value | Sends | Source Object |
|--|-------|---------------|
| printer-state-message (text(MAX)) | MAY | Printer |
| printer-state (type1 enum) | MAY | Printer |
| printer-state-reasons (1setOf type2 keyword) | MAY | Printer |
| printer-is-accepting-jobs (boolean) | MAY | Printer |

1117 10 Delivery Methods

1118 A Delivery Method is the mechanism, i.e., protocol, by which the Printer delivers an Event Notification to a
 1119 Notification Recipient. There are several potential Delivery Methods for Event Notifications, standardized, as well
 1120 as proprietary. This document does not define any of these delivery mechanisms. Each Delivery Method MUST
 1121 be defined in a Delivery Method Document that is separate from this document. New Delivery Methods will be
 1122 created as needed using an extension to the registration procedures defined in [ipp-mod]. Such documents are
 1123 registered with IANA (see section 13).

1124 The following sorts of Delivery Methods are expected:

- 1125 – The Notification Recipient polls for Event Notifications at intervals directed by the Printer
- 1126 – The Printer sends Event Notifications to the Notification Recipient using http as the transport.

1127 – The Printer sends an email message.

1128 This section specifies how to define a Delivery Method Document and what to put in such a document.

1129 A Delivery Method Document **MUST** contain an exact copy of the following paragraph, caption and table. In
 1130 addition, column 2 of the table in the Delivery Method Document **MUST** contain answers to questions in column 1
 1131 for the Delivery Method. Also, the Delivery Method document **MUST** contain a reference to this document and
 1132 call that reference [ipp-ntfy] because the table contains an [ipp-ntfy] reference.

1133 If a Printer supports this Delivery Method, the following are its characteristics.

1134 **Table 15 – Information about the Delivery Method**

| Document Method Conformance Requirement | Delivery Method Realization |
|---|-----------------------------|
| 1. What is the URL scheme name for the Delivery Method? | |
| 2. Is the Delivery Method REQUIRED , RECOMMENDED , or OPTIONAL for an IPP Printer to support? | |
| 3. What transport and delivery protocols does the Printer use to deliver the Event Notification Content, i.e., what is the entire network stack? | |
| 4. Can several Event Notifications be combined into a Compound Event Notification? | |
| 5. Is the Delivery Method initiated by the Notification Recipient (pull), or by the Printer (push)? | |
| 6. Is the Event Notification content Machine Consumable or Human Consumable? | |
| 7. What section in this document answers the following question? For a Machine Consumable Event Notification, what is the representation and encoding of values defined in section 9.1 of [ipp-ntfy] and the conformance requirements thereof? For a Human Consumable Event Notification, what is the representation and encoding of pieces of information defined in section 9.2 of [ipp-ntfy] | |

| | |
|---|--|
| and the conformance requirements thereof? | |
| 8. What are the latency and reliability of the transport and delivery protocol? | |
| 9. What are the security aspects of the transport and delivery protocol, e.g., how it is handled in firewalls? | |
| 10. What are the content length restrictions? | |
| 11. What are the additional values or pieces of information that a Printer sends in an Event Notification content and the conformance requirements thereof? | |
| 12. What are the additional Subscription Template and/or Subscription Description attributes and the conformance requirements thereof? | |
| 13. What are the additional Printer Description attributes and the conformance requirements thereof? | |

1135

1136 **11 Operations for Notification**

1137 This section defines all of the operations for Notification. Section 7.1 assigns the “operation-id” for each operation.
 1138 The following two sub-sections define Subscription Creation Operations, and other operations.

1139 **11.1 Subscription Creation Operations**

1140 This section defines the Subscription Creation Operations. The first section on Create-Job-Subscriptions gives
 1141 most of the information. The other Subscription Creation Operations refer to the section on Create-Job-
 1142 Subscriptions, even though the Create-Job-Subscriptions operation is the only OPTIONAL operation in this
 1143 document (see section 12).

1144 A Printer **MUST** support Create-Printer-Subscriptions and the Subscription Template Attributes Group in Job
 1145 Creation operations. It **MAY** support Create-Job-Subscriptions operations.

1146 **11.1.1 Create-Job-Subscriptions Operation**

1147 The operation creates one or more Per-Job Subscription Objects. The client supplies one or more Subscription
1148 Template Attributes Groups each containing one or more of Subscription Template Attributes (defined in section
1149 5.3).

1150 Except for errors, the Printer **MUST** create exactly one Per-Job Subscription Object from each Subscription
1151 Template Attributes Group in the request, even if the newly created Subscription Object would have identical
1152 behavior to some existing Subscription Object. The Printer **MUST** associate each newly created Per-Job
1153 Subscription Object with the target Job, which is specified by the “notify-job-id” operation attribute.

1154 The Printer **MUST** accept the request in any of the target job’s ‘not-completed’ states, i.e., ‘pending’, ‘pending-
1155 held’, ‘processing’, or ‘processing-stopped’. The Printer **MUST NOT** change the job’s “job-state” attribute
1156 because of this operation. If the target job is in any of the ‘completed’ states, i.e., ‘completed’, ‘canceled’, or
1157 ‘aborted, then the Printer **MUST** reject the request and return the ‘client-error-not-possible’ status code; the
1158 response **MUST NOT** contain any Subscription Attribute Groups.

1159 Access Rights: To create Per-Job Subscription Objects, the authenticated user (see [IPP-MOD] section 8.3)
1160 performing this operation **MUST** either be the job owner or have Operator or Administrator access rights for this
1161 Printer (see [IPP-MOD] sections 1 and 8.5). Otherwise the Printer **MUST** reject the operation and return: the
1162 ‘client-error-forbidden’, ‘client-error-not-authenticated’, or ‘client-error-not-authorized’ status code as
1163 appropriate.

1164 **11.1.1.1 Create-Job-Subscriptions Request**

1165 The following groups of attributes are part of the Create-Job-Subscriptions Request:

1166 Group 1: Operation Attributes

1167 Natural Language and Character Set:

1168 The “attributes-charset” and “attributes-natural-language” attributes as described in [ipp-mod] section
1169 3.1.4.1.

1170

1171 Target:

1172 The “printer-uri” attribute which defines the target for this operation as described in [ipp-mod] section
1173 3.1.5.

1174

1175 Requesting User Name:

1176 The “requesting-user-name” attribute **SHOULD** be supplied by the client as described in [ipp-mod]
1177 section 8.3.

1178

1179 notify-job-id (integer(1:MAX)):

1180 The client **MUST** supply this attribute and it **MUST** specify the Job object to associate the Per-Job
1181 Subscription with. The value of “notify-job-id” **MUST** be the value of the “job-id” of the associated Job

1182 object. If the client does not supply this attribute, the Printer MUST reject this request with a ‘client-error-
1183 bad-request’ status code.

1184 Group 2-N: Subscription Template Attributes

1185 For each occurrence of this group:

1186 The client MUST supply one or more Subscription Template Attributes in any order. See section 5.3
1187 for a description of each such attribute. See section 5.2 for details on processing these attributes.

1188 11.1.1.2 Create-Job-Subscriptions Response

1189 The Printer MUST return to the client the following sets of attributes as part of a Create-Job-Subscriptions
1190 response:

1191 Group 1: Operation Attributes

1192 Status Message:

1193 As defined in [ipp-mod].
1194

1195 In this group, the Printer can return any status codes defined in [ipp-mod] and section 16. The following is
1196 a description of the important status codes:
1197

1198 **successful-ok:** the Printer created all Subscription Objects requested.

1199 **successful-ok-ignored-subscriptions:** the Printer created some Subscription Objects requested but
1200 some failed. The Subscription Attributes Groups with a “notify-status-code” attribute are the ones
1201 that failed.

1202 **client-error-ignored-all-subscriptions:** the Printer created no Subscription Objects requested and all
1203 failed. The Subscription Attributes Groups with a “notify-status-code” attribute are the ones that
1204 failed

1205 **client-error-not-possible:** For this operation and other Per-Job Subscription operations, this error
1206 can occur because the specified Job has already completed.
1207

1208 Natural Language and Character Set:

1209 The “attributes-charset” and “attributes-natural-language” attributes as described in [ipp-mod] section
1210 3.1.4.2.
1211

1212 Group 2: Unsupported Attributes

1213 See [ipp-mod] section 3.1.7 for details on returning Unsupported Attributes. This group does not contain
1214 any unsupported Subscription Template Attributes; they are returned in the Subscription Attributes Group
1215 (see below).
1216

1217 Group 3-N: Subscription Attributes

1218 These groups MUST be returned if and only if the “status-code” parameter returned in Group 1 has the
1219 values: ‘successful-ok’, ‘successful-ok-ignored-subscriptions’, or ‘client-error-ignored-all-subscriptions’.
1220

1221 See section 5.2 for details on the contents of each occurrence of this group.

1222 **11.1.2 Create-Printer-Subscriptions operation**

1223 The operation is identical to Create-Job-Subscriptions with exceptions noted in this section.

1224 The operation creates Per-Printer Subscription Objects instead of Per-Job Subscription Objects, and associates
1225 each newly created Per-Printer Subscription Object with the Printer specified by the operation target rather than
1226 with a specific Job.

1227 The Printer MUST accept the request in any of its states, i.e., ‘idle’, ‘processing’, or ‘stopped’. The Printer MUST
1228 NOT change its “printer-state” attribute because of this operation.

1229 Access Rights: To create Per-Printer Subscription Objects, the authenticated user (see [IPP-MOD] section 8.3)
1230 performing this operation MUST have Operator or Administrator access rights for this Printer (see [IPP-MOD]
1231 sections 1 and 8.5). Otherwise, the Printer MUST reject the operation and return: the ‘client-error-forbidden’,
1232 ‘client-error-not-authenticated’, or ‘client-error-not-authorized’ status code as appropriate.

1233 **11.1.2.1 Create-Printer-Subscriptions Request**

1234 The groups are identical to the Create-Job-Subscriptions (see section 11.1.1.1) except that the Operation
1235 Attributes group MUST NOT contain the “notify-job-id” attribute. If the client does supply the “notify-job-id”
1236 attribute, then the Printer MUST treat it as any other unsupported Operation attribute and MUST return it in the
1237 Unsupported Attributes group.

1238 **11.1.2.2 Create-Printer-Subscriptions Response**

1239 The groups are identical to the Create-Job-Subscriptions (see section 11.1.1.2).
1240

1241 **11.1.3 Job Creation Operation – Extensions for Notification**

1242 This document extends the Job Creation operations to create Subscription Objects as a part of the operation.

1243 The operation is identical to Create-Job-Subscriptions with exceptions noted in this section.

1244 Unlike the Create-Job-Subscriptions operation, this operation associates the newly created Subscription Objects
1245 with the Job object created by this operation. The operation succeeds if and only if the Job creation succeeds. If
1246 the Printer does not create some or all of the requested Subscription Objects, the Printer MUST return a
1247 ‘successful-ok-ignored-subscriptions’ status-code instead of a ‘successful-ok’ status-code, but the Printer MUST
1248 NOT reject the operation because of a failure to create Subscription Objects.

1249 If the operation includes a Job Template group, the client MUST supply it after the Operation Attributes group and
1250 before the first Subscription Template Attributes Group.

1251 If a Printer does not support this Notification specification, then it MUST treat the Subscription Attributes Group
1252 like an unknown group and ignore it (see [ipp-mod] section 5.2.2). Because the Printer ignores the Subscription
1253 Attributes Group, it doesn't return them in the response either, thus indicating to the client that the Printer doesn't
1254 support Notification.

1255 Access Rights: To create Per-Job Subscription Objects, the authenticated user (see [IPP-MOD] section 8.3)
1256 performing this operation MUST either have permission to create Jobs on the Printer. Otherwise the Printer
1257 MUST reject the operation and return: the 'client-error-forbidden', 'client-error-not-authenticated', or 'client-
1258 error-not-authorized' status code as appropriate.

1259 **11.1.3.1 Job Creation Request**

1260 The groups for this operation are sufficiently different from the Create-Job-Subscriptions operation that they are all
1261 presented here. The following groups of attributes are supplied as part of a Job Creation Request:

1262 Group 1: Operation Attributes

1263 Same as defined in [ipp-mod] for Print-Job, Print-URI, and Create-Job requests.

1264 Group 2: Job Template Attributes

1265 The client OPTIONALLY supplies a set of Job Template attributes as defined in [ipp-mod] section 4.2.

1266 Group 3 to N: Subscription Template Attributes

1267 The same as Group 2-N in Create-Job-Subscriptions. See section 11.1.1.1.

1268 Group N+1: Document Content (Print-Job only)

1269 The client MUST supply the document data to be processed.

1270 **11.1.3.2 Job Creation Response**

1271 The Printer MUST return to the client the following sets of attributes as part of a Print-Job, Print-URI, and Create-
1272 Job Response:

1273 Group 1: Operation Attributes

1274

1275 Status Message:

1276

1277 As defined in [ipp-mod] for Print-Job, Print-URI, and Create-Job requests.

1278

1279 In this group, the Printer can return any status codes defined in [ipp-mod] and section 16. The following is
1280 a description of the important status codes:

1281

1282 **successful-ok:** the Printer created the Job and all Subscription Objects requested.
1283 **successful-ok-ignored-subscriptions:** the Printer created the Job and not all of the Subscription
1284 Objects requested. This status-code hides ‘successful-ok-xxx’ status-codes that could reveal
1285 problems in Job creation. The Printer MUST not return the ‘client-error-ignored-all-subscriptions’
1286 status code for Job Creation operations because the Printer returns an error status-code only when
1287 it fails to create a Job.

1288

1289 Natural Language and Character Set:

1290 The “attributes-charset” and “attributes-natural-language” attributes as described in [ipp-mod] section
1291 3.1.4.2.

1292

1293 Group 2: Unsupported Attributes

1294 See [ipp-mod] section 3.1.7 for details on returning Unsupported Attributes. This group does not contain
1295 any unsupported Subscription Template Attributes; they are returned in the Subscription Attributes Group
1296 (see below).

1297

1298 Group 3: Job Object Attributes

1299 As defined in [ipp-mod] for Print-Job, Print-URI, and Create-Job requests.

1300

1301 Group 4 to N: Subscription Attributes

1302 These groups MUST be returned if and only if the client supplied Subscription Template Attributes and the
1303 operation was accepted.

1304

1305 See section 5.2 for details on the contents of each occurrence of this group.

1306

1307 **11.2 Other Operations**

1308 This section defines other operations on Subscription objects.

1309 **11.2.1 Validate-Job Operation - Extensions for Notification**

1310 A client can test whether one or more Subscription Objects could be created using the Validate-Job operation.

1311 The client supplies one or more Subscription Template Attributes Groups (defined in section 5.3), just as in a Job
1312 Creation request.

1313 A Printer MUST support this extension to this operation.

1314 The Printer MUST accept requests that are identical to the Job Creation request defined in section 11.1.3.1,
1315 except that the request MUST not contain document data.

1316 The Printer MUST return the same groups and attributes as the Print-Job operation (section 11.1.3.1) with the
1317 following exceptions. The Printer MUST NOT return a Job Object Attributes Group because no Job is created.
1318 The Printer MUST NOT return the “notify-subscription-id” attribute in any Subscription Attribute Group because
1319 no Subscription Object is created.

1320 If the Printer would succeed in creating a Subscription Object, the corresponding Subscription Attributes Group
1321 either has no ‘status-code’ attribute or a ‘status-code’ attribute with a value of ‘successful-ok-too-many-events’
1322 or ‘successful-ok-ignored-or-substituted-attributes’ (see sections 5.2 and 17). The status-codes have the same
1323 meaning as in Job Creation except the results state what “would happen”.

1324 The Printer MUST validate Subscription Template Attributes Groups in the same manner as the Job Creation
1325 operations.

1326 **11.2.2 Get-Printer-Attributes - Extensions for Notification**

1327 This operation is extended so that it returns Printer attributes defined in this document.

1328 A Printer MUST support this extension to this operation.

1329 In addition to the requirements of [ipp-mod] section 3.2.5, a Printer MUST support the following additional values
1330 for the “requested-attributes” Operation attribute in this operation and return such attributes in the Printer Object
1331 Attributes group of its response.

- 1332 1. **Subscription Template Attributes:** Each supported attribute in column 2 of Table 1.
- 1333 2. **New Printer Description Attributes:** Each supported attribute in section 6.
- 1334 3. **New Group Name:** The ‘subscription-template’ group name, which names all supported Subscription
1335 Template Attribute in column 2 of Table 1. This group name is also used in the Get-Subscription-Attributes
1336 and Get-Subscriptions operation with an analogous meaning.
- 1337 4. **Extended Group Name:** The ‘all’ group name, which names all Printer attributes according to [ipp-mod]
1338 section 3.2.5. In this extension ‘all’ names all attributes specified in [ipp-mod] plus those named in items 1
1339 and 2 of this list.

1340

1341 **11.2.3 Get-Subscription-Attributes operation**

1342 This operation allows a client to request the values of the attributes of a Subscription Object.

1343 A Printer MUST support this operation.

1344 This operation is almost identical to the Get-Job-Attributes operation (see [ipp-mod] section 3.3.4). The only
1345 differences are that the operation is directed at a Subscription Object rather than a Job object, and the returned
1346 attribute group contains Subscription Object attributes rather than Job object attributes.

1347 **11.2.3.1 Get-Subscription-Attributes Request**

1348 The following groups of attributes are part of the Get-Subscription-Attributes request:

1349 Group 1: Operation Attributes

1350 Natural Language and Character Set:

1351 The “attributes-charset” and “attributes-natural-language” attributes as described in section [ipp-mod]
1352 3.1.4.1.

1353

1354 Target:

1355 The “printer-uri” attribute which defines the target for this operation as described in [ipp-mod] section
1356 3.1.5.

1357

1358 “notify-subscription-id” (integer (1:MAX)):

1359 The client MUST supply this attribute. The Printer MUST support this attribute. This attribute specifies the
1360 Subscription Object from which the client is requesting attributes. If the client omits this attribute, the Printer
1361 MUST reject this request with the ‘client-error-bad-request’ status code.

1362

1363 Requesting User Name:

1364 The “requesting-user-name” attribute SHOULD be supplied by the client as described in [ipp-mod]
1365 section 8.3.

1366

1367 “requested-attributes” (1setOf keyword):

1368 The client OPTIONALLY supplies this attribute. The Printer MUST support this attribute. This attribute
1369 specifies the attributes of the specified Subscription Object that the Printer MUST return in the response.
1370 Each value of this attribute is either an attribute name (defined in sections 5.3 and 5.4) or an attribute group
1371 name. The attribute group names are:

1372

1373 - ‘subscription-template’: all attributes that are both defined in section 5.3 and present on the specified
1374 Subscription Object (column 1 of Table 1).

1375 - ‘subscription-description’: all attributes that are both defined in section 5.4 and present on the
1376 specified Subscription Object (Table 2).

1377 - ‘all’: all attributes that are present on the specified Subscription Object.

1378 A Printer MUST support all these group names.

1379 If the client omits this attribute, the Printer MUST respond as if this attribute had been supplied with a value
1380 of ‘all’.

1381 **11.2.3.2 Get-Subscription-Attributes Response**

1382 The Printer returns the following sets of attributes as part of the Get-Subscription-Attributes Response:

1383 Group 1: Operation Attributes

1384 Status Message:

1385 Same as [ipp-mod].

1386

1387 Natural Language and Character Set:

1388 The “attributes-charset” and “attributes-natural-language” attributes as described in [ipp-mod] section

1389 3.1.4.2. The “attributes-natural-language” MAY be the natural language of the Subscription Object, rather
1390 than the one requested.

1391

1392 Group 2: Unsupported Attributes

1393 See [ipp-mod] section 3.1.7 for details on returning Unsupported Attributes.

1394

1395 The response NEED NOT contain the “requested-attributes” operation attribute with any supplied values
1396 (attribute keywords) that were requested by the client but are not supported by the Printer. If the Printer
1397 does return unsupported attributes referenced in the “requested-attributes” operation attribute and that
1398 attribute included group names, such as ‘all’, the unsupported attributes MUST NOT include attributes
1399 described in the standard but not supported by the implementation.

1400

1401 Group 3: Subscription Attributes

1402 This group contains a set of attributes with their current values. Each attribute in this group:

1403 a) MUST be specified by the “requested-attributes” attribute in the request, AND

1404 b) MUST be present on the specified Subscription Object AND

1405 c) MUST NOT be restricted by the security policy in force. For example, a Printer MAY prohibit a
1406 client who is not the creator of a Subscription Object from seeing some or all of its attributes. See [ipp-
1407 mod] section 8.

1408 The Printer can return the attributes of the Subscription Object in any order. The client MUST accept the
1409 attributes in any order.

1410 **11.2.4 Get-Subscriptions operation**

1411 This operation allows a client to retrieve the values of attributes of all Subscription Objects belonging to a Job or
1412 Printer.

1413 A Printer MUST supported this operation.

1414 This operation is similar to the Get-Subscription-Attributes operation, except that this Get-Subscriptions operation
1415 returns attributes from possibly more than one object.

1416 This operation is similar to the Get-Jobs operation (see [ipp-mod] section 3.2.6), except that the operation returns
1417 Subscription Objects rather than Job objects.

1418 **11.2.4.1 Get-Subscriptions Request**

1419 The following groups of attributes are part of the Get-Subscriptions request:

1420 Group 1: Operation Attributes

1421 Natural Language and Character Set:

1422 The “attributes-charset” and “attributes-natural-language” attributes as described in [ipp-mod] section
1423 3.1.4.1.

1424

1425 Target:

1426 The “printer-uri” attribute which defines the target for this operation as described in [ipp-mod] section
1427 3.1.5.

1428

1429 Requesting User Name:

1430 The “requesting-user-name” attribute SHOULD be supplied by the client as described in [ipp-mod]
1431 section 8.3.

1432

1433 “notify-job-id” (integer(1:MAX)):

1434 If the client specifies this attribute, the Printer returns the specified attributes of all Per-Job Subscription
1435 Objects associated with the Job whose “job-id” attribute value equals the value of this attribute. If the client
1436 does not specify this attribute, the Printer returns the specified attributes of all Per-Printer Subscription
1437 Objects. Note: there is no way to get all Per-Job Subscriptions.

1438

1439 “limit” (integer(1:MAX)):

1440 The client OPTIONALLY supplies this attribute. The Printer MUST support this attribute. It is an integer
1441 value that determines the maximum number of Subscription Objects that a client will receive from the
1442 Printer even if the “my-subscriptions” attribute constrains which Subscription Objects are returned. The
1443 limit is a “stateless limit” in that if the value supplied by the client is ‘N’, then only the first ‘N’ Subscription
1444 Objects are returned in the Get-Subscriptions Response. There is no mechanism to allow for the next ‘M’
1445 Subscription Objects after the first ‘N’ Subscription Objects. If the client does not supply this attribute, the
1446 Printer responds with all applicable Subscription Objects.

1447

1448 “requested-attributes” (1setOf type2 keyword):

1449 The client OPTIONALLY supplies this attribute. The Printer MUST support this attribute. This attribute
1450 specifies the attributes of the specified Subscription Objects that the Printer MUST return in the response.
1451 Each value of this attribute is either an attribute name (defined in sections 5.3 and 5.4) or an attribute group

1452 name (defined in section 11.2.3.1). If the client omits this attribute, the Printer MUST respond as if the
1453 client had supplied this attribute with the one value: 'notify-subscription-id'.
1454

1455 "my-subscriptions" (boolean):

1456 The client OPTIONALLY supplies this attribute. The Printer MUST support this attribute. If the value is
1457 'false', the Printer MUST consider the Subscription Objects from all users as candidates. If the value is
1458 'true', the Printer MUST return the Subscription Objects created by the requesting user of this request. If
1459 the client does not supply this attribute, the Printer MUST respond as if the client had supplied the attribute
1460 with a value of 'false'. The means for authenticating the requesting user and matching the Subscription
1461 Objects is similar to that for Jobs which is described in [ipp-mod] section 8.

1462 **11.2.4.2 Get-Subscriptions Response**

1463 The Printer returns the following sets of attributes as part of the Get-Subscriptions Response:

1464 Group 1: Operation Attributes

1465 Status Message:

1466 Same as [ipp-mod].
1467

1468 Natural Language and Character Set:

1469 The "attributes-charset" and "attributes-natural-language" attributes as described in [ipp-mod] section
1470 3.1.4.2.
1471

1472 Group 2: Unsupported Attributes

1473 Same as for Get-Subscription-Attributes.
1474

1475 Groups 3 to N: Subscription Attributes

1476 The Printer responds with one Subscription Attributes Group for each requested Subscription Object (see
1477 the "notify-job-id" attribute in the Operation Attributes Group of this operation).
1478

1479 The Printer returns Subscription Objects in any order.
1480

1481 If the "limit" attribute is present in the Operation Attributes group of the request, the number of
1482 Subscription Attributes Groups in the response MUST NOT exceed the value of the "limit" attribute.
1483

1484 If there are no Subscription Objects associated with the specified Job or Printer, the Printer MUST return
1485 zero Subscription Attributes Groups and it MUST NOT treat this case as an error, i.e., the status-code
1486 MUST be 'successful-ok' unless something else causes the status code to have some other value.
1487

1488 See the Group 3 response (Subscription Attributes Group) of the Get-Subscription-Attributes operation
1489 (section 11.2.3.2) for the attributes that a Printer returns in this group.

1490

1491 **11.2.5 Renew-Subscription operation**

1492 This operation allows a client to request the Printer to extend the lease on a Per-Printer Subscription Object.

1493 The Printer **MUST** support this operation.1494 The Printer **MUST** accept this request for a Per-Printer Subscription Object in any of the target Printer's states,
1495 i.e., 'idle', 'processing', or 'stopped', but **MUST NOT** change the Printer's "printer-state" attribute.1496 The Printer **MUST** reject this request for a Per-Job Subscription Object because it has no lease (see section
1497 5.4.3). The status code returned **MUST** be 'client-error-not-possible'.1498 *Access Rights:* The authenticated user (see [IPP-MOD] section 8.3) performing this operation **MUST** either be
1499 the owner of the Per-Printer Subscription Object or have Operator or Administrator access rights for the Printer
1500 (see [IPP-MOD] sections 1 and 8.5). Otherwise, the Printer **MUST** reject the operation and return: the 'client-
1501 error-forbidden', 'client-error-not-authenticated', or 'client-error-not-authorized' status code as appropriate.1502 **11.2.5.1 Renew-Subscription Request**

1503 The following groups of attributes are part of the Renew-Subscription Request:

1504 Group 1: Operation Attributes

1505 Natural Language and Character Set:

1506 The "attributes-charset" and "attributes-natural-language" attributes as described in [ipp-mod] section
1507 3.1.4.1.

1508

1509 Target:

1510 The "printer-uri" attribute which defines the target for this operation as described in [ipp-mod] section
1511 3.1.5.

1512

1513 "notify-subscription-id" (integer (1:MAX)):

1514 The client **MUST** supply this attribute. The Printer **MUST** support this attribute. This attribute specifies the
1515 Per-Printer Subscription Object whose lease the Printer **MUST** renew. If the client omits this attribute, the
1516 Printer **MUST** reject this request with the 'client-error-bad-request' status code.

1517

1518 Requesting User Name:

1519 The "requesting-user-name" (name(MAX)) attribute **SHOULD** be supplied by the client as described in
1520 [ipp-mod] section 8.3.

1521

1522 Group 2: Subscription Template Attributes

1523

1524 “notify-lease-duration” (integer(0:MAX)):

1525 The client MAY supply this attribute. It indicates the number of seconds to renew the lease for the
1526 specified Subscription Object. A value of 0 requests an infinite lease (which MAY require Operator
1527 access rights). If the client omits this attribute, the Printer MUST use the value of the Printer’s “notify-
1528 lease-duration-default” attribute. See section 5.3.7 for more details.

1529 11.2.5.2 Renew-Subscription Response

1530 The Printer returns the following sets of attributes as part of the Renew-Subscription Response:

1531 Group 1: Operation Attributes

1532 Status Message:

1533 Same as [ipp-mod].

1534

1535 The following are some of the status codes returned:

1536

1537 **successful-ok:** The operation successfully renewed the lease on the Subscription Object for the requested
1538 duration..

1539 **successful-ok-ignored-or-substituted-attributes:** The operation successfully renewed the lease on the
1540 Subscription Object for some duration other than the amount requested.

1541 **client-error-not-possible:** The operation failed because the “notify-subscription-id” Operation attribute
1542 identified a Per-Job Subscription Object.

1543 **client-error-not-found:** The operation failed because the “notify-subscription-id” Operation attribute
1544 identified a non-existent Subscription Object.

1545

1546 Natural Language and Character Set:

1547 The “attributes-charset” and “attributes-natural-language” attributes as described in [ipp-mod] section
1548 3.1.4.2. The “attributes-natural-language” MAY be the natural language of the Subscription Object, rather
1549 than the one requested.

1550

1551 Group 2: Unsupported Attributes

1552 See [ipp-mod] section 3.1.7 for details on returning Unsupported Attributes.

1553

1554 Group 3: Subscription Attributes

1555 The Printer MUST return the following Subscription Attribute:

1556 “notify-lease-duration” (integer(0:MAX)):

1557 The value of this attribute MUST be the number of seconds that the Printer has granted for the lease of the
1558 Subscription Object (see section 5.3.7 for details, such as the value of this attribute when the Printer
1559 doesn’t support the requested value).

1560

1561

1562 **11.2.6 Cancel-Subscription operation**

1563 This operation allows a client to delete a Subscription Object and stop the Printer from sending more Event
1564 Notifications. Once performed, there is no way to reference the Subscription Object.

1565 A Printer **MUST** supported this operation.

1566 The Printer **MUST** accept this request in any of the target Printer's states, i.e., 'idle', 'processing', or 'stopped',
1567 but **MUST NOT** change the Printer's "printer-state" attribute.

1568 If the specified Subscription Object is a Per-Job Subscription Object, the Printer **MUST** accept this request in any
1569 of the target Job's states, but **MUST NOT** change the Job's "job-state" attribute or affect the Job.

1570 *Access Rights:* The authenticated user (see [IPP-MOD] section 8.3) performing this operation **MUST** either be
1571 the owner of the Subscription Object or have Operator or Administrator access rights for the Printer (see [IPP-
1572 MOD] sections 1 and 8.5). Otherwise, the Printer **MUST** reject the operation and return: the 'client-error-
1573 forbidden', 'client-error-not-authenticated', or 'client-error-not-authorized' status code as appropriate.

1574 Note: There is no way to change any attributes on a Subscription Object, except the "notify-lease-duration"
1575 attribute (using the Renew-Subscription operation). In order to change other attributes, a client performs a
1576 Subscription Creation Operation and Cancel-Subscription operation on the old Subscription Object. If the client
1577 wants to avoid missing Event Notifications, it performs the Subscription Creation Operation first. If this order
1578 would create too many Subscription Objects on the Printer, the client reverses the order.

1579 **11.2.6.1 Cancel-Subscription Request**

1580 The following groups of attributes are part of the Cancel-Subscription Request:

1581 Group 1: Operation Attributes

1582 Natural Language and Character Set:

1583 The "attributes-charset" and "attributes-natural-language" attributes as described in [ipp-mod] section
1584 3.1.4.1.

1585

1586 Target:

1587 The "printer-uri" attribute which defines the target for this operation as described in [ipp-mod] section
1588 3.1.5.

1589

1590 "notify-subscription-id" (integer (1:MAX)):

1591 The client **MUST** supply this attribute. The Printer **MUST** support this attribute. This attribute specifies the
1592 Subscription Object that the Printer **MUST** cancel. If the client omits this attribute, the Printer **MUST**
1593 reject this request with the 'client-error-bad-request' status code.

1594

1595 Requesting User Name:
1596 The “requesting-user-name” attribute SHOULD be supplied by the client as described in [ipp-mod]
1597 section 8.3.
1598

1599 **11.2.6.2 Cancel-Subscription Response**

1600 The Printer returns the following sets of attributes as part of the Cancel-Subscription Response:

1601 Group 1: Operation Attributes

1602 Status Message:
1603 Same as [ipp-mod].

1604
1605 The following are some of the status codes returned:

1606
1607 **successful-ok:** The operation successfully canceled (deleted) the Subscription Object..
1608 **client-error-not-found:** The operation failed because the “notify-subscription-id” Operation attribute
1609 identified a non-existent Subscription Object.

1610
1611 Natural Language and Character Set:
1612 The “attributes-charset” and “attributes-natural-language” attributes as described in [ipp-mod] section
1613 3.1.4.2. The “attributes-natural-language” MAY be the natural language of the Subscription Object, rather
1614 than the one requested.

1615

1616 Group 2: Unsupported Attributes

1617 See [ipp-mod] section 3.1.7 for details on returning Unsupported Attributes.

1618

1619 **12 Conformance Requirements**

1620 It is OPTIONAL to implement this Event Notification specification.

1621 If this Event Notification specification is implemented, Printers MUST:

1622 1. meet the Conformance Requirements detailed in section 5 of [ipp-mod].

1623 2. support the Subscription Template Attributes Group in requests and the Subscription Attributes Group in
1624 responses.

1625 3. support all of the following attributes:

1626 a. REQUIRED Subscription Object attributes in section 5.

- 1627 b. REQUIRED Printer Description object attributes in section 6.
- 1628 c. REQUIRED attributes in Event Notification content in section 8.
- 1629 4. send Event Notifications that conform to the requirements of the Delivery Method Document for each
1630 supported Delivery Method (the conformance requirements for Delivery Method Documents is specified in
1631 section 10).
- 1632 5. support all operations as described in Table 16:

1633

Table 16 – Conformance Requirements for Operations

| Operation | Conformance requirements |
|---|---------------------------------|
| Create-Printer-Subscriptions (section 11.1.2) | REQUIRED |
| Create-Job-Subscriptions (section 11.1.1) | OPTIONAL |
| Get-Subscription-Attributes (section 11.2.2) | REQUIRED |
| Get-Subscriptions (section 11.2.4) | REQUIRED |
| Renew-Subscription (section 11.2.5) | REQUIRED |
| Cancel-Subscription (section 11.2.6) | REQUIRED |

1634

1635 **13 IANA Considerations**

1636 This section describes the procedures for registering Event Notification Delivery Method proposals with IANA to
1637 be used with this document. Such Delivery Method proposals can be IETF standards track documents or vendor-
1638 defined documents. In either case, they will be registered with IANA using procedures that extend those defined in
1639 [ipp-mod] section 6 and 11.

1640 These extension procedures are aligned with the guidelines as set forth by the IESG [IANA-CON]. Section 13.1
1641 defines the format and content for new registrations for consideration. IANA will reject registration proposals that
1642 leave out required information or do not follow the appropriate format described in Section 13.1.

1643 Implementers can, at any time, define new Event Notification Delivery Methods by proposing the complete
1644 specification to IANA:

1645 iana@iana.org

1646 or by filling out the appropriate form on the IANA web pages (<http://www.iana.org>).

1647 IANA will forward the registration proposal to the IPP Designated Expert who will review the proposal with a
1648 mailing list that the Designated Expert keeps for this purpose. Initially, that list will be the mailing list used by the
1649 IPP WG:

1650 ipp@pwg.org

1651 even after the IPP WG is disbanded as permitted by [IANA-CON]. The IPP Designated Expert is appointed by
1652 the IESG Area Director responsible for IPP, according to [IANA-CON].

1653 When a Delivery Method Document is approved, the IPP Designated Expert becomes the point of contact for any
1654 future maintenance that might be required for that registration.

1655 **13.1 Format and Requirements for IPP Delivery Method Registration Proposals**

1656 This section defines the format and requirements for an IPP Event Notification Delivery Method Registration
1657 Proposal. A Delivery Method Registration Proposal:

1658 1. MUST contain the following information:

1659 Type of registration: IPP Event Notification Delivery Method

1660 Name of this delivery method:

1661 Proposed URL scheme name of this delivery method:

1662 Name of proposer:

1663 Address of proposer:

1664 Email address of proposer:

1665 Is this delivery method REQUIRED or OPTIONAL for conformance to the IPP Event Notification
1666 Specification document:

1667 Is this delivery method defining Machine Consumable and/or Human Consumable content:

1668 2. MUST meet the conformance requirements for Delivery Method Documents specified in section 10.

1669

1670 **14 Internationalization Considerations**

1671 This IPP Notification specification continues support for the internationalization of [ipp-mod] of attributes
1672 containing text strings and names. Allowing a Subscribing Client to specify a different natural language and charset
1673 for each Subscription Object increases the internationalization support.

1674 The Printer MUST be able to localize the content of Human Consumable Event Notifications and to localize the
1675 value of “notify-text” attribute in Machine Consumable Event Notifications that it sends to Notification Recipients.
1676 For localization, the Printer MUST use the value of the “notify-charset” attribute and the “notify-natural-language”
1677 attribute in the Subscription Object supplied by the Subscribing Client.

1678 **15 Security Considerations**

1679 By far the biggest security concern is the abuse of notification: sending unwanted Event Notifications to third parties
1680 (i.e., spam). The problem is made worse by notification addresses that may be redistributed to multiple parties
1681 (e.g., mailing lists). There exist scenarios where third party notification is required (see Scenario #2 and #3 in [ipp-
1682 not-req]). The fully secure solution would require active agreement of all recipients before sending out anything.
1683 However, requirement #9 in [ipp-req] (“There is no requirement for IPP Printer receiving the print request to
1684 validate the identity of an Event recipient”) argues against this. Certain systems may decide to disallow third party
1685 Event Notifications (a traditional fax model).

1686 Clients submitting Notification requests to the IPP Printer has the same security issues as submitting an IPP/1.1
1687 print job request. The same mechanisms used by IPP/1.1 can therefore be used by the client Notification
1688 submission. Operations that require authentication can use the HTTP authentication. Operations that require
1689 privacy can use the HTTP/TLS privacy.

1690 The Notification access control model should be similar to the IPP access control model for Jobs. Creating a Per-
1691 Printer Subscription Object is associated with a user. Only the creator or an Operator can cancel the Subscription
1692 Object. The system may limit the listing of items to only those items owned by the user. Some Subscription
1693 Objects (e.g., those that have a lifetime longer than a job) can be done only by privileged users (users having
1694 Operator and/or Administrator access rights), if that is the authorization policy.

1695 The standard security concerns (delivery to the right user, privacy of content, tamper proof content) apply to the
1696 Delivery Method. IPP should use the security mechanism of the Delivery Method used. Some delivery
1697 mechanisms are more secure than others. Therefore, sensitive Event Notifications should use the Delivery Method
1698 that has the strongest security.

1699 **16 Status Codes**

1700 The following status codes are defined as extensions for Notification and are returned as the value of the “status-
1701 code” parameter in the Operation Attributes Group of a response (see [ipp-mod] section 3.1.6.1). Operations in
1702 this document can also return the status codes defined in section 13 of [ipp-mod]. The ‘successful-ok’ status code
1703 is an example of such a status code.

1704 **16.1 successful-ok-ignored-subscriptions (0x0003)**

1705 The Subscription Creation Operation was unable to create all requested Subscription Objects.

1706 For a Create-Job-Subscriptions or Create-Printer-Subscriptions operation, this status code means that the Printer
1707 created one or more Subscription Objects, but not all requested Subscription Objects.

1708 For a Job Creation operation, this status code means that the Printer created the Job along with zero or more
1709 Subscription Objects. The Printer returns this status code even if other job attributes are unsupported or in conflict.

1710 That is, if an IPP Printer finds a warning that would allow it to return ‘successful-ok-ignored-subscriptions’ and
1711 either ‘successful-ok-ignored-or-substituted-attributes’ and/or ‘successful-ok-conflicting-attributes’, it MUST
1712 return ‘successful-ok-ignored-subscriptions’.

1713 **16.2 client-error-ignored-all-subscriptions (0x0414)**

1714 This status code is the same as ‘successful-ok-ignored-subscriptions’ except that only the Create-Job-
1715 Subscriptions and Create-Printer-Subscriptions operation return it. They return this status code only when the
1716 Printer creates zero Subscription Objects.

1717 **17 Status Codes in Subscription Attributes Groups**

1718 This section contains values of the “notify-status-code” attribute that the Printer returns in a Subscription Attributes
1719 Group in a response when the corresponding Subscription Object:

- 1720 1. is not created or
- 1721 2. is created and some of the client-supplied attributes are not supported.

1722 The following sections are ordered in decreasing order of importance of the status-codes.

1723 **17.1 client-error-uri-scheme-not-supported (0x040C)**

1724 This status code is defined in [ipp-mod]. This document extends its meaning and allows it to be in a Subscription
1725 Attributes Group of a response.

1726 The scheme of the client-supplied URI in a “notify-recipient-uri” Subscription Template Attribute in a Subscription
1727 Creation Operation is not supported. See section 5.3.1.

1728 **17.2 client-error-too-many-subscriptions (0x0415)**

1729 The number of Subscription Objects supported by the Printer would be exceeded if this Subscription Object were
1730 created (see section 5.2).

1731 **17.3 successful-ok-too-many-events (0x0005)**

1732 The client supplied more Events in the “notify-events” operation attribute of a Subscription Creation Operation than
1733 the Printer supports, as indicated in its “notify-max-events-supported” Printer attribute (see section 5.3.2).

1734 **17.4 successful-ok-ignored-or-substituted-attributes (0x0001)**

1735 This status code is defined in [ipp-mod]. This document extends its meaning to include unsupported Subscription
1736 Template Attributes and it can appear in a Subscription Attributes Group.

1737 **18 Encodings of Additional Attribute Tags**

1738 This section assigns values to two attributes tags as extensions to the encoding defined in [ipp-pro].

1739 The “subscription-attributes-tag” delimits Subscription Template Attributes Groups in requests and Subscription
1740 Attributes Groups in responses.

1741 The “event-notification-attributes-tag” delimits Event Notifications in Delivery Methods that use an IPP-like
1742 encoding.

1743 The following table specifies the values for the delimiter tags:

| Tag Value (Hex) | Meaning |
|-----------------|-------------------------------------|
| 0x06 | “subscription-attributes-tag” |
| 0x07 | “event-notification-attributes-tag” |

1744 **19 References**

1745 [IANA-CON]

1746 Narte, T. and Alvestrand, H.T.: Guidelines for Writing an IANA Considerations Section in RFCs, Work
1747 in Progress, draft-iesg-iana-considerations-04.txt, May 21, 1998.

1748 [ipp-mod]

1749 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., “Internet Printing Protocol/1.1: Model and
1750 Semantics”, <draft-ietf-ipp-model-v11-07.txt>, work in progress, May 22, 2000.

1751 [ipp-not-req]

1752 deBry, R., Lewis, H., Hastings, T., “Internet Printing Protocol/1.1: Requirements for IPP Notifications”,
1753 <draft-ietf-ipp-not-04.txt>, work in progress, July 6, 2000.

1754 [ipp-pro]

1755 Herriot, R., Butler, S., Moore, P., Tuner, R., “Internet Printing Protocol/1.1: Encoding and Transport”,
1756 <draft-ietf-ipp-protocol-v11-06.txt>, work in progress, May 30, 2000.

1757 [ipp-prog]

1758 Hastings, T., Bergman, R., Lewis, H., “IPP: Job Progress Attributes”, <draft-ietf-ipp-job-prog-00.txt>
1759 work in progress, July 6, 2000.

- 1760 [ipp-set]
1761 Kugler, C., Hastings, T., Herriot, R., Lewis, H, "Internet Printing Protocol (IPP): Job and Printer Set
1762 Operations", <draft-ietf-ipp-job-printer-set-ops-02.txt>, work in progress, March 23, 2000.
- 1763 [RFC2026]
1764 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.
- 1765 [RFC2119]
1766 S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels", RFC 2119 , March 1997
- 1767 [RFC2566]
1768 deBry, R., , Hastings, T., Herriot, R., Isaacson, S., Powell, P., "Internet Printing Protocol/1.0: Model and
1769 Semantics", RFC 2566, April 1999.
- 1770 [RFC2567]
1771 Wright, D., "Design Goals for an Internet Printing Protocol", RFC 2567, April 1999.
- 1772 [RFC2568]
1773 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol", RFC
1774 2568, April 1999.
- 1775 [RFC2569]
1776 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", RFC 2569,
1777 April 1999.

1778 **20 Author's Addresses**

- 1779 Robert Herriot
1780 Xerox Corporation
1781 3400 Hillview Ave., Bldg #1
1782 Palo Alto, CA 94304
1783
1784 Phone: 650-813-7696
1785 Fax: 650-813-6860
1786 Email: robert.herriot@pahv.xerox.com
1787
- 1788 Tom Hastings
1789 Xerox Corporation
1790 737 Hawaii St. ESAE 231
1791 El Segundo, CA 90245
1792
1793 Phone: 310-333-6413
1794 Fax: 310-333-5514

1795 e-mail: hastings@cp10.es.xerox.com
1796
1797 Scott A. Isaacson
1798 Novell, Inc.
1799 122 E 1700 S
1800 Provo, UT 84606
1801
1802 Phone: 801-861-7366
1803 Fax: 801-861-2517
1804 e-mail: sisaacson@novell.com
1805
1806 Roger deBry
1807 Utah Valley State College
1808 Orem, UT 84058
1809
1810 Phone: (801) 222-8000
1811 EMail: debryro@uvsc.edu
1812
1813 Jay Martin
1814 Underscore Inc.
1815 9 Jacqueline St.
1816 Hudson, NH 03051-5308
1817 603-889-7000
1818 fax: 775-414-0245
1819 e-mail: jkm@underscore.com
1820
1821 Michael Shepherd
1822 Xerox Corporation
1823 800 Phillips Road MS 128-51E
1824 Webster, NY 14450
1825
1826 Phone: 716-422-2338
1827 Fax: 716-265-8871
1828 e-mail: mshepherd@crt.xerox.com
1829

1830 Ron Bergman
1831 Hitachi Koki Imaging Solutions
1832 1757 Tapo Canyon Road
1833 Simi Valley, CA 93063-3394
1834
1835 Phone: 805-578-4421
1836 Fax: 805-578-4001
1837 Email: rbergma@hitachi-hkis.com

1838 **A. Appendix - Model for Notification with Cascading Printers**

1839 With this model (see Figure 2), there is an intervening Print server between the human user and the output-device.
1840 So the system effectively has two Printers. There are two cases to consider.

- 1841 1. When the Printer 1 (in the server) generates Events, the system behaves like the client and Printer in Figure
1842 1. In this case, Printer 1 sends Event Notifications that are shown as Event Notifications (A) of Figure 2.,
- 1843 2. When the Printer 2 (in the output-device) generates Events, there are two possible system configurations:
 - 1844 a) Printer 1 forwards the client-supplied Subscription Creation Operations to the downstream Printer 2
1845 and lets Printer 2 send the Event Notifications directly to the Notification Recipients supplied by the
1846 Client (Event Notifications(C) in the diagram).
 - 1847 b) Printer 1 performs the client-supplied Subscription Creation Operations and also forwards the
1848 Subscription Creation Operations to Printer 2 with the Notification Recipient changed to be the Printer
1849 1. When an Event occurs in Printer 2, Printer 2 sends the Event Notification (B) to Notification
1850 Recipient of Printer 1, which relays the received Event Notification (B) to the client-supplied
1851 Notification Recipient (as Event Notifications(A) in the diagram). Note, when a client performs a
1852 Subscription Creation Operation, Printer 1 need not forward the Subscription Creation Operation to
1853 Printer 2 if it would create a duplicate Subscription Object on Printer 2.

1854 Note: when Printer 1 is forwarding Subscription Creation Operations to Printer 2, it may request Printer 2 to create
1855 additional Subscription Objects (called “piggy-backing”). Piggy-backing is useful when:

- 1856 • Device A is configured to accept (IPP or non-IPP) requests from other servers.
- 1857 • Server S wants to receive Job Events that the client didn’t request and Server S wants these Events for
1858 jobs it submits and not for other jobs.




Figure 2 – Model for Notification with Cascading Printers

B. Appendix - Distributed Model for Notification

A Printer implementation could use some other remote notification service to provide some or most of the service. For example, the remote notification service could send Event Notifications using Delivery Methods that are not directly supported by the output device or server. Or, the remote notification service could store Subscription Objects (passed to it from the output device in response to Subscription Creation requests), accept Events, format the Event Notification in the natural language of the Notification Recipient, and send the Event Notifications to the Notification Recipient(s).

Figure 3 shows this partitioning. The interface between the output device (or server) and the remote notification service is outside the scope of this document and is intended to be transparent to the client and this document. The combination of the output device (or server) and the notification service together constitute an IPP Printer conforming to this Notification document.


```

1885
1886
1887
1888
1889
1890
1891
1892
1893 PDA, desktop, or server
1894 +-----+
1895 | client |---IPP Subscription-----># Printer #
1896 +-----+ Creation operation * | # Object #
1897 * | #####|##### |
1898 * +-----|-----+
1899 * | Subscriptions
1900 * | OR Event
1901 +-----+ * | Notifications
1902 |Notification| IPP-defined * +-----v-----+
1903 |Recipient |<--Event Notifications---| Notification |
1904 +-----+ * | Service |
1905 * +-----+
1906 *
1907 *****
1908 *** = Implementation configuration opaque boundary
1909

```

Figure 3 – Opaque Use of a Notification Service Transparent to the Client

1911 C. Appendix - Extended Notification Recipient

1912 The model allows for an extended Notification Recipient that is itself a notification service that forwards each Event
1913 Notification to another recipient (called the Ultimate Notification Recipient in this section). The Delivery Method to
1914 the Ultimate Recipient is probably different from the Delivery Method used by the Printer to the extended
1915 Notification Recipient.


1916 This extended Notification Recipient is transparent to the Printer but not to the client.

1917 When a client performs a Subscription Creation Operation, it specifies the extended Notification Recipient as it
1918 would any Notification Recipient. In addition, the client specifies the Ultimate Notification Recipient in the
1919 Subscription Creation Operation in a manner specified by the extended Notification Recipient. Typically, it is either
1920 some bytes in the value of “notify-user-data” or some additional parameter in the value of “notify-recipient-uri”.
1921 The client also subscribes directly with the extended Notification Recipient (by means outside this document), since
1922 it is a notification service in its own right.

1923 The IPP Printer treats the extended Notification Recipient like any other Notification Recipient and the IPP Printer
1924 is not aware of the forwarding. The Delivery Method that the extended Notification Recipient uses for delivering

1925 the Event Notification to the Ultimate Notification Recipient is beyond the scope of this document and is
1926 transparent to the IPP Printer.

1927 Examples of this extended Notification Recipient are paging, immediate messaging services, general notification
1928 services, and NOS vendors' infrastructure. Figure 4 shows this approach.



1941 **Figure 4 – Use of an Extended Notification Recipient transparent to the Printer**

1942 **D. Appendix - Details about Conformance Terminology**

1943 The following paragraph provide more details about conformance terminology.

1944 **REQUIRED** - an adjective used to indicate that a conforming IPP Printer implementation **MUST** support the
1945 indicated operation, object, attribute, attribute value, status code, or out-of-band value in requests and
1946 responses. See [ipp-mod] “Appendix A - Terminology for a definition of “support”. *Since support of
1947 this entire Notification specification is OPTIONAL for conformance to IPP/1.0 or IPP/1.1, the
1948 use of the term REQUIRED in this document means “REQUIRED if this OPTIONAL
1949 Notification specification is implemented”.*


1950 **RECOMMENDED** - an adjective used to indicate that a conforming IPP Printer implementation is
1951 recommended to support the indicated operation, object, attribute, attribute value, status code, or out-of-
1952 band value in requests and responses. *Since support of this entire Notification specification is
1953 OPTIONAL for conformance to IPP/1.0 or IPP/1.1, the use of the term RECOMMENDED in
1954 this document means “RECOMMENDED if this OPTIONAL Notification specification is
1955 implemented”.*

1956 **OPTIONAL** - an adjective used to indicate that a conforming IPP Printer implementation **MAY**, but is **NOT**
1957 **REQUIRED** to, support the indicated operation, object, attribute, attribute value, status code, or out-of-
1958 band value in requests and responses.

1959 **E. Appendix - Object Model for Notification**

1960 This section describes the Notification object model that adds a Subscription Object which together with the Job
1961 and Printer object provide the complete Notification semantics.

1962 The object relationships can be seen pictorially as:



1991 **Figure 5 – Object Model for Notification**

1992 s1, s2, and s3 are Per-Printer Subscription Objects and can identify Printer and/or Job Events.

1993 s4, s5, and s6 are Per-Job Subscription Objects and can identify Printer and/or Job Events.

1994 **E.1 Appendix - Object relationships**

1995 This sub-section defines the object relationships between the Printer, Job, and Subscription Objects by example.
1996 Whether Per-Printer Subscription Objects are actually contained in a Printer object or are just bi-directionally
1997 associated with them in some way is IMPLEMENTATION DEPENDENT and is transparent to the client.
1998 Similarly, whether Per-Job Subscription Objects are actually contained in a Job object or are just bi-directionally

1999 associated with them in some way is IMPLEMENTATION DEPENDENT and is transparent to the client. The
2000 object relationships are defined as follows:

2001 **E.2 Printer Object and Per-Printer Subscription Objects**

- 2002 1. The Printer object contains (is associated with) zero or more Per-Printer Subscription Objects (p1 contains
2003 s1-s3 Per-Printer Subscription Objects).
- 2004 2. Each Per-Printer Subscription Object (s1, s2, and s3) is contained in (or is associated with) exactly one
2005 Printer object (p1).

2006 **E.3 Job Object and Per-Job Subscription Objects**

- 2007 1. A Job object (j1, j2, j3) is associated with zero or more Per-Job Subscription Objects (s4-s6). Job j1 is
2008 associated with Per-Job Subscription Object s4, Job j2 is associated with Per-Job Subscription Objects
2009 s5 and s6, and Job j3 is not associated with any Per-Job Subscription Object.
- 2010 2. Each Per-Job Subscription Object is associated with exactly one Job object.

2011 **F. Appendix - Per-Job versus Per-Printer Subscription Objects**

2012 Per-Job and Per-Printer Subscription Objects are quite similar. Either type of Subscription Object can subscribe
2013 to Job Events, Printer Events, or both. Both types of Subscription Objects can be queried using the Get-
2014 Subscriptions and Get-Subscription-Attributes operations and canceled using the Cancel-Subscription operation.
2015 Both types of Subscription Objects create Subscription Objects which have the same Subscription Object
2016 attributes defined. However, there are some semantic differences between Per-Job Subscription Objects and Per-
2017 Printer Subscription Objects. A Per-Job Subscription Object is established by the client when submitting a job
2018 and after creating the job using the Create-Job-Subscriptions operation by specifying the “job-id” of the Job with
2019 the “notify-job-id” attribute. A Per-Printer Subscription Object is established between a client and a Printer using
2020 the Create-Printer-Subscriptions operation. Some specific differences are:

- 2021 1. A client usually creates one or more Per-Job Subscription Objects as part of the Job Creation operations
2022 (Create-Job, Print-Job, and Print-URI), rather than using the OPTIONAL Create-Job-Subscriptions
2023 operation, especially since Printer implementations NEED NOT support the Create-Job-Subscriptions
2024 operation, since it is OPTIONAL.
- 2025 2. For Per-Job Subscription Objects, the Subscription Object is only valid while the job is “not-complete” (see
2026 sections 5.4.3) while for the Per-Printer Subscription Objects, the Subscription Object is valid until the time (in
2027 seconds) that the Printer returned in the “notify-lease-expiration-time” operation attribute.
- 2028 3. Job Events in a Per-Job Subscription Object apply only to “one job” (the Job created by the Job Creation
2029 operation or references by the Create-Job-Subscriptions operation) while Job Events in a Per-Printer
2030 Subscription Object apply to ALL jobs contained in the IPP Printer.

2031 **G. Appendix: Full Copyright Statement**

2032 Copyright (C) The Internet Society (1998,1999,2000). All Rights Reserved

2033 This document and translations of it may be copied and furnished to others, and derivative works that comment on
2034 or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole
2035 or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included
2036 on all such copies and derivative works. However, this document itself may not be modified in any way, such as
2037 by removing the copyright notice or references to the Internet Society or other Internet organizations, except as
2038 needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the
2039 Internet Standards process must be followed, or as required to translate it into languages other than English.

2040 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its
2041 successors or assigns.

2042 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET
2043 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,
2044 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF
2045 THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
2046 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

2047