

1 INTERNET-DRAFT
2 <draft-ietf-ipp-notify-mailto-02.txt>

Robert Herriot
Xerox Corp.
Henrik Holst
i-data international a/s
Tom Hastings
Xerox Corp.
Carl-Uno Manros
Xerox Corp.
July 7, 2000

12 Internet Printing Protocol (IPP):
13 **The ‘mailto:’ Notification Delivery Method**

14 Copyright (C) The Internet Society (2000). All Rights Reserved.

15
16 Status of this Memo

17 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of
18 [RFC2026]. Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its
19 areas, and its working groups. Note that other groups may also distribute working documents as Internet-
20 Drafts.

21 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
22 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or
23 to cite them other than as “work in progress”.

24 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

25 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

26 **Abstract**

27 The notification extension document [ipp-ntfy] defines operations that a client can perform in order to
28 create *Subscription Objects* in a Printer and carry out other operations on them. The Subscription Object
29 specifies that when one of the specified *Events* occurs, the Printer sends an asynchronous *Event Notification*
30 to the specified *Notification Recipient* via the specified *Delivery Method* (i.e., protocol).

31 The notification extension document [ipp-ntfy] specifies that each Delivery Method is defined in another
32 document. This document is one such document, and it specifies the ‘mailto’ delivery method.

33 For this Delivery Method, when an Event occurs, the Printer immediately sends an Event Notification via
34 an email message to the Notification Recipient specified in the Subscription Object. The message body of
35 the email consists of Human Consumable text and is not intended to be parsed by a machine.

36 The Notification Recipient receives the Event Notification in the same way as it receives any other email
37 message.

38 The full set of IPP documents includes:

39 Design Goals for an Internet Printing Protocol [RFC2567]

40 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]

41 Internet Printing Protocol/1.1: Model and Semantics [ipp-mod]

42 Internet Printing Protocol/1.1: Encoding and Transport [ipp-pro]

43 Internet Printing Protocol/1.1: Implementer's Guide [ipp-iig]

44 Mapping between LPD and IPP Protocols [RFC2569]

45 Internet Printing Protocol (IPP): IPP Event Notification Specification [ipp-ntfy]

46

47 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
48 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included
49 in a printing protocol for the Internet. It identifies requirements for three types of users: end users,
50 operators, and administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. A
51 few OPTIONAL operator operations have been added to IPP/1.1.

52 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document
53 describes IPP from a high level view, defines a roadmap for the various documents that form the suite of
54 IPP specification documents, and gives background and rationale for the IETF working group's major
55 decisions.

56 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with
57 abstract objects, their attributes, and their operations that are independent of encoding and transport. It
58 introduces a Printer and a Job object. The Job object optionally supports multiple documents per Job. It
59 also addresses security, internationalization, and directory issues.

60 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the abstract
61 operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines the
62 encoding rules for a new Internet MIME media type called "application/ipp". This document also defines
63 the rules for transporting over HTTP a message body whose Content-Type is "application/ipp". This
64 document also defines a new scheme named 'ipp' for identifying IPP printers and jobs.

65 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to
66 implementers of IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of the
67 considerations that may assist them in the design of their client and/or IPP object implementations. For
68 example, a typical order of processing requests is given, including error checking. Motivation for some of
69 the specification decisions is also included.

70 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of gateways
71 between IPP and LPD (Line Printer Daemon) implementations.

72 The "Event Notification Specification" document describes an extension to the IPP/1.0, IPP/1.1, and future
73 versions. This extension allows a client to subscribe to printing related Events. The Subscription Object
74 specifies that when one of the specified *Event* occurs, the Printer sends an asynchronous *Event Notification*
75 to the specified *Notification Recipient* via the specified *Delivery Method* (i.e., protocol). A client associates
76 Subscription Objects with a particular Job by performing the Create-Job-Subscriptions operation or by
77 submitting a Job with subscription information. A client associates Subscription Objects with the Printer
78 by performing a Create-Printer-Subscriptions operation. Four other operations are defined for Subscription

79 Objects: Get-Subscriptions-Attributes, Get-Subscriptions, Renew-Subscription, and Cancel-Subscription.

80

Table of Contents

81	1	Introduction.....	6
82	2	Terminology.....	6
83	3	Model and Operation	6
84	4	General Information.....	7
85	5	Subscription Template Attributes	8
86	5.1	Additional Subscription Template Attributes.....	8
87	5.1.1	notify-mailto-text-only (boolean).....	8
88	5.2	Additional Information about Subscription Template Attributes.....	8
89	5.2.1	notify-recipient-uri (uri)	9
90	5.2.2	notify-user-data (octetString(63)).....	9
91	6	Event Notification Content	9
92	6.1	Headers	10
93	6.1.1	'Date' header	10
94	6.1.2	'From' header	10
95	6.1.3	'Subject' header.....	10
96	6.1.4	'Sender' header.....	11
97	6.1.5	'Reply-to' header.....	11
98	6.1.6	'To' header	11
99	6.1.7	'Content-type' header.....	12
100	6.2	Message Body.....	12
101	6.2.1	Information in Event Notification Content Common to All Events.....	13
102	6.2.2	Additional Information in Event Notification Content for Job Events	14
103	6.2.3	Additional Information in Event Notification Content for Printer Events	14
104	6.3	Examples	15
105	6.3.1	Job Event Example.....	15
106	6.3.2	Printer Event Example.....	16
107	6.3.3	Printer Event Example (localized to French)	17
108	7	Conformance Requirements.....	18
109	8	IANA Considerations.....	19
110	9	Internationalization Considerations	19
111	10	Security Considerations	19
112	11	References.....	19
113	12	Author's Addresses.....	21

114 13 Full Copyright Statement.....21

115

116

Table of Tables

117 Table 1 – Printer Name in Event Notification Content13

118 Table 2 – Event Name in Event Notification Content.....13

119 Table 4 – Job Name in Event Notification Content for Job Events14

120 Table 5 – Job State in Event Notification Content for Job Events.....14

121 Table 6 – Printer State in Event Notification Content for Printer Events15

122

123 **1 Introduction**

124 The notification extension document [ipp-ntfy] defines operations that a client can perform in order to
125 create *Subscription Objects* in a Printer and carry out other operations on them. A Subscription Object
126 represents a Subscription abstraction. The Subscription Object specifies that when one of the specified
127 *Events* occurs, the Printer sends an asynchronous *Event Notification* to the specified *Notification Recipient*
128 via the specified *Delivery Method* (i.e., protocol).

129 The notification extension document [ipp-ntfy] specifies that each Delivery Method is defined in another
130 document. This document is one such document, and it specifies the 'mailto' delivery method.

131 For this Delivery Method, when an Event occurs, the Printer immediately sends an Event Notification via
132 an email message to the Notification Recipient specified in the Subscription Object. The message body of
133 the email consists of Human Consumable text and is not intended to be parsed by a machine. The 'mailto'
134 Delivery Method is a 'push' Delivery Method as defined in [ipp-ntfy].

135 The Notification Recipient receives the Event Notification in the same way as it receives any other email
136 message.

137 **2 Terminology**

138 This section defines the following terms that are used throughout this document:

139 Capitalized terms, such as **MUST**, **MUST NOT**, **REQUIRED**, **SHOULD**, **SHOULD NOT**, **MAY**,
140 **NEED NOT**, and **OPTIONAL**, have special meaning relating to conformance to this specification. These
141 terms are defined in [ipp-mod section 13.1 on conformance terminology, most of which is taken from RFC
142 2119 [RFC2119].

143 For capitalized terms that appear in this document, see [ipp-ntfy].

144 **3 Model and Operation**

145 In a Subscription Creation Operation, when the value of the "notify-recipient-uri" attribute contains the
146 scheme "mailto", the client is requesting that the Printer use the 'mailto' Delivery Method for Event
147 Notifications generated from the new Subscription Object.

148 For this Delivery Method, the "notify-recipient-uri" attribute value **MUST** consist of a "mailto" scheme
149 followed by a colon, and then followed by an address part (e.g. 'mailto:smith@abc.com'). See section 5.2.1
150 for the syntax of the "notify-recipient-uri" attribute value for this Delivery Method.

151 A Printer **MUST** support SMTP [RFC821], and it **MAY** support other email protocols. A Printer **MAY** use
152 additional services, such as SMTP delivery status notification [RFC1891] or S/MIME encryption
153 [RFC2633].

154 If the client wants the Printer to send Event Notifications via the 'mailto' Delivery Method, the client
155 MUST choose a value for "notify-recipient-uri" attribute which conforms to the rules of section 5.2.1. To
156 avoid denial-of-service attacks, a client SHOULD NOT use distribution lists as the Notification Recipient.

157 When an Event occurs, the Printer MUST immediately:

- 158 1. Find all pertinent Subscription Objects P according to the rules of section 9 of [ipp-ntfy], AND
- 159 2. Find the subset M of these Subscription Objects P whose "notify-recipient-uri" attribute has a
160 scheme value of 'mailto', AND
- 161 3. For each Subscription Object in M, the Printer MUST
 - 162 a) generate an email message as specified in section 5.2.2 AND
 - 163 b) send the email message to the Notification Recipient specified by the address part of the "notify-
164 recipient-uri" attribute value (see section 5.2.1).

165 If the Printer supports only SMTP, it MUST send the email message via SMTP. If the Printer supports
166 additional email protocols, it MUST determine the protocol from the address part of the "notify-recipient-
167 uri" attribute value and then send the email message via the appropriate email protocol.

168 When a Subscription Object is listening to a frequently occurring Event, such as 'job-progress', the Printer
169 MUST moderate the sending of Event Notifications caused by such an Event. It is implementation
170 dependent as to how a Printer moderates Events and how a human controls the moderation.

171 4 General Information

172 According to the notification extension document [ipp-ntfy], this document MUST contain the following
173 information:

- 174 1. The URL scheme name for the Delivery Method is: 'mailto'
- 175 2. Printer support for this delivery method is OPTIONAL.
- 176 3. For Event Notification content, a Printer MUST support SMTP. It MAY support other email protocols.
- 177 4. Several Event Notifications MUST NOT be combined into a compound Event Notification. The Printer
178 MUST send them as separate email messages.
- 179 5. The Printer MUST initiate the Delivery Method.
- 180 6. The Delivery Method sends Human Consumable Event Notifications.
- 181 7. The representation and encoding for each piece of information MUST be plain text (see section 5.2.2).
182 An implementation MAY send the information in other encodings.
- 183 8. In the Event Notification content, a Printer MUST send all pieces of information specified in section
184 5.2.2.

- 185 9. Frequently occurring Events MUST be moderated to prevent Notification Recipients from receiving
186 excessive email.
- 187 10. This Delivery Method has the same latency and reliability as the underlying SMTP (or other) transport.
- 188 11. This Delivery Method has the same security aspects as the underlying SMTP (or other) transport.
- 189 12. This Delivery Method has no content length restrictions.
- 190 13. There are no additional values that a Printer MUST send in a Notification content.
- 191 14. There is one additional Subscription Template attributes. See section 5.1.1.
- 192 15. There are no additional Printer Description attributes.

193 **5 Subscription Template Attributes**

194 **5.1 Additional Subscription Template Attributes**

195 This Delivery Method introduces one additional Subscription Template Attribute.

196 **5.1.1 notify-mailto-text-only (boolean)**

197 When the Printer generates an Event Notification from a Subscription Object, this attribute specifies
198 whether the Printer generates the Event Notification with only plain text (i.e. 'text/plain') or with Content-
199 Types that the Printer chooses.

200 The Printer MUST support this attribute if it supports the 'mailto' Delivery Method.

201 A client MAY supply this attribute. If a client does not supply this attribute, the Printer MUST populate this
202 attribute with the value of 'false' on the Subscription Object. There is no "notify-mailto-text-only-default"
203 attribute.

204 If the value of this attribute is 'true' in a Subscription Object, the message body of each Event Notification
205 that the Printer generates from the Subscription Object MUST contain plain text only (i.e. 'text/plain' with
206 the charset specified by the "notify-charset" Subscription Object attribute).

207 If the value of this attribute is 'false' in a Subscription Object, the message body of each Event Notification
208 that the Printer generates from the Subscription Object MAY contain any Content-Type (e.g. 'text/plain',
209 'text/html', 'multipart/mixed', 'multipart/alternative', 'image/gif', 'audio/basic', etc.).

210 A Printer MUST support both values ('true' and 'false') of this attribute. There is no "notify-mailto-text-
211 only-supported" attribute.

212 **5.2 Additional Information about Subscription Template Attributes**

213 This section describes additional values for attributes defined in [ipp-ntfy].

214 **5.2.1 notify-recipient-uri (uri)**

215 This section describes the syntax of the value of this attribute for the 'mailto' Delivery Method. The syntax
216 for values of this attribute for other Delivery Method is defined in other Delivery Method Documents.

217 In order to support the 'mailto' Delivery Method, the Printer **MUST** support the following syntax for the
218 'mailto' Delivery Method when the Printer uses SMTP. The line below use RFC 822 syntax rules and
219 terms.

220 "mailto:" 1#mailbox

221 Note: the above syntax allows 1 or more occurrences of 'mailbox'. Each occurrence of 'mailbox'
222 represents an email address of a Notification Recipient.

223 **ISSUE: RFC 2368 allows more than one mailbox. Do we want this or just 1?**

224 For SMTP, the phrase 'address part of the "notify-recipient-uri" attribute value' refers to the 'mailbox' part
225 of the value.

226 The Printer **MAY** support other syntax for the 'address part' if it supports other email protocols.

227 **5.2.2 notify-user-data (octetString(63))**

228 This attributes has a special use for the 'mailto' Delivery Method. It specifies the email address of the
229 Subscribing Client. It is primarily useful when the Notification Recipient is some person other than the
230 Subscribing Client. Then the Notification Recipient has a way to reply to the Subscribing Client.

231 If a client specifies this Delivery Method in a Subscription Creation Operation, and the specified
232 Notification Recipient is not associated with the same person as the client, the client **SHOULD** supply its
233 email address as the value of the "notify-user-data" attribute. If the client does not supply this attribute, the
234 Printer **MUST NOT** populate the Subscription Object with this attribute.

235 **6 Event Notification Content**

236 This section describes the content of an Event Notification sent via the 'mailto' Delivery Method using the
237 SMTP protocol. This document does not describe the content for other email protocols, but an
238 implementation should use this section as a model.

239 When a Printer sends an email message via SMTP, the content **MUST** conform to RFC 822. The following
240 sections define the content that a Printer **MUST** send. A Printer **MAY** send additional content as long as the
241 resulting content conforms to RFC 822.

242 Each subsection below specifies the syntax that pertains to the subsection. The syntax rules and syntactic
243 terms (e.g. 'date-time') in each subsection come from RFC 822, except for the section on "Content-Type"
244 which comes from RFC 1521.

245 The Event Notification content has two parts, the headers and the message body. The headers precede the
246 message body and are separated by a blank line (see [RFC 822]).

247 **6.1 Headers**

248 When a Printer sends an Event Notification via SMTP, it MUST include the following headers. RFC 822
249 RECOMMENDS that the headers be in the order that they appear below.

250 **6.1.1 'Date' header**

251 **Syntax:** "Date" ":" date-time

252 This header contains the date and time that the Event occurred.

253 The Printer MUST include a "Date" header if and only if it supports the "printer-current-time" Printer
254 attribute.

255 **6.1.2 'From' header**

256 **Syntax:** "From" ":" mailbox

257 where

258 mailbox = addr-spec / phrase route-addr

259 This header causes a typical email reader to show the email as coming from the Printer that is sending the
260 Event Notification.

261 The Printer MUST include a "From" header whose syntax is specified above.

262 The Printer MUST use the second alternative of the syntax for 'mailbox' defined above (i.e. 'phrase route-
263 addr'). The 'phrase' is the Printer's display name and it MUST be the value of the "printer-name" Printer
264 attribute. The 'route-addr' MUST contain an email address (inside angle brackets) belonging to either an
265 administrator or the output-device. This email address NEED NOT be capable of receiving mail. There is
266 no Printer attribute to hold this email address, so that it cannot be configured using the IPP protocol without
267 an implementation-defined attribute extension.

268 **6.1.3 'Subject' header**

269 **Syntax:** "Subject" ":" *text

270 This header specifies the subject of the message and contains a short summary of the Event Notification.

271 The Printer MUST include a "Subject" header whose syntax is specified above.

272 The Printer MUST localize the '*text' using the values of the "notify-charset" and "notify-natural-
273 language" Subscription Object attributes.

274 For Printer Events, the '*text' SHOULD start with the localized word "printer:", followed by the Printer
275 name, and then followed by the localized Event name, e.g., in English: "printer: 'tiger' stopped" or in
276 French: 'imprimeur: 'tigre' arrêté'.

277 For Job Events, the '*text' SHOULD start with the localized phrase "print job:", followed by the Job name,
278 and then followed by the localized Event name, e.g., in English: "print job: 'financials' completed".

279 The wording is implementation dependent. A Notification Recipient MUST NOT expect to be able to
280 parse this text. But an email filter might look for "printer" or "print job".

281 **6.1.4 'Sender' header**

282 **Syntax:** "Sender" ":" mailbox

283 This header causes a typical email reader to show the email as coming on behalf of the person associated
284 with the Subscribing Client.

285 If the Subscription Object contains the "notify-user-data" attribute, and if its value satisfies the RFC 822
286 syntax rules for 'mailbox', the Printer MUST include a "Sender" header whose syntax is specified above.
287 Otherwise, the Printer MUST NOT include a "Sender" header.

288 For the "Sender" header, the 'mailbox' MUST be the value of the "notify-user-data" Subscription Object
289 attribute. See section 5.2.2 for details about the "notify-user-data" attribute.

290 **6.1.5 'Reply-to' header**

291 **Syntax:** "Reply-to" ":" mailbox

292 If the Notification Recipient replies to Event Notification email, this header causes a typical email reader to
293 send email to the person acting as the Subscribing Client. The rules are identical to the "Sender" header.

294 If the Subscription Object contains the "notify-user-data" attribute, and if its value satisfies the RFC 822
295 syntax rules for "mailbox", the Printer MUST include a "Reply-to" header whose syntax is specified above.
296 Otherwise, the Printer MUST NOT include a "Reply-to" header.

297 For the "Reply-to" header, the "mailbox" MUST be the value of the "notify-user-data" Subscription Object
298 attribute. See section 5.2.2 for details about the "notify-user-data" attribute.

299 **6.1.6 'To' header**

300 **Syntax:** "To" ":" 1#mailbox

301 See [RFC 1521] for the syntax.

302 This header specifies the Notification Recipient(s).

303 The Printer MUST include a "To" header whose syntax is specified above.

304 The '1#mailbox' MUST be the '1#mailbox' part of the value of the "notify-recipient-uri" Subscription
305 attribute, i.e. the part after the "mailto:".

306 **6.1.7 'Content-type' header**

307 **Syntax:** "Content-Type" ":" type "/" subtype *(";"parameter)

308 See [RFC 1521] for the syntactic terms (e.g. 'type').

309 This header specifies the format of the message body.

310 The Printer **MUST** include the "Content-Type" header.

311 If the value of the "notify-mailto-text-only" Subscription Object attribute is 'true', the 'type' **MUST** be
312 "plain", the 'subtype' **MUST** be "text" and the 'parameter' **MUST** be "charset=" XXX" where XXX is the
313 value of the "notify-charset" Subscription Object attribute, e.g. 'text/plain;charset=UTF-8'.

314 If the value of the "notify-mailto-text-only" Subscription Object attribute is 'false, the values of 'type',
315 'subtype' and 'parameter' **MUST** be values allowed by RFC 1521 or some registered MIME type. That is, a
316 Printer **MAY** send any format it wishes, e.g. html, images, audio, or multipart.

317 **6.2 Message Body**

318 This document describes a message body that is plain text. The content of all other Content-Types is
319 implementation dependent. A Printer **SHOULD** include a plain text message even when it sends other
320 Content-Types, i.e. the 'type' of the Content-Type **SHOULD** be 'multipart'.

321 When a Printer sends a plain text message, it **MUST** localize the text using the values of the "notify-
322 charset" and "notify-natural-language" Subscription Object attributes.

323 Section 9.2 in [ipp-ntfy] specifies the information that a Delivery Method **MUST** specify and a Printer
324 **SHOULD** send. This section contains the information from section 9.2 in [ipp-ntfy] and changes "Printer
325 **SHOULD** send" to "Printer **MUST** send".

326 A Printer **MUST** send the following localized information in the message body. The specific wording of
327 this information and its layout are implementation dependent.

- 328 a) the Printer name (see Table 1)
- 329 b) omitted (see below).
- 330 c) for Printer Events only:
 - 331 i) the Event (see Table 2) and/or Printer state information (see Table 5)
- 332 d) for Job Events only:
 - 333 i) the job identity (see Table 3)
 - 334 ii) the Event (see Table 2) and/or Job state information (see Table 4)

335 Item b) in the above list is omitted because the Printer sends the time of the Event as an email header (see
336 section 6.1.1 on the 'Date' header).

337 The subsections of this section specify the attributes that a Printer **MUST** use to obtain this information.

338 The Printer **MAY** send additional information, depending on implementation.

339 Notification Recipients MUST NOT expect to be able to parse the message.

340 The next three sections define the attributes in Event Notification Contents that are:

341 a) for all Events

342 b) for Job Events only

343 c) for Printer Events only

344 **6.2.1 Information in Event Notification Content Common to All Events**

345 The Printer MUST send the following information.

346 There is a separate table for each piece of information. Each row in the table represents a source value for
 347 the information and the values are listed in order of preference, with the first one being the preferred one.
 348 An implementation SHOULD use the source value from the earliest row in each table. The tables in this
 349 section and following contain the following columns for each piece of information:

350 a) **Source of Value:** the name of the attribute that supplies the value for the Event Notification

351 b) **Source Object:** the object from which the source value comes.

352 Table 1 lists the source of the information for the Printer Name. The "printer-name" is more user-friendly
 353 unless the Notification Recipient is in a place where the Printer name is not meaningful.

354 **Table 1 – Printer Name in Event Notification Content**

Source Value	Source Object
printer-name (name(127))	Printer
notify-printer-uri (uri)	Subscription

355

356 Table 2 lists the source of the information for the Event name. A Printer MAY combine this information
 357 with state information described for Jobs in Table 4 or for Printers in Table 5.

358 **Table 2 – Event Name in Event Notification Content**

Source Value	Source Object
notify-subscribed-event (type2 keyword)	Subscription

359

360 6.2.2 Additional Information in Event Notification Content for Job Events

361 This section lists the source of the additional information that a Printer MUST send for Job Events.

362 Table 3 lists the source of the information for the job name. The “job-name” is likely more meaningful to a
363 user than “job-id”.

364 **Table 3 – Job Name in Event Notification Content for Job Events**

Source Value	Source Object
job-name (name(MAX))	Job
job-id (integer(1:MAX))	Job

365

366 Table 4 lists the source of the information for the job-state. If a Printer supports the “job-state-message” and
367 “job-detailed-state-message” attributes, it SHOULD use those attributes for the job state information,
368 otherwise, it should fabricate such information from the “job-state” and “job-state-reasons”. For some
369 Events, a Printer MAY combine this information with Event information.

370 **Table 4 – Job State in Event Notification Content for Job Events**

Source Value	Source Object
job-state-message (text(MAX))	Job
job-detailed-status-messages (1setOf text(MAX))	Job
job-state (type1 enum)	Job
job-state-reasons (1setOf type2 keyword)	Job

371 6.2.3 Additional Information in Event Notification Content for Printer Events

372 This section lists the source of the additional information that a Printer MUST send for Printer Events.

373 Table 5 lists the source of the information for the printer-state. If a Printer supports the “printer-state-
374 message”, it SHOULD use that attribute for the job state information, otherwise it SHOULD fabricate such
375 information from the “printer-state” and “printer-state-reasons”. For some Events, a Printer MAY combine
376 this information with Event information.

377

Table 5 – Printer State in Event Notification Content for Printer Events

Source Value	Source Object
printer-state-message (text(MAX))	Printer
printer-state (type1 enum)	Printer
printer-state-reasons (1setOf type2 keyword)	Printer
printer-is-accepting-jobs (boolean)	Printer

378 6.3 Examples

379 This section contains three examples. One is a Job Event and the other two are Printer Events, the latter in
380 French.

381 6.3.1 Job Event Example

382 This section contains an example of an Event Notification of a Job Event.

383 A Subscribing Client Mike Jones (who works for xyz Corp.) performs a Subscription Creation Operation as
384 part of the Print-Job operation on Printer "ipp://tiger@abc.com". Mike Jones specifies that the "job-name"
385 is "financials". Mike is printing the Job for Bill Smith at abc Corp. The Subscription Object then has the
386 following attributes:

Attribute Name	Attribute Value
notify-recipient-uri	mailto:bsmith@abc.com
notify-events	job-completed
notify-user-data	mjones@xyz.com
notify-mailto-text-only	true
notify-charset	us-ascii
notify-natural-language	en-us
notify-persistence	false
notify-subscription-id	35692
notify-sequence-number	0

Attribute Name	Attribute Value
notify-printer-up-time	34593
notify-printer-uri	ipp://tiger@abc.com
notify-job-id	345
notify-subscriber-user-name	mjones

387 When the Job completes, the Printer generates and sends the following email message:

```

388 Date: 17 Jul 00 1632 PDT
389 From: tiger <printAdmin@abc.com>
390 Subject: print job: 'financials' completed
391 Sender: mjones@xyz.com
392 Reply-to: mjones@xyz.com
393 To: bsmith@abc.com
394 Content-type: text/plain
395
396 printer: tiger
397 job: financials
398 job-state: completed

```

399 The reader should note that the phrases are not identical to IPP keywords. They have been localized to
400 English.

401 6.3.2 Printer Event Example

402 This section contains an example of an Event Notification of a Printer Event.

403 A Subscribing Client Peter Williams, a Printer admin, performs a Create-Printer-Subscriptions operation on
404 Printer "ipp://tiger@abc.com". The Subscription Object then has the following attributes:

Attribute Name	Attribute Value
notify-recipient-uri	mailto:pwilliams@abc.com
notify-events	printer-state-changed
notify-mailto-text-only	true
notify-charset	us-ascii
notify-natural-language	en-us
notify-persistence	false

Attribute Name	Attribute Value
notify-subscription-id	4623
notify-sequence-number	0
notify-printer-uptime	23002
notify-printer-uri	ipp://tiger@abc.com
notify-lease-expiration-time	0
notify-subscriber-user-name	pwilliams

405 When the Printer jams, the Printer generates and sends the following email message:

```
406 Date: 29 Aug 00 0832 PDT
407 From: tiger <printAdmin@abc.com>
408 Subject: printer: 'tiger' stopped
409 To: pwilliams@abc.com
410 Content-type: text/plain
411
412 printer: tiger
413 state: stopped
414 reason: jammed paper
```

415 The reader should note that the phrases are not identical to IPP keywords. They have been localized to
416 English.

417 6.3.3 Printer Event Example (localized to French)

418 This section contains an example of an Event Notification of a Printer Event.

419 A Subscribing Client Pierre Veyrat, a Printer admin, performs a Create-Printer-Subscriptions operation on
420 Printer "ipp://tigre@def.com". The Subscription Object then has the following attributes:

Attribute Name	Attribute Value
notify-recipient-uri	mailto:pveyrat@def.com
notify-events	printer-state-changed
notify-mailto-text-only	true
notify-charset	utf-8
notify-natural-language	fr

Attribute Name	Attribute Value
notify-persistence	false
notify-subscription-id	50225
notify-sequence-number	0
notify-printer-uptime	53217
notify-printer-uri	ipp://tigre@def.com
notify-lease-expiration-time	0
notify-subscriber-user-name	pveyrat

421 When the Printer jams, the Printer generates and sends the following email message:

422 Note, this example shows the accented characters as an email reader would show them rather than as they
423 would be encoded in us-ascii.

424 **ISSUE: this needs to be changed to real ascii encoding for IETF ascii document.**

```
425 Date: 29 Jan 00 0832 CET
426 From: tigre <admin@def.com>
427 Subject: imprimeur: 'tigre' arrêté
428 To: pveyrat@def.com
429 Content-type: text/plain; charset=utf-8
430
431 imprimeur: tigre@def.com
432 état: arrêté
433 raison: papier coincé
```

434 7 Conformance Requirements

435 If the Printer supports the 'mailto' Delivery Method, the Printer MUST:

- 436 1. meet the conformance requirements defined in [ipp-ntfy].
- 437 2. support the "notify-mailto-text-only" Subscription Object attribute defined in section 5.1.1.
- 438 3. support the syntax for the "notify-recipient-uri" Subscription Object attribute defined in section 5.2.1
- 439 4. support the use for the "notify-user-data" Subscription Object attribute defined in section 5.2.2
- 440 5. support SMTP for sending Event Notifications.
- 441 6. support the 'text/plain' Content-Type for the message body.

442 7. support sending Event Notification via email with the content specified in section 5.2.

443 **8 IANA Considerations**

444 Because the 'mailto' URL scheme is already defined in a standards track document [RFC 2368] and
445 registered with IANA, this document does not require anything further of IANA.

446 **9 Internationalization Considerations**

447 This Delivery Method presents no internationalization considerations beyond those covered in the [ipp-
448 ntfy] document, and sections 6.1.3 and 6.2 of this document.

449 The Notification Recipient is expected to present the email as received because the Printer does all
450 necessary localization to the Event Notification contents.

451 **10 Security Considerations**

452 The biggest security concern is that a Subscribing Client will cause unsolicited Event Notifications to be
453 sent to third parties, potentially creating denial-of-service problems (i.e., spam). The problem is even worse
454 if the third parties are distribution lists.

455 There exist scenarios where third party notification is required (see Scenario #2 and #3 in [ipp-not-req]).
456 The fully secure solution would require active agreement of all persons before they can become Notification
457 Recipients. However, requirement #9 in [ipp-req] ("There is no requirement for IPP Printer receiving the
458 print request to validate the identity of an event recipient") argues against this. To minimize the risk, a
459 Printer could disallow third party Notification Recipients (a traditional facsimile model).

460 The Delivery Method recommends that the Subscribing Client supply his or her email address as the value
461 of the "notify-user-data" attribute in the Subscription Creation Operation when the Notification Recipient is
462 a third party. To reduce the chance of spamming or identify the spammer, a Printer could disallow third
463 party Notification Recipients if the Subscribing Client doesn't supply the "notify-user-data" attribute with a
464 valid email address.

465 Some firewall administrators prevent mail attachments from being accepted into their organizations because
466 of the problem of the attachments containing computer viruses. The 'mailto' Delivery Method allows the
467 Subscribing Client to request that the Content-Type of a message body be 'text/plain'.

468 **11 References**

469 [ipp-iig]

470 Hastings, T., Manros, C., Kugler, K, Holst H., Zehler, P., "Internet Printing Protocol/1.1: draft-ietf-
471 ipp-implementers-guide-v11-01.txt, work in progress, May 9, 2000

472 [ipp-mod]

473 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and
474 Semantics", <draft-ietf-ipp-model-v11-06.txt>, March 1, 2000.

- 475 [ipp-notify-poll]
476 Manros, C., Hastings, T., Herriot, R., Lewis, H., "Internet Printing Protocol (IPP): The 'ipp'
477 Notification Delivery Polling Method", <draft-ietf-ipp-notify-poll-01.txt>, work in progress, May,
478 2000.
- 479 [ipp-ntfy]
480 Isaacson, S., Martin, J., deBry, R., Hastings, T., Shepherd, M., Bergman, R., "Internet Printing
481 Protocol/1.1: IPP Event Notification Specification", <draft-ietf-ipp-not-spec-03.txt>, May 10, 2000.
- 482 [ipp-pro]
483 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and
484 Transport", draft-ietf-ipp-protocol-v11-05.txt, March 1, 2000.
- 485 [RFC821]
486 Jonathan B. Postel, "Simple Mail Transfer Protocol", RFC 821, August, 1982.
- 487 [RFC822]
488 David H. Crocker, "Standard For The Format Of ARPA Internet Text Messages", RFC 822, August
489 13, 1982.
- 490 [RFC1341]
491 N. Borenstein, N. Freed, "MIME (Multipurpose Internet Mail Extensions): Mechanisms for
492 Specifying and Describing the Format of Internet Message Bodies", RFC 1341, June, 1992.
- 493 [RFC1521]
494 N. Borenstein, N. Freed, "MIME (Multipurpose Internet Mail Extensions) Part One: Mechanisms
495 for Specifying and Describing the Format of Internet Message Bodies", RFC 1521, September 1993.
- 496 [RFC1891]
497 K. Moore, "SMTP Service Extension for Delivery Status Notifications", RFC 1891, January 1996
- 498 [RFC2026]
499 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.
- 500 [RFC2046]
501 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext
502 Transfer Protocol - HTTP/1.1", RFC 2616, June 1999.
- 503 [RFC2368]
504 P. Hoffman, L. Masinter, J. Zawinski, "The mailto URL scheme", RFC 2616, July 1998.
- 505 [RFC2616]
506 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext
507 Transfer Protocol - HTTP/1.1", RFC 2616, June 1999.

508 [RFC2633]
509 B. Ramsdell, "S/MIME Version 3 Message Specification", RFC 2633, June 1999.

510 **12 Author's Addresses**

511 Robert Herriot
512 Xerox Corporation
513 3400 Hillview Ave., Bldg #1
514 Palo Alto, CA 94304
515
516
517 Phone: 650-813-7696
518 Fax: 650-813-6860
519 Email: robert.herriot@pahv.xerox.com

520
521 Henrik Holst
522 i-data international a/s
523 Vadstrupvej 35-43
524 2880 Bagsvaerd, Denmark
525
526 Phone: +45 4436-6000
527 Fax: +45 4436-6111
528 e-mail: hh@i-data.com

529
530 Tom Hastings
531 Xerox Corporation
532 737 Hawaii St. ESAE 231
533 El Segundo, CA 90245
534
535 Phone: 310-333-6413
536 Fax: 310-333-5514
537 e-mail: hastings@cp10.es.xerox.com

538
539 Carl-Uno Manros
540 Xerox Corporation
541 737 Hawaii St. ESAE 231
542 El Segundo, CA 90245
543
544 Phone: 310-333-8273
545 Fax: 310-333-5514
546 e-mail: manros@cp10.es.xerox.com

547 **13 Full Copyright Statement**

548 Copyright (C) The Internet Society (2000). All Rights Reserved.

549 This document and translations of it may be copied and furnished to others, and derivative works that
550 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and

551 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and
552 this paragraph are included on all such copies and derivative works. However, this document itself may not
553 be modified in any way, such as by removing the copyright notice or references to the Internet Society or
554 other Internet organizations, except as needed for the purpose of developing Internet standards in which
555 case the procedures for copyrights defined in the Internet Standards process must be followed, or as
556 required to translate it into languages other than English.

557 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its
558 successors or assigns.

559 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET
560 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,
561 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE
562 OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
563 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.