

1 INTERNET-DRAFT
2 <draft-ietf-ipp-notify-mailto-03.txt>
3 Category: standards track

Robert Herriot
Xerox Corp.
Henrik Holst
i-data international a/s
Tom Hastings
Xerox Corp.
Carl-Uno Manros
Xerox Corp.
August 30, 2000

12 Internet Printing Protocol (IPP):
13 **The ‘mailto’ Delivery Method for Event Notifications**

14
15 Copyright (C) The Internet Society (2000). All Rights Reserved.

16 Status of this Memo

17 This document is an Internet-Draft and is in full conformance with all provisions of Section 10 of [RFC2026].
18 Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working
19 groups. Note that other groups may also distribute working documents as Internet-Drafts.

20 Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or
21 obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite
22 them other than as “work in progress”.

23 The list of current Internet-Drafts can be accessed at <http://www.ietf.org/ietf/1id-abstracts.txt>

24 The list of Internet-Draft Shadow Directories can be accessed as <http://www.ietf.org/shadow.html>.

25 **Abstract**

26 The notification extension document [ipp-ntfy] defines operations that a client can perform in order to create
27 *Subscription Objects* in a Printer and carry out other operations on them. The Subscription Object specifies that
28 when one of the specified *Events* occurs, the Printer sends an asynchronous *Event Notification* to the specified
29 *Notification Recipient* via the specified *Delivery Method* (i.e., protocol).

30 The notification extension document [ipp-ntfy] specifies that each Delivery Method is defined in another document.
31 This document is one such document, and it specifies the ‘mailto’ delivery method.

32 For this Delivery Method, when an Event occurs, the Printer immediately sends an Event Notification via an email
33 message to the Notification Recipient specified in the Subscription Object. The message body of the email consists
34 of Human Consumable text that is not intended to be parsed by a machine.

35 The Notification Recipient receives the Event Notification in the same way as it receives any other email message.

36 The basic set of IPP documents includes:

- 37 Design Goals for an Internet Printing Protocol [RFC2567]
- 38 Rationale for the Structure and Model and Protocol for the Internet Printing Protocol [RFC2568]
- 39 Internet Printing Protocol/1.1: Model and Semantics [ipp-mod]
- 40 Internet Printing Protocol/1.1: Encoding and Transport [ipp-pro]
- 41 Internet Printing Protocol/1.1: Implementer's Guide [ipp-ig]
- 42 Mapping between LPD and IPP Protocols [RFC2569]
- 43 Internet Printing Protocol (IPP): IPP Event Notification Specification [ipp-ntfy]

44

45 The "Design Goals for an Internet Printing Protocol" document takes a broad look at distributed printing
46 functionality, and it enumerates real-life scenarios that help to clarify the features that need to be included in a
47 printing protocol for the Internet. It identifies requirements for three types of users: end users, operators, and
48 administrators. It calls out a subset of end user requirements that are satisfied in IPP/1.0. A few OPTIONAL
49 operator operations have been added to IPP/1.1.

50 The "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol" document describes
51 IPP from a high level view, defines a roadmap for the various documents that form the suite of IPP specification
52 documents, and gives background and rationale for the IETF working group's major decisions.

53 The "Internet Printing Protocol/1.1: Model and Semantics" document describes a simplified model with abstract
54 objects, their attributes, and their operations that are independent of encoding and transport. It introduces a Printer
55 and a Job object. The Job object optionally supports multiple documents per Job. It also addresses security,
56 internationalization, and directory issues.

57 The "Internet Printing Protocol/1.1: Encoding and Transport" document is a formal mapping of the abstract
58 operations and attributes defined in the model document onto HTTP/1.1 [RFC2616]. It defines the encoding rules
59 for a new Internet MIME media type called "application/ipp". This document also defines the rules for transporting
60 over HTTP a message body whose Content-Type is "application/ipp". This document also defines a new scheme
61 named 'ipp' for identifying IPP printers and jobs.

62 The "Internet Printing Protocol/1.1: Implementer's Guide" document gives insight and advice to implementers of
63 IPP clients and IPP objects. It is intended to help them understand IPP/1.1 and some of the considerations that
64 may assist them in the design of their client and/or IPP object implementations. For example, a typical order of
65 processing requests is given, including error checking. Motivation for some of the specification decisions is also
66 included.

67 The "Mapping between LPD and IPP Protocols" document gives some advice to implementers of gateways
68 between IPP and LPD (Line Printer Daemon) implementations.

69 The "Event Notification Specification" document describes an extension to the IPP/1.0, IPP/1.1, and future
70 versions. This extension allows a client to subscribe to printing related Events. The Subscription Object specifies
71 that when one of the specified *Event* occurs, the Printer sends an asynchronous *Event Notification* to the
72 specified *Notification Recipient* via the specified *Delivery Method* (i.e., protocol). A client associates
73 Subscription Objects with a particular Job by performing the Create-Job-Subscriptions operation or by submitting
74 a Job with subscription information. A client associates Subscription Objects with the Printer by performing a

75 Create-Printer-Subscriptions operation. Four other operations are defined for Subscription Objects: Get-
76 Subscriptions-Attributes, Get-Subscriptions, Renew-Subscription, and Cancel-Subscription.
77

Table of Contents

77	Table of Contents		
78	1	Introduction.....	6
79	2	Terminology.....	6
80	3	Model and Operation.....	6
81	4	General Information.....	7
82	5	Subscription Template Attributes	8
83	5.1	Additional Subscription Template Attributes	8
84	5.1.1	notify-mailto-text-only (boolean)	9
85	5.2	Additional Information about Subscription Template Attributes.....	9
86	5.2.1	notify-recipient-uri (uri)	9
87	5.2.2	notify-user-data (octetString(63)).....	10
88	6	Event Notification Content	10
89	6.1	Headers.....	10
90	6.1.1	'Date' header	10
91	6.1.2	'From' header	10
92	6.1.3	'Subject' header	11
93	6.1.4	'Sender' header.....	11
94	6.1.5	'Reply-to' header	12
95	6.1.6	'To' header	12
96	6.1.7	'Content-type' header.....	12
97	6.2	Message Body.....	12
98	6.3	Plain Text Content	13
99	6.3.1	Event Notification Content Common to All Events	14
100	6.3.2	Additional Event Notification Content for Job Events	15
101	6.3.3	Additional Event Notification Content for Printer Events.....	15
102	6.4	Examples.....	16
103	6.4.1	Job Event Example	16
104	6.4.2	Printer Event Example.....	17
105	6.4.3	Printer Event Example (localized to Danish).....	18
106	7	Conformance Requirements.....	18
107	8	IANA Considerations.....	19
108	9	Internationalization Considerations	19
109	10	Security Considerations	19
110	11	References	20

111 12 Author's Addresses.....21
112 13 Full Copyright Statement22

113
114

Table of Tables

115 Table 1 – Information about the Delivery Method7
116 Table 2 – Additional Subscription Template Attributes.....8
117 Table 3 – Printer Name in Event Notification Content14
118 Table 4 – Event Name in Event Notification Content.....15
119 Table 5 – Job Name in Event Notification Content.....15
120 Table 6 – Job State in Event Notification Content15
121 Table 7 – Printer State in Event Notification Content.....16

122
123

123 **1 Introduction**

124 The notification extension document [ipp-ntfy] defines operations that a client can perform in order to create
125 *Subscription Objects* in a Printer and carry out other operations on them. A Subscription Object represents a
126 Subscription abstraction. The Subscription Object specifies that when one of the specified *Events* occurs, the
127 Printer sends an asynchronous *Event Notification* to the specified *Notification Recipient* via the specified
128 *Delivery Method* (i.e., protocol).

129 The notification extension document [ipp-ntfy] specifies that each Delivery Method is defined in another document.
130 This document is one such document, and it specifies the 'mailto' delivery method.

131 For this Delivery Method, when an Event occurs, the Printer immediately sends an Event Notification via an email
132 message to the Notification Recipient specified in the Subscription Object. The message body of the email consists
133 of Human Consumable text that is not intended to be parsed by a machine. The 'mailto' Delivery Method is a
134 'push' Delivery Method as defined in [ipp-ntfy].

135 The Notification Recipient receives the Event Notification in the same way as it receives any other email message.

136 **2 Terminology**

137 This section defines the following terms that are used throughout this document:

138 Capitalized terms, such as **MUST**, **MUST NOT**, **REQUIRED**, **SHOULD**, **SHOULD NOT**, **MAY**, **NEED**
139 **NOT**, and **OPTIONAL**, have special meaning relating to conformance to this specification. These terms are
140 defined in [ipp-mod section 13.1 on conformance terminology, most of which is taken from RFC 2119
141 [RFC2119].

142 For capitalized terms that appear in this document, see [ipp-ntfy].

143 **3 Model and Operation**

144 In a Subscription Creation Operation, when the value of the "notify-recipient-uri" attribute contains the scheme
145 "mailto", the client is requesting that the Printer use the 'mailto' Delivery Method for Event Notifications generated
146 from the new Subscription Object.

147 For this Delivery Method, the "notify-recipient-uri" attribute value **MUST** consist of a "mailto" scheme followed by
148 a colon, and then followed by an address part (e.g. 'mailto:smith@abc.com'). See section 5.2.1 for the syntax of
149 the "notify-recipient-uri" attribute value for this Delivery Method.

150 A Printer **MUST** support SMTP [RFC821], and it **MAY** support other email protocols. A Printer **MAY** use
151 additional services, such as SMTP delivery status notification [RFC1891] or S/MIME encryption [RFC2633].

152 If the client wants the Printer to send Event Notifications via the 'mailto' Delivery Method, the client **MUST** choose
153 a value for "notify-recipient-uri" attribute which conforms to the rules of section 5.2.1. To avoid denial-of-service
154 attacks, a client **SHOULD NOT** use distribution lists as the Notification Recipient.

- 155 When an Event occurs, the Printer MUST immediately:
- 156 1. Find all pertinent Subscription Objects P according to the rules of section 9 of [ipp-ntfy], AND
 - 157 2. Find the subset M of these Subscription Objects P whose “notify-recipient-uri” attribute has a scheme
158 value of ‘mailto’, AND
 - 159 3. For each Subscription Object in M, the Printer MUST
 - 160 a) generate an email message as specified in section 5.2.2 AND
 - 161 b) send the email message to the Notification Recipient specified by the address part of the “notify-
162 recipient-uri” attribute value (see section 5.2.1).

163 If the Printer supports only SMTP, it MUST send the email message via SMTP. If the Printer supports additional
164 email protocols, it MUST determine the protocol from the address part of the “notify-recipient-uri” attribute value
165 and then send the email message via the appropriate email protocol.

166 When a Subscribing Client is subscribing to the ‘job-progress’ event (which is a frequently occurring event), it
167 SHOULD supply the “notify-time-interval” attribute (see [ipp-ntfy]) in the Subscription Creation request with a
168 suitable value to limit the time between ‘job-progress’ Event Notifications sent by the Printer.

169 4 General Information

170 If a Printer supports this Delivery Method, the following are its characteristics.

171 **Table 1 – Information about the Delivery Method**

Document Method Conformance Requirement	Delivery Method Realization
1. What is the URL scheme name for the Delivery Method?	mailto
2. Is the Delivery Method REQUIRED, RECOMMENDED, or OPTIONAL for an IPP Printer to support?	RECOMMENDED
3. What transport and delivery protocols does the Printer use to deliver the Event Notification Content, i.e., what is the entire network stack?	A Printer MUST support SMTP. It MAY support other email protocols.
4. Can several Event Notifications be combined into a Compound Event Notification?	A Printer implementation MAY combine several Event Notifications into a single email message.
5. Is the Delivery Method initiated by the Notification Recipient (pull), or by the Printer (push)?	This Delivery Method is a push.

6. Is the Event Notification content Machine Consumable or Human Consumable?	Human Consumable
7. What section in this document answers the following question? For a Machine Consumable Event Notification, what is the representation and encoding of values defined in section 9.1 of [ipp-ntfy] and the conformance requirements thereof? For a Human Consumable Event Notification, what is the representation and encoding of pieces of information defined in section 9.2 of [ipp-ntfy] and the conformance requirements thereof?	Section 6
8. What are the latency and reliability of the transport and delivery protocol?	Same as the underlying SMTP (or other optional) email transport
9. What are the security aspects of the transport and delivery protocol, e.g., how it is handled in firewalls?	Same as the underlying SMTP (or other optional) email transport
10. What are the content length restrictions?	None
11. What are the additional values or pieces of information that a Printer sends in an Event Notification content and the conformance requirements thereof?	None
12. What are the additional Subscription Template and/or Subscription Description attributes and the conformance requirements thereof?	See section 5.1.1 on "notify-mailto-text-only"
13. What are the additional Printer Description attributes and the conformance requirements thereof?	None

172 **5 Subscription Template Attributes**

173 **5.1 Additional Subscription Template Attributes**

174 This Delivery Method introduces one additional Subscription Template Attribute (See Table 2).

175 **Table 2 – Additional Subscription Template Attributes**

Attribute in Subscription Object	Default and Supported Printer Attributes
notify-mailto-text-only (boolean)	N/A

176 **5.1.1 notify-mailto-text-only (boolean)**

177 When the Printer generates an Event Notification from a Subscription Object, this attribute specifies whether the
178 Printer generates the Event Notification with only plain text (i.e. 'text/plain') or with Content-Types that the Printer
179 chooses.

180 The Printer **MUST** support this attribute if it supports the 'mailto' Delivery Method.

181 A client **MAY** supply this attribute. If a client does not supply this attribute, the Printer **MUST** populate this
182 attribute with the value of 'false' on the Subscription Object. There is no "notify-mailto-text-only-default" attribute.

183 If the value of this attribute is 'true' in a Subscription Object, the message body of each Event Notification that the
184 Printer generates from the Subscription Object **MUST** contain plain text only (i.e. 'text/plain' with the charset
185 specified by the "notify-charset" Subscription Object attribute).

186 If the value of this attribute is 'false' in a Subscription Object, the Content-Type of the message body of each
187 Event Notification that the Printer generates from the Subscription Object **MUST** be either 'text/plain' or
188 'multipart', depending on implementation. If the Content-Type is 'multipart', one message body of the 'multipart'
189 **MUST** be the same as the 'text/plain' message body when this attribute has the value of 'true'. Each of the other
190 message bodies of the 'multipart' **MAY** be any Content-Type (e.g. 'text/html', 'image/gif', 'audio/basic', etc.).

191 A Printer **MUST** support both values ('true' and 'false') of this attribute. There is no "notify-mailto-text-only-
192 supported" attribute.

193 **5.2 Additional Information about Subscription Template Attributes**

194 This section describes additional values for attributes defined in [ipp-ntfy].

195 **5.2.1 notify-recipient-uri (uri)**

196 This section describes the syntax of the value of this attribute for the 'mailto' Delivery Method. The syntax for
197 values of this attribute for other Delivery Method is defined in other Delivery Method Documents.

198 In order to support the 'mailto' Delivery Method, the Printer **MUST** support the following syntax for the 'mailto'
199 Delivery Method when the Printer uses SMTP. The line below use RFC 822 syntax rules and terms.

200 "mailto:" mailbox

201 Note: the above syntax allows 1 occurrence of 'mailbox'. The occurrence of 'mailbox' represents an email
202 address of a Notification Recipient.

203 For SMTP, the phrase 'address part' of the "notify-recipient-uri" attribute value refers to the 'mailbox' part of the
204 value.

205 The Printer **MAY** support other syntax for the 'address part' if it supports email protocols in addition to SMTP.

206 **5.2.2 notify-user-data (octetString(63))**

207 This attribute has a special use for the 'mailto' Delivery Method. It specifies the email address of the Subscribing
208 Client. It is primarily useful when the Notification Recipient is some person other than the Subscribing Client. Then
209 the Notification Recipient has a way to reply to the Subscribing Client.

210 If a client specifies this Delivery Method in a Subscription Creation Operation, and the specified Notification
211 Recipient is not associated with the same person as the client, the client SHOULD supply its email address as the
212 value of the "notify-user-data" attribute. If the client does not supply this attribute, the Printer MUST NOT
213 populate the Subscription Object with this attribute.

214 **6 Event Notification Content**

215 This section describes the content of an Event Notification sent via the 'mailto' Delivery Method using the SMTP
216 protocol. This document does not describe the content for other email protocols, but an implementation should use
217 this section as a model.

218 When a Printer sends an email message via SMTP, the content MUST conform to RFC 822. The following
219 sections define the content that a Printer MUST send. A Printer MAY send additional content as long as the
220 resulting content conforms to RFC 822.

221 Each subsection below specifies the syntax that pertains to the subsection. The syntax rules and syntactic terms
222 (e.g. 'date-time') in each subsection come from RFC 822, except for the section on "Content-Type" which comes
223 from RFC 1521.

224 The Event Notification content has two parts, the headers and the message body. The headers precede the
225 message body and are separated by a blank line (see [RFC 822]).

226 **6.1 Headers**

227 When a Printer sends an Event Notification via SMTP, it MUST include the following headers. RFC 822
228 RECOMMENDS that the headers be in the order that they appear below.

229 **6.1.1 'Date' header**

230 **Syntax:** "Date" ":" date-time

231 This header contains the date and time that the Event occurred.

232 The Printer MUST include a "Date" header if and only if it supports the "printer-current-time" Printer attribute.

233 **6.1.2 'From' header**

234 **Syntax:** "From" ":" mailbox

235 where

236 mailbox = addr-spec / phrase route-addr

237 This header causes a typical email reader to show the email as coming from the Printer that is sending the Event
238 Notification.

239 The Printer MUST include a "From" header whose syntax is specified above.

240 The Printer MUST use the second alternative of the syntax for 'mailbox' defined above (i.e. 'phrase route-addr').
241 The 'phrase' is the Printer's display name and it MUST be the value of the "printer-name" Printer attribute. The
242 'route-addr' MUST contain an email address (inside angle brackets) belonging to either an administrator or the
243 output-device. This email address NEED NOT be capable of receiving mail. There is no Printer attribute to hold
244 this email address, so that it cannot be configured using the IPP protocol without an implementation-defined
245 attribute extension.

246 6.1.3 'Subject' header

247 **Syntax:** "Subject" ":" *text

248 This header specifies the subject of the message and contains a short summary of the Event Notification.

249 The Printer MUST include a "Subject" header whose syntax is specified above.

250 The Printer MUST localize the '*text' using the values of the "notify-charset" and "notify-natural-language"
251 Subscription Object attributes.

252 For Printer Events, the '*text' SHOULD start with the localized word "printer:", followed by the Printer name, and
253 then followed by the localized Event name, e.g., in English: "printer: 'tiger' stopped" or in Danish: 'Printeren 'tiger'
254 er standset'.

255 For Job Events, the '*text' SHOULD start with the localized phrase "print job:", followed by the Job name, and
256 then followed by the localized Event name, e.g., in English: "print job: 'financials' completed".

257 The wording is implementation dependent. A Notification Recipient MUST NOT expect to be able to parse this
258 text. But an email filter might look for "printer" or "print job".

259 6.1.4 'Sender' header

260 **Syntax:** "Sender" ":" mailbox

261 This header causes a typical email reader to show the email as coming on behalf of the person associated with the
262 Subscribing Client.

263 If the Subscription Object contains the "notify-user-data" attribute, and if its value satisfies the RFC 822 syntax
264 rules for 'mailbox', the Printer MUST include a "Sender" header whose syntax is specified above. Otherwise, the
265 Printer MUST NOT include a "Sender" header.

266 For the "Sender" header, the 'mailbox' MUST be the value of the "notify-user-data" Subscription Object attribute.
267 See section 5.2.2 for details about the "notify-user-data" attribute.

268 **6.1.5 'Reply-to' header**

269 **Syntax:** "Reply-to" ":" mailbox

270 If the Notification Recipient replies to Event Notification email, this header causes a typical email reader to send
271 email to the person acting as the Subscribing Client. The rules are identical to the "Sender" header.

272 If the Subscription Object contains the "notify-user-data" attribute, and if its value satisfies the RFC 822 syntax
273 rules for "mailbox", the Printer MUST include a "Reply-to" header whose syntax is specified above. Otherwise,
274 the Printer MUST NOT include a "Reply-to" header.

275 For the "Reply-to" header, the "mailbox" MUST be the value of the "notify-user-data" Subscription Object
276 attribute. See section 5.2.2 for details about the "notify-user-data" attribute.

277 **6.1.6 'To' header**

278 **Syntax:** "To" ":" 1#mailbox

279 See [RFC 1521] for the syntax.

280 This header specifies the Notification Recipient(s).

281 The Printer MUST include a "To" header whose syntax is specified above.

282 The '1#mailbox' MUST be the '1#mailbox' part of the value of the "notify-recipient-uri" Subscription attribute, i.e.
283 the part after the "mailto:".

284 **6.1.7 'Content-type' header**

285 **Syntax:** "Content-Type" ":" type "/" subtype *(";" parameter)

286 See [RFC 1521] for the syntactic terms (e.g. 'type').

287 This header specifies the format of the message body.

288 The Printer MUST include the "Content-Type" header.

289 The "notify-mailto-text-only" attribute determines the 'type' and 'subtype' values. The possible values are
290 "text/plain" and "multipart" values.

291 **6.2 Message Body**

292 The message body MUST contain Human Consumable content as plain text. It MAY also contain other types of
293 implementation dependent content.

294 For plain text, the Content-Type of Human Consumable content MUST be 'text/plain'. For implementation
 295 dependent content, the Content-Type of Human Consumable content MUST be 'multipart'. The Content-Type of
 296 one body part MUST be 'text/plain' and the Content-Types of the other body parts are implementation
 297 dependent. See section 6.3 for a description of plain text content.

298 The following table shows the Content-Type of the message body for the "notify-mailto-text-only" attribute:

"notify-mailto-text-only" attribute	Content-Type of Message Body	Message Body
false	'text/plain'	Human Consumable
true	'text/plain' or*	Human Consumable plain text
	'multipart'	Human Consumable where one body part is plain text

299

300 * The Content-Type depends on the implementation. A Printer MAY send 'text/plain' only or it MAY send
 301 several body parts of various Content-Types within a message body whose Content-Type is 'multipart'.

302 6.3 Plain Text Content

303 When a Printer sends a plain text message, it MUST localize the text using the values of the "notify-charset" and
 304 "notify-natural-language" Subscription Object attributes.

305 Section 9.2 in [ipp-ntfy] specifies the information that a Delivery Method MUST specify and a Printer SHOULD
 306 send.

307 A Printer SHOULD send the following localized information in the message body. The specific wording of this
 308 information and its layout are implementation dependent.

- 309 a) the Printer name (see Table 3)
- 310 b) omitted (see below).
- 311 c) for Printer Events only:
 - 312 i) the Event (see Table 4) and/or Printer state information (see Table 7)
- 313 d) for Job Events only:
 - 314 i) the job identity (see Table 5)
 - 315 ii) the Event (see Table 4) and/or Job state information (see Table 6)

316 Item b) in the above list is omitted because the Printer sends the time of the Event as an email header (see section
 317 6.1.1 on the 'Date' header).

318 The subsections of this section specify the attributes that a Printer MUST use to obtain this information.

319 The Printer MAY send additional information, depending on implementation.

320 Notification Recipients MUST NOT expect to be able to parse the message.

321 The next three sections define the attributes in Event Notification Contents that are:

322 a) for all Events

323 b) for Job Events only

324 c) for Printer Events only

325 **6.3.1 Event Notification Content Common to All Events**

326 The Printer **MUST** send the following information.

327 There is a separate table for each piece of information. Each row in the table represents a source value for the
 328 information and the values are listed in order of preference, with the first one being the preferred one. An
 329 implementation **SHOULD** use the source value from the earliest row in each table. It **MAY** use the source value
 330 from another row instead, or it **MAY** combine the source values from several rows. An implementation is free to
 331 determine the best way to present this information.

332 The tables in this section and following sections contain the following columns for each piece of information:

333 a) **Source of Value:** the name of the attribute that supplies the value for the Event Notification

334 b) **Sends:**

335 **MAY:** this is the only value used in the tables. It means that the Printer **OPTIONALLY** sends this
 336 value. However, the Printer **SHOULD** use at least one value from each table.

337 c) **Source Object:** the object from which the source value comes.

338 Table 3 lists the source of the information for the Printer Name. The “printer-name” is more user-friendly unless the
 339 Notification Recipient is in a place where the Printer name is not meaningful. For example, an implementation could
 340 have the intelligence to send the value of the “printer-name” attribute to a Notification Recipient that can access the
 341 Printer via value of the “printer-name” attribute and otherwise send the value of the “notify-printer-uri” attribute.

342 **Table 3 – Printer Name in Event Notification Content**

Source Value	Sends	Source Object
printer-name (name(127))	MAY	Printer
notify-printer-uri (uri)	MAY	Subscription

343

344 Table 4 lists the source of the information for the Event name. A Printer **MAY** combine this information with state
 345 information described for Jobs in Table 6 or for Printers in Table 7.

346 **Table 4 – Event Name in Event Notification Content**

Source Value	Sends	Source Object
notify-subscribed-event (type2 keyword)	MAY	Subscription

347

348 **6.3.2 Additional Event Notification Content for Job Events**349 This section lists the source of the additional information that a Printer **MUST** send for Job Events.350 Table 5 lists the source of the information for the job name. The “job-name” is likely more meaningful to a user than
351 “job-id”.352 **Table 5 – Job Name in Event Notification Content**

Source Value	Sends	Source Object
job-name (name(MAX))	MAY	Job
job-id (integer(1:MAX))	MAY	Job

353

354 Table 6 lists the source of the information for the job-state. If a Printer supports the “job-state-message” and “job-
355 detailed-state-message” attributes, it **SHOULD** use those attributes for the job state information, otherwise, it
356 should fabricate such information from the “job-state” and “job-state-reasons”. For some Events, a Printer **MAY**
357 combine this information with Event information.358 **Table 6 – Job State in Event Notification Content**

Source Value	Sends	Source Object
job-state-message (text(MAX))	MAY	Job
job-detailed-status-messages (1setOf text(MAX))	MAY	Job
job-state (type1 enum)	MAY	Job
job-state-reasons (1setOf type2 keyword)	MAY	Job

359 **6.3.3 Additional Event Notification Content for Printer Events**360 This section lists the source of the additional information that a Printer **MUST** send for Printer Events.361 Table 7 lists the source of the information for the printer-state. If a Printer supports the “printer-state-message”, it
362 **SHOULD** use that attribute for the job state information, otherwise it **SHOULD** fabricate such information from
363 the “printer-state” and “printer-state-reasons”. For some Events, a Printer **MAY** combine this information with
364 Event information.

365

Table 7 – Printer State in Event Notification Content

Source Value	Sends	Source Object
printer-state-message (text(MAX))	MAY	Printer
printer-state (type1 enum)	MAY	Printer
printer-state-reasons (1 setOf type2 keyword)	MAY	Printer
printer-is-accepting-jobs (boolean)	MAY	Printer

366 6.4 Examples

367 This section contains three examples. One is a Job Event and the other two are Printer Events, the latter in Danish.

368 A Printer implementation NEED NOT generate Event Notification content that is identical or even similar to these
 369 examples. In fact it would be unfortunate if every implementation copied these example as is. These examples
 370 merely show some possibilities and are not necessarily the best way to convey information about an Event.

371 6.4.1 Job Event Example

372 This section contains an example of an Event Notification of a Job Event.

373 A Subscribing Client Mike Jones (who works for xyz Corp.) performs a Subscription Creation Operation as part
 374 of the Print-Job operation on Printer “ipp://tiger@abc.com”. Mike Jones specifies that the “job-name” is
 375 “financials”. Mike is printing the Job for Bill Smith at abc Corp. The Subscription Object then has the following
 376 attributes:

Attribute Name	Attribute Value
notify-recipient-uri	mailto:bsmith@abc.com
notify-events	job-completed
notify-user-data	mjones@xyz.com
notify-mailto-text-only	true
notify-charset	us-ascii
notify-natural-language	en-us
notify-subscription-id	35692
notify-sequence-number	0
notify-printer-up-time	34593
notify-printer-uri	ipp://tiger@abc.com
notify-job-id	345
notify-subscriber-user-name	mjones

377 When the Job completes, the Printer generates and sends the following email message:

```

378 Date: 17 Jul 00 1632 PDT
379 From: tiger <printAdmin@abc.com>
380 Subject: print job: 'financials' completed
381 Sender: mjones@xyz.com
382 Reply-to: mjones@xyz.com
383 To: bsmith@abc.com
384 Content-type: text/plain
385
386 printer: tiger
387 job: financials
388 job-state: completed

```

389 The reader should note that the phrases are not identical to IPP keywords. They have been localized to English.

390 6.4.2 Printer Event Example

391 This section contains an example of an Event Notification of a Printer Event.

392 A Subscribing Client Peter Williams, a Printer admin, performs a Create-Printer-Subscriptions operation on Printer
 393 "ipp://tiger@abc.com". The Subscription Object then has the following attributes:

Attribute Name	Attribute Value
notify-recipient-uri	mailto:pwilliams@abc.com
notify-events	printer-state-changed
notify-mailto-text-only	true
notify-charset	us-ascii
notify-natural-language	en-us
notify-subscription-id	4623
notify-sequence-number	0
notify-printer-uptime	23002
notify-printer-uri	ipp://tiger@abc.com
notify-lease-expiration-time	0
notify-subscriber-user-name	pwilliams

394 When the Printer jams, the Printer generates and sends the following email message:

```

395 Date: 29 Aug 00 0832 PDT
396 From: tiger <printAdmin@abc.com>
397 Subject: printer: 'tiger' has stopped
398 To: pwilliams@abc.com
399 Content-type: text/plain
400
401 Printer tiger has stopped with a paper jam.
402

```

403 The reader should note that the phrases are not identical to IPP keywords. They have been localized to English.

404 **6.4.3 Printer Event Example (localized to Danish)**

405 This section contains an example of an Event Notification of a Printer Event localized to Danish.

406 A Subscribing Client Per Jensen, a Printer admin, performs a a Create-Printer-Subscriptions operation on Printer
407 "ipp://tiger@def.dk". The Subscription Object then has the following attributes:

Attribute Name	Attribute Value
notify-recipient-uri	mailto:pjensen@def.dk
notify-events	printer-state-changed
notify-mailto-text-only	true
notify-charset	utf-8
notify-natural-language	da
notify-subscription-id	50225
notify-sequence-number	0
notify-printer-uptime	53217
notify-printer-uri	ipp://tiger@def.dk
notify-lease-expiration-time	0
notify-subscriber-user-name	pjensen

408 When the Printer jams, the Printer generates and sends the following email message:

```
409 Date: 29 Jan 00 0832 CET
410 From: tiger <admin@def.dk>
411 Subject: Printerens 'tiger' er standset
412 To: pjensen@def.dk
413 Content-type: text/plain; charset=utf-8
```

```
414
415 Printerens navn er 'tiger'.
416 Printerens er standset.
417 Aarsagen er papir stop.
```

418 **7 Conformance Requirements**

419 The 'mailto' Delivery Method is RECOMMENDED for a Printer to support.

420 If the Printer supports the 'mailto' Delivery Method, the Printer MUST:

- 421 1. meet the conformance requirements defined in [ipp-ntfy].
- 422 2. support the "notify-mailto-text-only" Subscription Object attribute defined in section 5.1.1.

- 423 3. support the syntax for the "notify-recipient-uri" Subscription Object attribute defined in section 5.2.1
- 424 4. support the use for the "notify-user-data" Subscription Object attribute defined in section 5.2.2
- 425 5. support SMTP for sending Event Notifications.
- 426 6. support the 'text/plain' Content-Type for the message body.
- 427 7. support sending Event Notification via email with the content specified in section 5.2.

428 **8 IANA Considerations**

429 Because the 'mailto' URL scheme is already defined in a standards track document [RFC 2368] and registered
430 with IANA, this document does not require anything further of IANA.

431 **9 Internationalization Considerations**

432 This Delivery Method presents no internationalization considerations beyond those covered in the [ipp-ntfy]
433 document, and sections 6.1.3 and 6.2 of this document.

434 The Notification Recipient is expected to present the email as received because the Printer does all necessary
435 localization to the Event Notification contents.

436 **10 Security Considerations**

437 The biggest security concern is that a Subscribing Client will cause unsolicited Event Notifications to be sent to third
438 parties, potentially creating denial-of-service problems (i.e., spam). The problem is even worse if the third parties
439 are distribution lists.

440 There exist scenarios where third party notification is required (see Scenario #2 and #3 in [ipp-not-req]). The fully
441 secure solution would require active agreement of all persons before they can become Notification Recipients.
442 However, requirement #9 in [ipp-req] ("There is no requirement for IPP Printer receiving the print request to
443 validate the identity of an event recipient") argues against this. To minimize the risk, a Printer could disallow third
444 party Notification Recipients (a traditional facsimile model).

445 The Delivery Method recommends that the Subscribing Client supply his or her email address as the value of the
446 "notify-user-data" attribute in the Subscription Creation Operation when the Notification Recipient is a third party.
447 To reduce the chance of spamming or identify the spammer, a Printer could disallow third party Notification
448 Recipients if the Subscribing Client doesn't supply the "notify-user-data" attribute with a valid email address.

449 Some firewall administrators prevent mail attachments from being accepted into their organizations because of the
450 problem of the attachments containing computer viruses. The 'mailto' Delivery Method allows the Subscribing
451 Client to request that the Content-Type of a message body be 'text/plain'.

452 **11 References**

453 [ipp-iig]

454 Hastings, T., Manros, C., Kugler, K, Holst H., Zehler, P., "Internet Printing Protocol/1.1: draft-ietf-ipp-
455 implementers-guide-v11-01.txt, work in progress, May 9, 2000

456 [ipp-mod]

457 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.0: Model and
458 Semantics", <draft-ietf-ipp-model-v11-07.txt>, May 22, 2000.

459 [ipp-ntfy]

460 Herriot, R., Hastings, T., Isaacson, S., Martin, J., deBry, R., Shepherd, M., Bergman, R., "Internet
461 Printing Protocol/1.1: IPP Event Notification Specification", <draft-ietf-ipp-not-spec-04.txt>, August 30,
462 2000.

463 [ipp-pro]

464 Herriot, R., Butler, S., Moore, P., Tuner, R., "Internet Printing Protocol/1.1: Encoding and Transport",
465 draft-ietf-ipp-protocol-v11-06.txt, May 20, 2000.

466 [RFC821]

467 Jonathan B. Postel, "Simple Mail Transfer Protocol", RFC 821, August, 1982.

468 [RFC822]

469 David H. Crocker, "Standard For The Format Of ARPA Internet Text Messages", RFC 822, August 13,
470 1982.

471 [RFC1341]

472 N. Borenstein, N. Freed, "MIME (Multipurpose Internet Mail Extensions): Mechanisms for Specifying and
473 Describing the Format of Internet Message Bodies", RFC 1341, June, 1992.

474 [RFC1521]

475 N. Borenstein, N. Freed, "MIME (Multipurpose Internet Mail Extensions) Part One: Mechanisms for
476 Specifying and Describing the Format of Internet Message Bodies", RFC 1521, September 1993.

477 [RFC1891]

478 K. Moore, "SMTP Service Extension for Delivery Status Notifications", RFC 1891, January 1996

479 [RFC2026]

480 S. Bradner, "The Internet Standards Process -- Revision 3", RFC 2026, October 1996.

481 [RFC2046]

482 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext Transfer
483 Protocol - HTTP/1.1", RFC 2616, June 1999.

- 484 [RFC2368]
485 P. Hoffman, L. Masinter, J. Zawinski, "The mailto URL scheme", RFC 2616, July 1998.
- 486 [RFC2616]
487 R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee, "Hypertext Transfer
488 Protocol - HTTP/1.1", RFC 2616, June 1999.
- 489 [RFC2633]
490 B. Ramsdell, "S/MIME Version 3 Message Specification", RFC 2633, June 1999.

491 **12 Author's Addresses**

492

493 Robert Herriot
494 Xerox Corporation
495 3400 Hillview Ave., Bldg #1
496 Palo Alto, CA 94304
497
498 Phone: 650-813-7696
499 Fax: 650-813-6860
500 Email: robert.herriot@pahv.xerox.com

501

502 Henrik Holst
503 i-data international a/s
504 Vadstrupvej 35-43
505 2880 Bagsvaerd, Denmark
506
507 Phone: +45 4436-6000
508 Fax: +45 4436-6111
509 e-mail: hh@i-data.com

510

511 Tom Hastings
512 Xerox Corporation
513 737 Hawaii St. ESAE 231
514 El Segundo, CA 90245
515
516 Phone: 310-333-6413
517 Fax: 310-333-5514
518 e-mail: hastings@cp10.es.xerox.com

519

520 Carl-Uno Manros
521 Xerox Corporation

522 737 Hawaii St. ESAE 231
523 El Segundo, CA 90245
524
525 Phone: 310-333-8273
526 Fax: 310-333-5514
527 e-mail: manros@cp10.es.xerox.com

528 **13 Full Copyright Statement**

529 Copyright (C) The Internet Society (2000). All Rights Reserved.

530 This document and translations of it may be copied and furnished to others, and derivative works that comment on
531 or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole
532 or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included
533 on all such copies and derivative works. However, this document itself may not be modified in any way, such as
534 by removing the copyright notice or references to the Internet Society or other Internet organizations, except as
535 needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the
536 Internet Standards process must be followed, or as required to translate it into languages other than English.

537 The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its
538 successors or assigns.

539 This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET
540 SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES,
541 EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF
542 THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
543 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.